DIRECTIONS

WIREWORMS:

TOBACCO — Use $\frac{1}{18}$ to $\frac{1}{14}$ pint, depending upon the degree of infestation, to 50 gallons of Transplant Water. Apply at the rate of 300 gallons per acre. BEANS, BEETS, CABBAGE, CORN, SWEET POTATORS TURNIPS — Use $\frac{1}{12}$ pint per 50 gallons of Transplant Water. Apply 500 to 900 gallons per acre.

ANTS: Apply to Nesting Quarters found in Lawns, Tree Trunks, Cracks in Cement Walks, etc. Use 2 teaspoonfuls to one gallon of water or 3 tablespoonfuls to five gallons of water. If Lawn is heavily infested treat entire area. Do not apply to soil to be planted to food crops.

FIRE ANTS: Apply to Nesting Quarters found in Lawns, Tree Trunks, Cracks in Cemen ents etc. Mix at rate of one teaspoonful per gallon of water or three pints per 100 gallons. Apply three gallons per mound. Do not apply to soil to be planted to food crops.

SOD WEBWORMS: Treat entire Lawn area. Use 1/8 pint in sufficient water to cover 1000 sq. ft.

MOLE CRICKETS, EARWICS AND CHICGERS: Treat entire Lawn area. Use 4 teaspoonfuls in sufficient water to cover 1000 sq. ft. Spray weeds, shrubbery, orchard and berry patches for chiggers.

FLIES, MOSQUITOES AND WASPS: Apply to selected outside portions of Residence, such as around windows, Doors and Screens. Apply to walls, teilings of porches and in buildings other than residences. Use 1½ to 2 tablespoonfuls to one quart of water. Do not use in dairy barns. Should not be used in poultry houses.

TERMITES: Apply ½ gallon in 44 gallons of water or No. 2 fuel oil to infested area. Make sure the infested area is well saturated with solution. To control termites the ½ solution should be applied to the soil along the outside of wooden structures to be protected. A dosage of 2 gallons per 5 lineal feet might be made in a french along the outside of the foundations walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches deep, 4 gallons per 5 lineal feet of trench should be applied. Make a 30 inch trench for buildings with deep foundations.

Rinse empty container thoroughly with water and discard it.

CAUTION

Harmful if swallowed. Contact with skin can cause Toxic Symptoms. Avoid breatning spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Do not use on Household Pets or animals. Do not use on Forage Crops to be fed to Dairy Animals or those being finished for slaughter. Birds Feeding on Treated Area may be harmed. Fish may be killed if waters are contaminated with this product.

CONTENTS

ACCEPE 6/2//68

EN UNION AND AND REGISTERS

EN UNION AND AND AGENTATION OF THE PROPERTY OF THE

KEEP OU SEE OTHER P

This Package Contains 8 lbs. of Chlordans per gal.

ACTIV To Po INER

STEVENS IN

U.S.D.A. REG. NO. 2459-97

Master

CONTENTS

GALLON

ncks in Cement confuls to five ot apply to soil mks, Cracks in water or three

water to cover

pply to soil to

ition, to 50 gal-BEANS, BEETS,

r 50 gallons of

m area. Use 4 eds, shrubbery,

ns of Residence. porches and in et of water. Do > 7.74.

oil to infested ion. To control itside of wooden might be made entrance platinches deep. If al feet of trench foundations.

Avoid breathı**d water. Avoid** ren. Do not use be fed to Dairy **re**ated Area may is product.

EHLORDANE

EUNGICIEL AND NOTANGIOR AFOR FARM AND GARDENS

FOR FOO WITH POISON REGISTER-

ED UNDER 140 2459-97

KEEP OUT OF THE REACH OF CHILDREN SEE OTHER PANEL FOR ADDITIONAL WARNINGS

This Package Contains 8 lbs. of Chlordana per gal.

ACTIVE INGREDIENTS:

Technical Chiordane*......75.0% Petroleum Hydrocarbons... 20.0% INERT INGREDIENTS 5.0% Total

100.0%

*Equivalent to 45% Octachloro - 4, 7 - Methanotetrahydroindane and 30% related compounds.

Manufactured by

STEVENS INDUSTRIES, INC., DAWSON. GEORGIA 81742