DIRECTIONS

FOR THE CONTROL OF: STABLE FLY EAT HORN FLY CAT WINTER TICK MOS

INSIST

O

Ž

MA

S

Π

ア

RAN

PRODU

EAR TICK FLEAS CATTLE LICE GOAT LICE MOSQUITOES ROACHES

FOR ECONOR

DUNDER DE 2454 AR

On cattle and horses—To control Horn Fly, Cattle Lice, Ear Ticks, and Winter Tick, mix one gallon of Master Brand Range Spray to 100 gallons of water and agitate to form a creamy emulsion. Wet all portions of the skin thoroughly. Approximately two quarts of mixed spray are required for a full grown horse or cow, and proportionately less for smaller animals. Be sure not to overdose young animals. Do not use on dairy animals.

On goats: To control Goat Lice mix one gallon of Master Brand Range Spray with 200 to 400 gallons of water; mix well and spray animals thoroughly. Do not treat dairy goats or goats intended for meat.

For use on burlap sacks or chain back rubbers as an aid in controlling Horn Flies and Lice on beef cattle: Dilute one gallon of Master Brand Range Spray with 9 gallons of fuel oil or other suitable carrier and fill insecticide compartment of back rubber device or soak sacks. Refill or repeat soaking as necessary. Place back rubber device where animals feed, water, travel regularly or loaf. Do not use on beef animals within 4 weeks of slaughter. Do not spray animals directly with this dilution in oil. Do not use around animals under 1 month old. Do not allow dairy animals to use back rubbers.

As a premise spray for barnyard and buildings—To kill fleas, mosquitoes, roaches, stable flies around barns, barnyards and outbuildings, dilute one gallon of Master Brand Range Spray with 20 gallons of water. Thoroughly spray all surfaces where insects alight or crawl. For fleas, thoroughly treat places where animals sleep. Repeat applications as necessary for effective season-long control. Do not treat pets or domestic animals with this mixture. Do not use in dwellings.

CAUTION

As a general precaution in spraying animals, avoid treatment during ccld, stormy, weather, avoid treating overheated or sick animals. Water animals before applying solution.

Do not use around poultry or in poultry houses. nor in dairy barns or milk rooms.

WARNING

May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly. Do not apply in dairy barns or to dairy animals. Avoid contamination of feed and foodstuffs. Do not use around poultry, dogs or fish. Do not contaminate any body of water by cleaning equipment or disposal of wastes and containers. Do not use on animals within 30 days of slaughter.

OTICI

tho n b d d e a log



KEEP OUT OF SEE BACK PANEL F

This Package Contains

ACTIVE INGRE

Toxaphene* Malathion O, O-din of diethyl merca Xylene INERT INGREDIEN

Ma

STEVENS INDUSTRII

U.S.D.A.