

NET WEIGHT 50 LBS.

2454-135
ACCEPTED

Sept 6, 1967

UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND OTHER ACT
FOR ECONOMIC PESTION REGISTE
ED UNDER NO.

Master

BRAND

10% SEVIN*

THIS PACKAGE CONTAINS

Carbaryl (1-Naphthyl N-methylcarbamate)	10.0%
INERT INGREDIENTS:	90.0%
TOTAL	100.0%

*Trade Mark of Union Carbide Corp. for 1-Naphthyl N-methylcarbamate

DIRECTIONS FOR USE

Read entire label. Use in strict accordance with label directions and cautions.

COTTON—For early-season thrips, flea beetles and cotton fleahopper. Also for cotton leafworm and striped-belt beetle. Apply 5 to 10 pounds of MASTER BRAND 10 Per Cent Dust per acre on appearance of insects.

For mid and late season boll weevil, bollworm, fall armyworm, cotton leaf perforator, leaf rollers, leafhoppers and tarnished plant bug. Also for light-to-moderate infestations of Lygus bugs in Western irrigated cotton. Apply 10 to 20 pounds of Master Brand 10 Per Cent Dust per acre, depending on the size of the cotton and insect population level. Applications for boll weevil should be made every five to seven days as long as control is necessary.

Aphid populations will be suppressed by repeated applications of this insecticide.

SEVIN does not control spider mites. Where infestations are encountered, use a recommended miticide. SEVIN may be applied after bolls open. Allow 7 days between last application and grazing treated fields or harvesting crop residue for use as feed or bedding for dairy or meat animals. For protection of honeybees avoid unnecessary use during periods when honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

FORAGE GRASSES AND PASTURES: Use 10 to 15 pounds for armyworms, stinkbugs and thrips. For optimum thrips control in grasses grown for seed, direct dust into boot.

SORGHUMS (INCLUDING MILO AND GRAIN SORGHUM): Use 10 to 20 pounds for armyworms, corn earworm, stinkbugs and webworms. Use 15 pounds for sorghum midge. For optimum insect control on grain sorghum, direct dust into the foliage heads. Treatment for sorghum midge control should be made 3 to 4 days after heads have emerged from boot. Do not apply within 21 days of harvest of grain.

TOBACCO: Hand dusting application for budworms and tobacco flea beetles, when hand dust applications are made on individual plants, apply 4 to 6 pounds per acre. Heavier applications may cause plant injury. Rotary dusters are recommended. Shaker cans and cough bags usually result in excessive applications.

Broadcast application for horn worms, budworms, Japanese beetles, grasshoppers and flea beetles, apply 15 to 25 pounds per acre depending on size of the plants. Use the highest rate only on large plants. Full coverage is essential. Begin treatment when worms are small and repeat as needed. Heavier applications may cause plant injury.

NOTE

- 1) If late applications are necessary, treat immediately after priming.
- 2) Some phytotoxicity may occur on tender tobacco in the presence of rain or high humidity of several days duration following application.

HANDLING PRECAUTIONS

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

HARMFUL IF INHALED OR SWALLOWED. Do not breathe dust. Do not take internally. Avoid prolonged or repeated breathing of dust. Skin contact may be harmful. Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

NOTE FOR PHYSICIANS: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

CAUTION: HARMFUL IF SWALLOWED OR INHALED. Do not take internally. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs.

NOTICE

Stevens Industries, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable. Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

Manufactured by
STEVENS INDUSTRIES, INC.
DAWSON, GEORGIA

U.S.D.A. Reg. No. 2459-135