



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of waste.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not touch eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

STOP-READ LABEL BEFORE USING!

POISON

SEE PANELS BELOW FOR ANTIDOTE & PRECAUTIONS



DANGER

Keep Out of Reach of Children



Master

BRAND

PARATHION EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate 46.6%

Xylene - Range aromatic hydrocarbon solvent 47.7%

INERT INGREDIENTS: 5.7%

100.0%

(CONTAINS 4 LB. ETHYL PARATHION TECHNICAL PER GALLON)

WARNING -- FLAMMABLE -- KEEP AWAY FROM HEAT OR OPEN FLAMES

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and even clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and even clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.



READ THIS LABEL BEFORE USING DESTROY EMPTY CONTAINERS

CONTAINER DISPOSAL
DO NOT RE-USE THE CONTAINER. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse empty container by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location. Do not use container in any connection with feed, food, and drinking water.

NOT FOR HOME USE

Treated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not prune or thin dense orchards until at least two weeks have been allowed for dissipation of vapors from residues. Do not contaminate feed and foodstuffs. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. This product will kill fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label.

CAUTION

Observe use limitations given for specified crops. Residues remaining on food crops at time of harvest should be removed by washing, brushing, stripping or other suitable means. Apply in early morning or evening when there is little or no wind. Never allow spray mist to drift onto property of others. Consult local State Agricultural Experiment Stations or State Agricultural Extension Services for additional information as the label for number of applications needed will vary with growing conditions.

RATE OF APPLICATION

The recommended rate should be mixed with the amount of water necessary to cover one acre. The gallonage of diluted spray applied will vary from 1 to 10 gallons. Tractor mounted and self-propelled sprayers will usually put out from 1 to 6 gallons of diluted spray per acre. Airplane application should be made at the rate of 1 to 2 diluted gals. per acre.

DIRECTIONS

BEANS: For control of Mexican beetle, leafhopper, aphids, red spider, armyworms, leaf roller and leaf miner, use 1/2 pint per acre in sufficient water to cover one acre. Repeat applications at 7 to 10 day intervals until controlled. Do not apply to beans within 15 days of harvest.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, KALE, MUSTARD: For control of diamondback moth, imported cabbage worm and armyworm, use 1/2 pint in sufficient water to cover one acre. Do not apply within 21 days of harvest.

CORN: Use one pint in sufficient water to cover one acre for the control of European corn borer. Do not apply within 12 days of picking or cutting. Consult your State Agricultural Experiment Station for proper timing of treatments.

COTTON: Use 1/2 to 3/4 pint in sufficient water to cover one acre for the control of aphid, leafhopper and red spider mites. Do not hand pick within seven days of last application. Workers entering treated fields within 24 hours should wear protective clothing.

TOBACCO: Green Peach Aphid—Use 1/2 pint in sufficient water per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming. Workers entering treated fields within 24 hours should wear protective clothing.

NOTICE

Stevens Industries, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

Manufactured By
STEVENS INDUSTRIES, INC.
DAWSON, GEORGIA

EPA Reg. No. 2459-149

SEP 26
Pesticide Reg. Div. EPA

PRECAUTIONS

STOP - READ LABEL BEFORE USING!

POISON

**SEE PANELS
BELOW FOR
ANTIDOTE &
PRECAUTIONS**



DANGER

**Keep Out of
Reach of
Children**



POISON

**READ THIS LABEL BEFORE USING
DESTROY EMPTY CONTAINERS**

CONTAINER DISPOSAL

DO NOT RE-USE THE CONTAINER — Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse empty container by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location.

Do not use container in any connection with feed, food, and drinking water.

NOT FOR HOME USE

Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not prune or thin dense orchards until at least two weeks have been allowed for dissipation of vapors from residues. Do not contaminate feed and foodstuffs.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product will kill fish and wildlife. Keep out of lakes, ponds, and streams. Do not apply to any area not specified on the label.

CAUTION

Observe use limitations given for specified crops. Residues remaining on food crops at time of harvest should be removed by washing, brushing, stripping or other suitable means. Apply in early morning or evening when there is little or no wind. Never allow spray mist to drift onto property of others. Consult local State Agricultural Experiment Station or State Agricultural Extension Services for additional information as to timing and number of applications needed with various commodities.

RATE OF APPLICATION

The recommended rate should be mixed with the amount of water necessary to cover one acre. The gallonage of diluted spray applied will vary from 1 to 10 gallons. Tractor mounted and self propelled sprayers will usually put out from 1 to 6 gallons of diluted spray per acre. Airplane application should be made at the rate of 1 to 2 diluted gals. per acre.

DIRECTIONS

BEANS: For control of Mexican beetle, leafhopper, aphids, red spider, armyworms, leaf roller and leaf miner, use 1/4 pint per acre in sufficient water to cover one acre. Repeat applications at 7 to 10 day intervals until controlled. Do not apply to beans within 15 days of harvest.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, KALE, MUSTARD: For control of diamondback moth, imported cabbage worm and armyworm, use 1/2 pint in sufficient water to cover one acre. Do not apply within 21 days of harvest.

CORN: Use one pint in sufficient water to cover one acre for the control of European corn borer. Do not apply within 12 days of picking or cutting. Consult your State Agricultural Experiment Station for proper timing of treatments.

COTTON: Use 1/2 to 3/4 pint in sufficient water to cover one acre for the control of aphid, fleahopper and red spider mites. Do not hand pick within seven days of last application. Workers entering treated fields within 24 hours should wear protective clothing.

TOBACCO: Green Peach Aphid—Use 1/2 pint in sufficient water per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming. Workers entering treated fields within 24 hours should wear protective clothing.

NOTICE

Stevens Industries, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

IF SWALLOWED

If you if swallowed even in mist or dust may be fatal if

BY SKIN CONTACT

Hands or spilled or spashed clothing (liquid goes through)

IF BREATHED

By mist or dust may be fatal

FISH AND WILDLIFE

Fish and wildlife. Birds and areas may be killed. Keep out of treated areas. Do not apply to occur



Master

BRAND

PARATHION EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate 46.6%

Xylene - Range aromatic hydrocarbon solvent 47.7%

INERT INGREDIENTS: 5.7%

100.0%

(CONTAINS 4 LB. ETHYL PARATHION TECHNICAL PER GALLON)

WARNING -- FLAMMABLE -- KEEP AWAY FROM HEAT OR OPEN FLAMES

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they will die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give any thing by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

A fatal case of parathion poisoning is reported in TWENTY-FIVE. Repeat applications are necessary to overcome. Repeat every 10 minutes until symptoms of poisoning disappear. PARATHION is an anticholinergic and may be administered in combination with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

Manufactured By

STEVENS INDUSTRIES, INC.

DAWSON, GEORGIA

EPA Reg. No. 2459-149

SEP 26 1973
Pesticides Regulation
Division EPA