

Label Kit in white



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED
 This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT
 This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED
 This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE
 This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of waste.

WORK SAFETY RULES
USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

EMULSIFIABLE
SEE LABELS FOR PRECAUTIONS
MAY 9 1975
 U.S. Federal Insecticide, Fungicide, and Rodenticide Act
 Registered under 2454-155
 EPA Reg. No. 2454-155

POISON



DANGER

Keep Out of Reach of Children

NOT FOR HOME USE

Methyl Parathion Emulsifiable Concentrate

4.0 Lbs. Per Gallon Methyl Parathion

CONTENTS BY WEIGHT

ACTIVE INGREDIENTS:	
O,O-Dimethyl O-p-Nitrophenyl Thiophosphate	45.8%
Xylene Range Aromatic Solvent	36.0%
INERT INGREDIENTS	
	18.2%
Total	100.0%

DESTROY EMPTY CONTAINERS
MIXING DIRECTIONS

Mix with water by agitation; agitate the mixture while spraying. If allowed to stand, reagit before use.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas

Apply this product only as specified on this label.

FIRST AID TREATMENT

Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.
Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to parathion; describe his condition. **Until medical help is available take following steps.**
IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.
IF SWALLOWED and victim is awake (conscious) make him vomit quickly. First, give soapy water or strong salty water to drink then stroke back of throat with finger to make victim vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. **Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet.**
IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.
EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.
After first aid is given and physician can't come take victim to clinic or Hospital. "Label Folder." Give to physician.

NOTE TO PHYSICIAN

ANTIDOTE—Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also available and may be administered in conjunction with atropine. **Do not give morphine or tranquilizers.**


GENERAL DIRECTIONS

Methyl Parathion Emulsifiable Concentrate can be used in conventional hydraulic sprayers, low-volume ground applicators, or airplane sprayers. Use this product only for recommended purposes and at recommended dosages.

INSECT CONTROL ON COTTON: For control of aphids, boll weevil, cotton leaf worm, flea-hopper, red spider mites, and thrips, apply Methyl Parathion Emulsifiable Concentrate at the rate of 1/2 to 1 pint per acre. Apply with sufficient water to give uniform coverage. (3 to 6 gallons tractor mounted spray - 3 gallons aerial application.) Begin application when insects first appear and repeat application as often as necessary to maintain control. Do not apply within 15 days of hand picking.

SUNFLOWER HEAD BOTT: Apply Methyl Parathion Emulsifiable Concentrate at the rate of 1 quart per acre with sufficient water to give uniform coverage. (3 gallons tractor mounted spray--3 gallons aerial application.) Begin application at first flowering or onset of bloom. Repeat applications at 5 day intervals if needed. Do not apply more than three (3) times at five day intervals per season and the last application should be at least 30 days prior to harvest.

SOYBEANS - FOR THE SUPPRESSION OF: Velvetbean caterpillar, Green Velvetbean Caterpillar, apply 1 pint per acre in sufficient water for coverage. Fall Army Worm: Apply a minimum of 2 pints per acre in sufficient water for coverage. Do not apply more than twice per growing season. Do not apply within 20 days of harvest. Workers entering field within 5 days of application should wear protective clothing.



POISONOUS TO FISH AND WILDLIFE

DO NOT ALLOW TO DRINK

DO NOT ALLOW TO BE IN CONTACT

PRECAUTIONS

1975

STOP! READ THE LABEL

Methyl Parathion Emulsifiable Concentrate



NOT FOR HOME USE

4.0 lbs. Per Gallon Methyl Parathion

POST TREATED AREA

DESTROY EMPTY CONTAINER

MIXING DIRECTIONS

Mix with water by agitation, agitate the mixture while spraying. If allowed to stand, re-agitate before use.

Apply this product only as specified on this label.

GENERAL DIRECTIONS

Methyl Parathion Emulsifiable Concentrate can be used in conventional hydraulic sprayer volume ground applicators or airplane sprayers. Use this product only for recommended pests and at recommended dosages.

INSECT CONTROL ON COTTON - For control of aphids, boll weevil, cotton leaf worm, loopers, and spider mites, at 10 days, apply Methyl Parathion Emulsifiable Concentrate at 1.5 to 2.0 pint per acre. Apply with sufficient water to give uniform coverage. (3 to 6 gallons tractor mounted spray - 3 gallons aerial application). Begin application when insects first appear and repeat application as often as necessary to maintain control. Do not apply within 30 days of hand picking.

Velvetbean caterpillar - Apply Methyl Parathion Emulsifiable Concentrate at the rate of 1 quart per acre with sufficient water to give uniform coverage. (3 gallons tractor mounted spray - 2 gallons aerial application.) Begin application at first flowering or onset of bloom. Repeat applications at 5 day intervals if needed. Do not apply more than three (3) times at five day intervals per season and the last application should be at least 30 days prior to harvest.

WORKERS - FOR THE SUPPRESSION OF: Velvetbean caterpillar, Greenberry worm, apply 1 pint per acre in sufficient water for coverage. **Field Day Work:** Apply a minimum of 2 pints per acre in sufficient water for coverage. Do not apply more than twice per growing season. Do not apply within 30 days of harvest. Workers entering fields within 7 days of application should wear protective clothing.

This product is highly toxic to bees exposed to direct treatment or to water stations. Protective information may be obtained from the National Extension Service.

FIRST AID TREATMENT

Speed is essential. If absorption of poison is possible, stopper should make telephone calls while another gives treatment.

Call a physician immediately in all cases of suspected poisoning. Exposure to methyl parathion should be reported. Until medical help is available take following steps:

IF BREATHING HAS STOPPED - Start artificial respiration immediately and continue until physician arrives.

IF SWALLOWED and victim is conscious, give 1 pint vomit if any. Flush mouth with water. Give 1 quart of salty water to drink through a glass tube or finger to make victim vomit. Repeat by giving 1 quart and make vomit again. Do not give anything by mouth to an unconscious victim. Lie down and keep quiet.

IN CASE OF SKIN CONTACT - Remove contaminated clothing and wash exposed areas with water for 15 minutes.

EYE CONTACT - If splashed in eyes, flush with water for at least 15 minutes.

After first aid steps are completed, call physician for further treatment.

NOTE TO PHYSICIAN

ANTIDOTE - A solution of 10% sodium bicarbonate 20:40 mg. per cc. should be given. 2 cc. per 100 cc. of water. Repeat every 15 minutes for 2-3 hours.

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear a hat and pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for para-dichloro-pent. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not eat, drink, or smoke while working with this product. Before eating, drinking, or smoking, wash hands and face with soap and water. Wash clothing and shoes with soap and water. When leaving job, DO NOT wear contaminated clothing.

ALWAYS wash hands, face, and arms with soap and water before smoking, eating, or drinking.

AFTER WORK, take off protective clothing and shoes. Shower and soap and water. Wash clothing when leaving job. DO NOT wear contaminated clothing.

A protective cloth should be worn when working with soap and water. The cloth should be used and changed as often as necessary. It should be washed with respirator.

POISON SIGNS (Symptoms)

Signs and symptoms of poisoning are: nausea, vomiting, diarrhea, headache, dizziness, weakness, loss of appetite, and difficulty in breathing. If any of these symptoms occur, stop work immediately and seek medical attention or hospital care.

Signs and Symptoms of Poisoning From Inhalation: Irritation of the nose, throat, and eyes, coughing, and difficulty in breathing. If any of these symptoms occur, stop work immediately and seek medical attention or hospital care.

POSTING TREATED AREA

After application of this product, the treated area should be posted with signs and barriers to prevent unauthorized persons from entering. The signs should be placed at all entrances to the treated area and should read: "DANGER - POISONOUS TO FISH AND WILDLIFE - KEEP OUT". The barriers should be placed around the treated area and should be removed only by authorized personnel.