

ANTIDOTE

EXTERNAL: In case of spillage on skin, wash promptly with soap and water. INTERNAL: Emetic of 1 tablespoon mustard in tumbler of water.

Call a physician.

DANGER

KEEP OUT OF THE REACH OF CHILDREN

DIRECTIONS

the control of the following insects attacking lawns and turfs:

acre. Small area apply 14 lb. to each 30 feet square. If possible work into the top of soil.

Chiggers, ticks: Apply to the infested area 10-20 lbs. per acre. Small area apply $\frac{1}{2}$ lb. to each 30 feet square.

Asiatic Garden beetle larvae, European chafer larvae, green June beetle larvae, Japanese beetle larvae, white fringed bettle larvae, white grubs, wireworms: For large areas apply 23 lbs. per acre. Small areas $\frac{1}{2}$ lb. to each 1000 square feet. If possible work into the top of soil.

Lawn moth and sod webworms: On large areas apply 25 lbs, per acre. Small areas apply ½ lb. per 900 square feet.

NOTICE

Stevens Industries. Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label who used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANT-ABILITY or FITNESS for a particular purpose, express or implied extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

Manufactured By

STEVENS INDUSTRIES, INC.
DAWSON, GEORGIA

U.S.D.A. Reg. No. 2459-158

ACCEPTED WITH COMMENTS