

STORED
GRAIN



STORED
GRAIN

PREMIUM GRADE MALATHION FOR STORED GRAIN

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

THIS PACKAGE CONTAINS 5 LBS. MALATHION PER GALLON

ACTIVE INGREDIENTS:

Malathion*

Xylene

INERT INGREDIENTS:

57.0%

32.0%

11.0%

TOTAL 100.0%

*O,O Dimethyl dithiophosphate of diethyl mercaptosuccinate

DIRECTIONS

AS A CLEAN-UP SPRAY IN AND AROUND BINS AND ELEVATORS:

Since grain insects continue to live and breed in old grain and debris, bins and elevators must be cleaned thoroughly after they are emptied. In addition, all grain handling equipment such as trucks, conveyors and machinery, boxcars, etc., should be thoroughly cleaned. Remove and burn all sweepings and debris. The grounds around bins and elevators should also be kept as free as possible of spilled grain and debris for this material also breeds insects.

Before new grain goes in, a Residual Malathion Spray should be applied to walls, floors and machinery in grain elevators or farm storages. Mix this spray at the rate of one gallon of Master Brand Premium Grade Malathion 57% emulsifiable liquid in 25 gallons of water. Spray all surfaces to the run-off point—making particularly sure that the spray is forced into cracks and crevices. This same spray should be used around the outside of bins and elevators to help prevent reinfestation.

AS A SPRAY APPLIED TO GRAIN AT TIME OF STORAGE:

For the protection of stored grain such as wheat, oats, rough rice, corn, rye, barley and grain sorghum. From Cigarette beetles, Cadelle beetle, Grain beetle, Grain mites, Grain moths, Mealworms and Rice weevil, apply 1 pint of Master Brand Premium Grade Malathion 57% emulsifiable liquid in 2 to 5 gallons of water to each 1,000 bushels of grain. For field and garden seed, use 1/2 pint in 1 1/2 gallons of water for each 500 bushels of seed. Apply the spray as the grain or seed is being loaded or turned into final storage. Any of the standard applicators on the market which can be calibrated to deliver a known volume of liquid are suitable for applying Malathion. Make sure the spray is coarse enough so that it reaches the grain and is not lost as "drift."

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

ACCEPTED
Mar 24, 1972
2459-180 with comment

AS A SURFACE TREATMENT:

To protect stored grain from attack by Indian Meal Moth, apply Master Brand Premium Grade Malathion to the surface of clean or uninfested grain at the rate of 1/2 pint in 1 to 2 gallons of water for each 1,000 square feet of grain surface area. Apply the spray evenly over the surface of the grain. Apply immediately after the grain is loaded into storage and repeat if necessary.

CAUTION

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly. Avoid contamination of feed or foodstuffs.

WARNING — FLAMMABLE

Keep container closed and away from heat and open flame.

CAUTION

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place. Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE

Stevens Industries, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

Manufactured By

STEVENS INDUSTRIES, INC.
DAWSON, GEORGIA

FPA Reg. No. 2459-180