

1-7-72  
2459-199

**DANGER - POISON PRECAUTIONS**



**POISONOUS IF SWALLOWED**

This product can kill you if swallowed, even in small amounts. Spray mist or dust may be fatal if swallowed.



**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**STOP - READ LABEL BEFORE USING!**  
**NOT FOR HOME USE**


**POISON**

**SEE PANELS  
BELOW FOR  
ANTIDOTE &  
PRECAUTIONS**



**DANGER**

**Keep Out of  
Reach of  
Children**



**Master**

BRAND

**PEANUT DUST**

**ACTIVE INGREDIENTS:**

O, O-Dimethyl O-p-nitrophenyl thiophosphate	2.50%
Copper, as metallic (in form of Cuprous and Cupric Oxides)	3.40%
Sulphur	76.00%
<b>INERT INGREDIENTS:</b>	18.10%
<b>TOTAL</b>	<b>100.00%</b>

• Methyl Parathion

Sulphur Fineness: 99% Passing No. 325 U.S. Sieve.

Poisonous if swallowed, inhaled or rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed or foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Toxic to fish and wildlife. Do not contaminate any body of water. Do not apply when conditions favor drift from the crop area treated.

**CAUTION** - Those who are engaged in cutting the crop should avoid plant parts coming in contact with the skin or other parts of the body.

Poisonous if swallowed, inhaled, or rapidly absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed or foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Toxic to fish and wildlife. Do not contaminate any body of water nor apply when conditions favor drift from the crop area treated.

**CAUTION:** Those who are engaged in cutting the crop should avoid plant juices coming in contact with the skin or other parts of the body.

### POISON

**INTERNAL:** Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have patient lie down and keep warm.

**EXTERNAL:** If the skin is contaminated, wash thoroughly with soap and water.

### ANTIDOTE FOR PARATHION

**CALL A PHYSICIAN AT ONCE!** (Note: For Physician only: Therapeutic doses of atropine appear to be effective as an antidote.)

**BAGS:** Completely empty bag and dispose of waste pesticide by burying. Burn bag immediately and stay out of smoke. Bury ashes.

### RECOMMENDATIONS

Master Brand 2½% Methyl Parathion-Copper-Sulphur is recommended for use on peanuts for the control of aphids (plant lice). When used as recommended this product will also prevent Corcospora leaf spot on peanuts.

Begin applications when insects or first spots appear on older leaves at the base of the plant. Apply at the rate of 15.20 pounds of dust per acre when wind is calm for best results. Larger amounts may be needed later in the season for good coverage, particularly where vine growth is large. Repeat applications every ten to fourteen days or as often as necessary to obtain control. If rain occurs within six to twelve hours after applications, repeat within three to seven days. Consult your County Agent or Experiment Station for complete details on the peanut dusting program best suited for you.

### WARNING

Do not breathe dust. Use respirator and goggles. Wash with soap and water after exposure. Keep clothing free from residues. Avoid contamination of foodstuffs. Sulphur may burn foliage when temperature is high — do not make sulphur applications at such times.

**CAUTION:** Forage crops treated with this dust should not be fed to dairy animals or to animals to be slaughtered. Do not use on peanuts to be harvested within 30 days. Toxic to fish. Do not contaminate productive waters with direct application, drift or runoff.

### NOTICE

Stevens Industries, Inc. warrants that the product contained in this container is as described and is not adulterated for the purpose stated on the label. However, the product is not warranted under normal conditions of use, but neither the manufacturer nor the distributor shall be liable for any damage or injury to property or persons resulting from the use of this product. The manufacturer and distributor shall not incur any consequential commercial damage, such as loss of profits.

MANUFACTURED BY

STEVENS INDUSTRIES, INC., DAWSON, MISSISSIPPI

EPA REG. NO. 105-1000