



**DANGER—POISON—PRECAUTIONS** ☠

**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, spray mist or dust are breathed.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**WORK SAFETY RULES**

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:** (1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

Keep unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. Do not smoke. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

**ALWAYS** wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. **DO NOT** wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

☠ **POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

**Signs and Symptoms of Poisoning Are:** Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooping or frothing of mouth and nose, muscle spasms and coma.

**POSTING TREATED AREA:** Consult state regulatory agencies for posting regulations and requirements.

**POISON**

**SEE PANELS BELOW FOR ANTIDOTE & PRECAUTIONS**

**STOP! READ THE LABEL**

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONTAINER DISPOSAL**

See attached booklet for proper disposal.

**CROP USE DIRECTIONS**

Use only according to attached label booklet instructions.

☠ **FIRST AID TREATMENT** ☠

*Speed is essential to stop absorption of poison. If possible, one person should make telephone calls while another begins treatment.*

Call a physician, clinic or hospital immediately in all cases of suspected poisoning. Explain victim exposed to parathion; describe his condition. Until medical help is available take following steps.

**IF BREATHING HAS STOPPED,** start artificial respiration immediately and continue until physician sees victim.

**IF SWALLOWED** and victim is awake (conscious) make him vomit quickly. First, give soapy water or strong salty water to drink then stroke back of throat with finger to make victim vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet.

**IN CASE OF SKIN CONTACT,** immediately remove wet clothing and shoes and flush skin with water for at least 15 minutes.

**EYE CONTACT:** If splashed in eyes, immediately flush eyes with water for at least 15 minutes.


*After first aid is given and physician can not come take victim to clinic or hospital. Bring "Label Folder." Give to physician.*

**NOTE TO PHYSICIAN** Treat Symptomatically

**ANTIDOTE—**Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. Do not give morphine or tranquilizers. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.

Toxaphene produces central nervous system excitation which ordinarily responds to barbiturate acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.



**DANGER**

**Keep Out of Reach of Children**

**NOT FOR HOME USE**



**TOX-M PARATHION**


**ACTIVE INGREDIENTS**

*Toxaphene	52.81%
**O, O-dimethyl O-p-nitrophenyl thiophosphate	26.11%
Xylene	4.32%
INERT INGREDIENTS	16.76%
<b>TOTAL</b>	<b>100.00%</b>

**INERT INGREDIENTS**

*Technical Chlorinated Camphene (6.7-8.9% Chlorine)	**Methyl Parathion
Contains 6 lbs. Toxaphene	3 lbs. Methyl Parathion
per gallon	

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAMES.**



**ORGANIC PHOSPHATE COMPOUND**

**MIXTURES, LIQUID, N.O.S.**

MANUFACTURED BY

**STEVENS INDUSTRIES, INC., DAWSON, GEORGIA 31742**

EPA Est. No. 242-Ga-1

EPA Reg. No. 2159-220

**NOTICE**

Stevens Industries, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

**DANGER**

**KEEP OUT OF THE REACH OF CHILDREN**

For ground application only use at least 2 gals. of water per acre, at least 3 gals. of water per acre.

Application should be made only by experienced personnel using a

**MIXING DIRECTIONS:** (1) Add about one half total amount of agitation and add MASTER BRAND TOX-M PARATHION remaining water.

**SOYBEANS -** Apply 2 2/3 pints of this product per acre to suppress aphids, army corn earworms, grasshoppers, green clover velvetbean caterpillar attacking soybean. **CAUTION:** Avoid spray drift. Do not apply less than twice per season. Do not apply less than harvest. Do not feed treated plants or treated plants to poultry, dairy animals finished for slaughter. Do not feed soy livestock or poultry.

**DIRECTIONS FOR USE**

This product is an emulsifiable concentrate that mixes readily with certain insects attacking cotton.

**COTTON -** Early Season Control: Overwintered boll weevils, and thrips - Use 2 pints per acre making from 2 to 4 applications.

Mid Season Control: Aphids, boll weevils, cotton leafworms, fle spider mites and thrips - Use one third gallon per acre. Apply at time control is gained. Proper timing of application is essential.

Late Season Control: And trouble cases of bollworm and cotton l virus insufficient dosage; lack of weekly scouting; failure to application, by reason of weather conditions or otherwise. INCREASE of MASTER BRAND TOX-M PARATHION for one application, dosage as in Mid Season Control and maintain regular recommended. Do not handpick or harvest within 7 days of harvest.

Workers entering treated fields within 5 days after application should not graze treated cotton. Do not apply or allow to drift to humans or beneficial animals. Vacated area should not be re-entered and volatile residue have dissipated.

**DANGER**

Poisonous if swallowed, inhaled, or absorbed through the skin, on clothing. Rapidly absorbed through the skin. Repeated exposure be increasingly hazardous. Wear protective clothing, natural fiber.

Do not breathe fumes or spray mist. Wear a mask or respirator Parathion. Information as to suitable types of masks or respirators Department of Agriculture.

Do not contaminate feed or food. Keep out of reach of children out of the operating area or vicinity where there may be danger enter treated fields within 2 days of application should wear pants and face thoroughly with soap and warm water before eat contaminated clothing with soap and hot water before re-use.

Do not use on other crops used for feed or forage. Use only Applications at rates above those shown may result in illegal crop.

**CONTAINER DISPOSAL**

**DO NOT REUSE THE CONTAINER** - Completely empty the chemical at least 18 inches deep in an isolated location away from container by filling with water and add 1 cup of household lye rinse solution at least 18 inches deep in an isolated area away in the top and bottom of the can, crush the can, and bury deep.

Do not use container in any connection with feed, food and drink.

CAUTIONS 

SWALLOWED

If swallowed even if dust may be fatal if

SKIN CONTACT

Touched by hands or in eyes or on clothing

BREATHED

Wet surfaces, spray mist or dust

AND WILDLIFE

Do not feed fish and wild birds. Keep out of bird feeders. Do not apply to crops. Do not apply to other conditions as treated. Do not, or disposal of this label.

RO-

ter-

oes.

ap-

tec-

eat-

oke.

ater.

right

all a

wa-

oes.

thes

work

shed

ould

ions

ters

and

who

elive

naupils,

ous-

hing

atory

# POISON

SEE PANELS BELOW FOR ANTIDOTE & PRECAUTIONS

STOP! READ THE LABEL



# DANGER

Keep Out of Reach of Children

NOT FOR HOME USE

## TOX-M PARATHION

ACTIVE INGREDIENTS	
*Toxaphene	52.81%
**O, O-dimethyl O-p-nitrophenyl thiophosphate	26.11%
Xylene	4.33%
INERT INGREDIENTS	
	16.46%
TOTAL	100.00%

\*Technical Chlorinated Camphene (6.2-6.9% Chlorine) — \*\*Methyl Parathion. Contains 6 lbs. Toxaphene - 3 lbs Methyl Parathion per gallon

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAMES.



### ORGANIC PHOSPHATE COMPOUND

#### MIXTURES, LIQUID, N.O.S.

MANUFACTURED BY

STEVENS INDUSTRIES, INC., DAWSON, GEORGIA 31742

EPA Est. No. 340-0a-1

EPA Reg. No. 2159-220

NOTICE

Stevens Industries, Inc. warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Stevens Industries, Inc. and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damage such as loss of profits.

# KEEP OUT OF THE REACH OF CHILDREN

For ground application only use at least 2 gals. of water per acre. For aircraft application use at least 3 gals. of water per acre.

Application should be made only by experienced personnel using approved protection equipment.

MIXING DIRECTIONS: (1) Add about one half total amount of water to be used. (2) Start agitation and add MASTER BRAND TOX-M PARATHION. (3) Continue to mix and add remaining water.

SOYBEANS - Apply 2 2/3 pints of this product, in sufficient water, per acre to suppress aphids, armyworms, bean leaf beetle, corn earworms, grasshoppers, green cloverworms, stinkbugs and velvetbean caterpillar attacking soybean fields.

CAUTION: Avoid spray drift. Do not apply more than twice per season. Do not apply less than 3 weeks before harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

#### DIRECTIONS FOR USE

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking cotton.

COTTON - Early Season Control: Overwintered boll weevils, cotton fleahoppers, flea beetles and thrips - Use 2 pints per acre making from 2 to 4 applications at 7 to 10 day intervals.

Mid Season Control: Aphids, boll weevils, cotton leafworms, fleahoppers, grasshoppers, red spider mites and thrips - Use one third gallon per acre. Apply at 4 to 5 day intervals until control is gained. Proper timing of applications is essential.

Late Season Control: And trouble cases of bollworm and cotton leaf perforators caused by previous insufficient dosage; lack of weekly scouting; failure to maintain recommended regular application, by reason of weather conditions or otherwise. INCREASE rate per acre to 1/2 gallon of MASTER BRAND TOX-M PARATHION for one application. Then return to recommended dosage as in Mid Season Control and maintain regular recommended schedule.

Do not handpick or harvest within 7 days of harvest.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not graze treated cotton. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated area should not be re-entered until the drifting insecticide and volatile residue have dissipated.

#### DANGER

Poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin or on clothing. Rapidly absorbed through the skin. Repeated exposure may, without symptoms, be increasingly hazardous. Wear protective clothing, natural rubber gloves and goggles.

Do not breathe fumes or spray mist. Wear a mask or respirator effective for protection against Parathion. Information as to suitable types of masks or respirators is available from the U.S. Department of Agriculture.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Workers who must enter treated fields within 2 days off application should wear protective clothing. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Do not use on other crops used for food or forage. Use only according to label directions. Applications at rates above those shown may result in illegal crop residues.

#### CONTAINER DISPOSAL

DO NOT RE-USE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse empty container by filling with water and add 1 cup of household lye to each 5 gallons of water. Bury rinse solution at least 18 inches deep in an isolated area away from water supply. Punch holes in the top and bottom of the can, crush the can, and bury deeply in an isolated location.

Do not use container in any connection with feed, food and drinking water