



NET WEIGHT 50 LBS.

Master

W. K. N. D.

5% SEVIN - COPPER - SULPHUR

THIS PACKAGE CONTAINS:

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate)	5.00%
Copper (In cuprous and cupric oxides expressed as metallic)	3.40%
Sulphur	65.00%

INERT INGREDIENTS:

26.60%

TOTAL — 100.00%

*Trademark for UCC for 1-Naphthyl N-methylcarbamate

DIRECTIONS

PEANUTS: For the suppression of alfalfa caterpillar, bean leaf beetle, green cloverworm, Japanese beetle, leafhoppers, thrips and velvetbean caterpillar. When used as recommended this product will also suppress Cercospora leaf spot on peanuts. Some leaf injury may occur if applications are made when tender foliage is wet. Sulphur may burn foliage when temperature is high. Do not make sulphur applications at such times.

Begin application when insects or first spots appear on older leaves at the base of the plant. Apply at the rate of 20 to 25 pounds per acre when wind is calm for best results. Repeat applications every ten to fourteen days as needed.

CAUTION

HARMFUL IF INHALED OR SWALLOWED. Do not take internally. Avoid breathing of dust.

Skin contact may be harmful. Avoid contact.

Wash hands before eating. Take shower or bath after work.

Wear regular long sleeved work clothing. Change to clean clothing daily.

Avoid storage near food or food products.

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn bee keepers well in advance to locate hives at a safe distance until 1 week after application.

Note for Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

This Product is toxic to fish. Keep out of any body of water.

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

NOTICE

This product is a registered trademark of Stevens Industries, Inc. It is sold under license to the following companies: ...

Made in U.S.A.
STEVENS INDUSTRIES, INC.

Dayton, Ohio 45424

Form No. 2159-282