

GENERAL DIRECTIONS

Prepare a spray mixture of **cottonspray** as follows:

Add a total of 1.0 to 1.5 gallons of water per gallon of **cottonspray**.

Start agitator or pump by hand and mix thoroughly.

Use the mixture immediately after preparation.

DIRECTIONS FOR USE ON COTTON

cottonspray is a contact insecticide for use against bollworm, tobacco budworm, and other cotton pests. It is effective against all stages of these insects. Apply **cottonspray** to the foliage of cotton plants.

Early Season Program. For control of early season pests, apply **cottonspray** to the foliage of cotton plants at 7 day intervals from the time of emergence of the first cotton bolls until the first frost. Use a 5 to 10 percent solution.

Mid Season Insects. Apply **cottonspray** to the foliage of cotton plants at 7 day intervals from the time of emergence of the first cotton bolls until the first frost. Use a 5 to 10 percent solution.

Late Season Control. Apply **cottonspray** to the foliage of cotton plants at 7 day intervals from the time of emergence of the first cotton bolls until the first frost. Use a 5 to 10 percent solution.

Caution. Do not apply **cottonspray** to cotton plants that are stressed or have been treated with other insecticides. Do not apply **cottonspray** to cotton plants that are stressed or have been treated with other insecticides.

DIRECTIONS FOR USE ON SOYBEANS

Apply **cottonspray** to the foliage of soybean plants at 7 day intervals from the time of emergence of the first soybean leaves until the first frost. Use a 5 to 10 percent solution.

Caution. Avoid spray drift. Do not apply to stressed plants.

Precaution

This product is highly toxic to bees. Do not apply to alfalfa or clover. Do not apply to alfalfa or clover. Do not apply to alfalfa or clover. Do not apply to alfalfa or clover.

CAUTION

Do not feed treated forage to dairy animals or animals being finished for slaughter.

Do not contaminate feed or foodstuffs.

This mixture is highly toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label.

Do not apply when weather conditions favor drift of spray or dust from areas treated.

DESTROY all containers when empty by puncturing holes in them and burying with wastes. Do not reuse.

Rinse equipment and containers and dispose of wastes by burying in noncrop lands away from water supplies.

Do not store near heat or open flame. Keep containers closed when not in use. Do not reuse containers for other purposes.



POISON



IF SWALLOWED: Do not induce vomiting. Give small amounts of water to drink. If possible, give milk or water. Do not give anything to eat or drink until after consulting a physician.

DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.

Keep out of eyes. If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If inhaled, get fresh air. If swallowed, do not induce vomiting. Give small amounts of water to drink. If possible, give milk or water. Do not give anything to eat or drink until after consulting a physician.

Do not use in areas where children or livestock are present. Do not use in areas where children or livestock are present. Do not use in areas where children or livestock are present.

Do not use in areas where children or livestock are present. Do not use in areas where children or livestock are present. Do not use in areas where children or livestock are present.

GOV CHI NO COTT

ACTIVE INGREDIENTS

INERT INGREDIENTS


CAN KILL

GOWEN'S **CHEMICALS**

NOT FOR HOME USE

COTTON SPRAY

2-8



COMPANY IDENTIFICATION

USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING

Percent by Weight

25%
10%
5%

POISON



SEE ANTIDOTE STATEMENT AND
OTHER REQUIRED WARNING STATEMENTS

ON BACK PANEL

KEEP FROM CHILDREN

50% (w/v) 100-400-53

Chemicals, Inc.

LS AGRICULTURAL

• Formulation Emerson 7-3-57

consult your state
Department of Agri-
culture for more
information on the
use of this product.

Do not use in
open areas.

Do not use in
open areas.

Do not use in
open areas.

Do not use in
open areas.

Do not use in
open areas.

Do not use in
open areas.

Do not use in
open areas.

Do not use in
open areas.

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

1. Wear water proof pants and hat rubber boots
and heavy gloves. 2. Wear safety goggles. 3.
Wear mask or respirator approved by the Bureau
of Mines for protection. 4. Wear heavy
duty rubber gloves.

WORK SAFETY RULES

Keep away from children and other away from
open areas when there is danger of drift.

Do not eat, drink or smoke with hands. If you feel sick
in any way STOP work and get help right away. Call
your physician and take victim to hospital immediately.
Explain that the victim has been exposed to para-
thion and describe this condition. After first aid is
given (see First Aid Treatment Section) and it is
found that you must take victim to hospital.

IMPORTANT! Before removing gloves, wash them
with soap and water. Always wash hands, face and
arms with soap and water before smoking, eating or
drinking.

AFTER WEAR take off all work clothes and shoes.
Shower using soap and water. Wear only clean
clothes when leaving job. Do not wear contaminated
clothing. Wash protective clothing and protective
equipment with soap and water after each use. Res-
pirator should be cleaned and filter replaced accord-
ing to instructions included with respirator.

NOTE TO PHYSICIAN

In this product mixture,
methyl parathion is the
dominant toxic ingredient
exerting muscariniclike
effects; that is, stimulation
of the parasympathetic ~~nerve~~
nervous system. Poisoning
victims should be treated
promptly with atropine to
the limit of the victims
tolerance to relieve symptoms
and to improve chances of
survival. 2-PAM may be
administered in conjunction
with atropine. The adminis-
tration of oxygen is helpful.
Morphine should not be given
to persons suspected of
parathion poisoning. Taxa-
phene produces central ner-
vous system excitation which
ordinarily responds to the
barbituric acid derivatives,
but this drug should be
considered only if complete
atropinization fails to
relieve symptoms.

POST TREATED AREA