

FOR ALL EMPTY CONTAINERS

Do NOT reuse the container. Completely empty the contents and bury under a chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS: Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS

1 GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Thoroughly rinse solution at least 12 inches deep in an isolated location away from water supplies. Turn it heels in top and bottom of cans, if 1 gallon, and bury deeply in an isolated location.

2 GALLON TO 5 GALLON AND 5 GALLON DRUMS: Pour the following mixture into empty container.

1 GALLON DRUMS: 1 quart water, 1/2 cup cup household detergent, 1/2 cup 2 tablespoons of 1/2 cup.

2 GALLON DRUMS: 2 quarts water, 1 lb. household detergent, 1/2 cup detergent.

3 GALLON DRUMS: 3 quarts water, 2 lb. household detergent, 1/2 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the container at least 18 inches deep in an isolated location away from water supplies.

CAUTION: Hand-washing soda (sodium hydroxide) is a caustic material. Do not use it for cleaning household items. Read and carefully follow the instructions on the label. Do not use it in top and bottom of containers, if 1 gallon. Bury deeply in an isolated location.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Use a strong solution of household bleach (1 cup per gallon) to clean the container. Rinse thoroughly with water. Bury the container at least 18 inches deep in an isolated location away from water supplies.

NOTE TO PHYSICIAN

ANTIDOTE: Administer 100 mg. of atropine immediately. Two additional doses of 100 mg. should be given at 15-minute intervals. If the patient is in severe respiratory distress, administer 100 mg. of atropine immediately. If the patient is in severe respiratory distress, administer 100 mg. of atropine immediately.

FIRST AID TREATMENT

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Wash thoroughly and repeatedly. Seek medical attention immediately.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.

Gowen's 6-3

Emulsifiable Insecticide Concentrate

1 gallon of SIX - THREE contains 6 pounds Toxaphene and 3 pounds Methyl Parathion per gallon	ACTIVE INGREDIENTS	
	*Toxaphene	72.65%
	**O, O dimethyl O-pentroprenyl thiophosphonate	26.21%
	Xylene	16.18%
	INERT INGREDIENTS	7.96%
	Total	100.00%

- *Technical Organochlorine Compound - 66% - 99% Chloride
- **O.C. (also known as Methyl Parathion)

NOTICE

This product conforms to its chemical description and is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use. It is not a warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer, and does not cover any such use.

MANUFACTURED BY
HOWERTON GOWEN CHEMICALS, INC.
 ROANOKE RAIDS, NORTH CAROLINA, U.S.A.

(919) 537-3537 Or 537-3538

E. P. A. REG. NO. 2460-54

NET CONTENTS _____ U.S. GALLONS

PLANT NUMBER 2460-1

BATCH NUMBER _____ U.S. GALLONS

DIRECTIONS FOR USE

This product is an emulsifiable concentrate which is used in the following manner:

For early season control of aphids use 1 quart per acre of 1% water to give good coverage.

For mid and late season control of thrips, fleahoppers, lygids and other insects use 1 1/2 to 2 quarts per acre of 1% water to give good coverage.

Apply at the start of squaring first squares are punctured and re-squaring is needed or until the top bolls are ready to pick.

Caution should be taken that this product does not drift onto neighboring crop or non-crop areas.

USAGE CAUTION: Cotton which has been treated should not be baled until 48 hours after treatment. Do not feed trash from treated cotton to livestock within 48 hours of treatment. Fields within 48 hours of treatment should be protected with protective clothing.

DEALERS SHOULD SELECT PACKAGES

USAGE CAUTION: Do not allow children to play in treated areas. Do not allow children to play in treated areas. Do not allow children to play in treated areas.

DISPOSAL WARNING: Do not reuse containers. Do not reuse containers. Do not reuse containers.

WARNING - FLAMMABLE: This product is highly flammable. It is highly flammable. It is highly flammable.

USE ONLY WHEN WEARING PROTECTIVE EQUIPMENT: Use only when wearing protective equipment. Use only when wearing protective equipment.

WORK SAFETY

Keep this and all other containers tightly closed. Do not use if container is leaking or damaged. Do not use if container is leaking or damaged.

IMPORTANT: Do not use this product in areas where it may be harmful to humans or animals. Do not use this product in areas where it may be harmful to humans or animals.

POISON SIGNS

Markings on this container are a warning of the danger of this product. Do not use this product in areas where it may be harmful to humans or animals. Do not use this product in areas where it may be harmful to humans or animals.

DO NOT RE USE THIS ANY PURL