Gowen's 6-1½

Emulsifiable Liquid

ACTIVE INGREDIENTS:	
*Toxaphene	52.55%
**O, O-dimethyl O-(p-nitrophenyl) thionophosphate	1.14%
Xylene	29.13%
INERT INGREDIENTS	5.08%
Total	100.00%

*Technical Chlorinated Camphene (67% - 69% chlorine)

**Methyl Parathion

EPA REG. NO. 2460-55

NET CONTENTS ...

PLANT REGISTRATION NO. ...

BATCH NUMBER ...

U.S. GAL.

Howerton Gowen Chemicals, Inc.

Roanoke Rapids, N. C. 27870

This product is highly toxic to humans and animals. For direct treatment or poisoning emergency, Protection information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE OF WARRANTY - Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AN CLOTHING

1) Wear water proof pants coat hat rubber boots or rubber overshoes 2) Wear safety goggles 3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection 4) Wear heavy natural rubber gloves

WORK SAFETY RULES

Keep children, pets, [illegible] away from area of work where there is danger of drift.

Do not rub eyes or face with hands. If you feel ill in any way, STOP work and get help right away. Call doctor, physician or other [illegible] immediately. Explain that the patient has been exposed to parathion and if vomiting has occurred, [illegible]. After first aid [illegible]. For Antidote [illegible] or be fatal.

IMPORTANT! [illegible]

AFTER WORK [illegible]

FIRST AID TREATMENT

NOTE TO PHYSICIAN

[illegible] Pralidoxime [illegible] PAM chloride also act [illegible] may be administered in conjunction with atropine. Do NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema

FOR ALL

CAUTION: