

ALKILL algaecide is efficient, economical and stable in use dilution.

ALKILL is compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.

ALKILL keeps pool water free and sparkling, clear of visible algae, algal slime and green brown colors.

ALKILL improves filter operation and cuts down need for other chemicals.

ALKILL imparts tone and a pleasant "feel" to swimming pool water.

EPA REG. No. 2460-56
PLANT NUMBER 02460NC01

# Alkill Swimming Pool Algaecide a

**OUTSTANDING ALGAE GROWTH DEPRESSANT** 

#### **ACTIVE INGREDIENT:**

INERT INGREDIENTS: 90%

100%

Manufactured By:
HOWERTON GOWEN CHEMICALS, INC.
Roanoke Rapids, North Carolina

GALLONS

### Do not reuse container. Destroy when empty.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Apply this product only as specified on this label.

# **DANGER**

Keep Out of Reach of Children.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

## **DIRECTIONS**

INITIAL APPLICATION: To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof. If pool has visible algae treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If algae are still present or reappear repeat this treatment procedure. When pool is free of visible algae resume regular maintenance treat-

Maintenance Dose: Use one quart per 53,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

Booster Dose: Immediately after every rain add one quart per 50,000 gallons of water as above.

Important: Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

POOL-SIDE SURFACES: After cleaning surfaces, use one oz. to four gallons of water for sanitizing or one oz. to two gallons of water for disinfecting. Apply so as to thoroughly wet surfaces with the recommended dilutions.

## FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable roucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed.