

Coverage 5000 Sq. ft. (50'x100')



**W
E
E
D
&**



**W
E
E
D
&
F
E
E
D**

**D
E
E
D
&**

Coverage 500'



DOUBLE ACTION WEED KILLER
& TURF FERTILIZER

**WEED
& FEED**

10-6-4

WEED & FEED

WEED & FEED

W
E
E
D
&
F
E
E
D

W
E
E
D
&
F
E
E
D

WEED & FEED

10-6-4

With NEW BANVEL - D

FOR ALL LAWNS

Controls Broadleaf and Vining Weeds such as:

- Dandelions
- Sheep Sorrel
- Blackmedic
- Curley Dock
- Creeping Charlie
- Red Sorrel
- Dog Fennel
- Knotweed
- Clover
- Purslane
- Chickweed (Common Mouseear and Perennial or Stickwort)

A Quality Product

CAUTION: Keep out of the reach of children
(See back panel for additional cautions)
U.S.D.A. Reg. No. 2491 - 200

Active Ingredients:


*Dimethylamine Salt of Dicamba (3, 6-dichloro-o-anisic acid)	0.33%
Dimethylamine Salt of Related Acids	0.057%
Inert Ingredients:	
(Relative to Herbicidal Content)	99.563%
Total	100.000%

*Equivalent to 0.32% 3,6 dichloro-o-anisic acid

**NET WEIGHT
18 LBS.**

See instructions on back

NET WEIGHT 18 LBS.



DOUBLE ACTION WEED KILLER & TURF FERTILIZER

10-6-4

With NEW BANVEL - D

Recommended for all lawns including

- Kentucky Bluegrass ● Rye Grass ● Fescues
- Bahia ● Bermuda ● Carpetgrass ● Zoysia
- Merion Bluegrass ● St. Augustine ● Bents

GUARANTEED ANALYSIS

Total Nitrogen	10.00%
2% Ammoniacal Nitrogen	
8% Nitrogen derived from Urea	
Available Phosphoric Acid	6.00%
(Derived from 75% Phosphoric Acid)	
Soluble Potash	4.00%
(Derived from Muriate of Potash)	
Potential Acidity Equivalent to 500 lbs. of Calcium Carbonate per ton.	

Active Ingredients:	
*Dimethylamine Salt of Dicamba	
(3,6 dichloro-o-anisic acid)	0.38 %
Dimethylamine Salt of Related Acids	0.057 %
Inert Ingredients:	99.563 %
(Relative to Herbicidal Content)	
Total	100.000 %

*Equivalent to 0.32% 3, 6 dichloro-o-anisic acid.

(Derived from Muriate of Potash)
Potential Acidity Equivalent to 590 lbs. of Calcium
Carbonate per ton.

Active Ingredients:	
*Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.38 %
Dimethylamine Salt of Related Acids	0.057 %
Inert Ingredients:	99.563 %
(Relative to Herbicidal Content)	
	Total
	100.000 %

*Equivalent to 0.32% 3, 6 dichloro-o-anisic acid.

INSTRUCTIONS FOR USE

1. APPLICATION IS RECOMMENDED IMMEDIATELY AFTER FIRST MOWINGS OF LAWN.
2. SHOULD ADDITIONAL WEEDS APPEAR, OTHER APPLICATIONS MAY BE MADE LATER IN THE YEAR.
3. SPREAD CONTENTS OF BAG UNIFORMLY OVER 5,000 SQ. FT. SEE SPREADER SETTINGS BELOW.
4. WATER LAWN LIGHTLY AFTER APPLICATION.

SPREADER SETTINGS	
Scott's	5½
Carousel	3
Jackson	6
Cyclone	4.5
Modern	6¼
Central	7½
Lawn Beauty	6¼

CAUTION:


- Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes get medical attention.
- Avoid application on or near trees, shrubs and plants, in areas where their roots may extend and in locations where the chemical may be washed or moved into contact with their roots.
- Do not clean equipment on or near trees, shrubs and plants.
- Avoid contamination of domestic or irrigation waters.
- Thoroughly clean application equipment after use.

Manufactured by
N. S. KOOS & SON COMPANY
Kenosha, Wisconsin

DE-WEED & FEED

**DOUBLE ACTION WEED KILLER
& TURF FERTILIZER**

**DOUBLE ACTION WEED KILLER
& TURF FERTILIZER**



10 - 6 - 4

**CONTAINS
NEW BANVEL - D
10 - 6 - 4**

Banvel

10 - 6 - 4

10 - 6 - 4

- Kentucky Bluegrass
- Merion Bluegrass
- Fescues
- Bents
- Rye Grass

- Bermuda
- St. Augustine
- Carpetgrass
- Zoysia
- Bahia

**CONTAINS
NEW BANVEL - D
10 - 6 - 4**



**NET WEIGHT
18 LBS.**

See instructions on back

DE-WEED & FEED

DOUBLE ACTION WEED KILLER & TURF FERTILIZER

10-6-4

With NEW BANVEL - D

Recommended for all lawns

Controls such Weeds as:

Dandelions, Chickweed (Common Mouseear, and Perennial or Stickwort), Clover, Curley Dock, Dog Fennel, Knotweed, Sheep Sorrel, Red Sorrel, Creeping Charlie, Purslane, and Blackmedic.

GUARANTEED ANALYSIS

Total Nitrogen	10.00%
2% Ammoniacal Nitrogen	
8% Nitrogen derived from Urea	
Available Phosphoric Acid	6.00%
(Derived from 75% Phosphoric Acid)	
Soluble Potash	4.00%
(Derived from Muriate of Potash)	
Potential Acidity Equivalent to 500 lbs. of Calcium Carbonate per ton.	
Active Ingredients:	
*Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.38 %
Dimethylamine Salt of Related Acids	0.057 %
Inert Ingredients:	99.563 %
(Relative to Herbicidal Content)	
Total	100.000 %
*Equivalent to 0.32% 3, 6 dichloro-o-anisic acid.	

(Derived from Muriate of Potash)
Potential Acidity Equivalent to 500 lbs. of Calcium
Carbonate per ton.

Active Ingredients:	
*Dimethylamine Salt of Dicamba	0.38 %
(3,6-dichloro-o-anisic acid)	0.057 %
Dimethylamine Salt of Related Acids	99.563 %
Inert Ingredients:	
(Relative to Herbicidal Content)	
Total	100.000 %

*Equivalent to 0.32% 3, 6 dichloro-o-anisic acid.

INSTRUCTIONS FOR USE

1. APPLICATION IS RECOMMENDED IMMEDIATELY AFTER FIRST MOWINGS OF LAWN.
2. SHOULD ADDITIONAL WEEDS APPEAR, OTHER APPLICATIONS MAY BE MADE LATER IN THE YEAR.
3. SPREAD CONTENTS OF BAG UNIFORMLY OVER 5,000 SQ. FT. SEE SPREADER SETTINGS BELOW.
4. WATER LAWN LIGHTLY AFTER APPLICATION.

SPREADER SETTINGS	
Scott's	5½
Carousel	3
Jackson	6
Cyclone	4.5
Modern	6¼
Central	7½
Lawn Beauty	6¼

CAUTION:

- Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes get medical attention.
- Avoid application on or near trees, shrubs and plants, in areas where their roots may extend and in locations where the chemical may be washed or moved into contact with their roots.
- Do not clean equipment on or near trees, shrubs and plants.
- Avoid contamination of domestic or irrigation waters.
- Thoroughly clean application equipment after use.

Manufactured by
N. S. KOOS & SON COMPANY
Kenosha, Wisconsin