

NET WEIGHT 20 LBS

AC  
July 20-1969

299-313

Deluxe Lawn™

**CRABGRASS**

*and*

**LAWN INSECT CONTROL**

*plus*

**TURF FERTILIZER**

**12-3-5**

*Minimum Guaranteed Analysis:*

Total Nitrogen (N).....	12%	Iron (Fe)	1.00%
2% Ammoniacal Nitrogen		Sulphur (S)	2.00%
10% Derived from Urea			
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )....	3%		
derived from 54% Phosphoric Acid			
Soluble Potash .....	5%	Potential Acidity Equivalent to 500 lbs. of	
derived from Muriate of Potash		calcium carbonate per ton.	

Active Ingredients:

Dimethyl ester of Tetrachloroterephthalic acid 2.8800%



*Minimum Guaranteed Analysis:*

Total Nitrogen (N).....12%	Iron (Fe)	1.00%
2% Ammoniacal Nitrogen	Sulphur (S)	2.00%
10% Derived from Urea		
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ).... 3%		
derived from 54% Phosphoric Acid		
Soluble Potash ..... 5%	Potential Acidity Equivalent to 500 lbs. of	
derived from Muriate of Potash	calcium carbonate per ton.	

Active Ingredients:	
Dimethyl ester of Tetrachloroterephthalic acid	2.8800%
Technical Chlordane	1.1500%
Equivalent to .69% octachloro-4, 7-methano-	
tetrahydroindane and .46% related compounds	
Inert Ingredients:	95.9700%
	<hr/>
Total	100.0000%

*Fertilizes Your Lawn with 12-3-5 Lawn Fertilizer*

**Controls** weeds such as — Carpetweed, Common Chickweed, Purslane, Johnson Grass, Lamb Quarters, Love Grass, Witchgrass, Yellow Foxtail, Green Foxtail, Texas Millet, Florida Pussley.

**Controls** insects such as—Ants, Grubs, Sod Webworms, Chiggers, Cutworms, Armyworms, Earwigs, Mole Crickets and Mosquitoes in grass.

*Instructions:*

Apply to lawn in early spring before crabgrass seeds germinate. Kills crabgrass and other weeds listed above as they sprout from seed — not after growth has begun.

Apply the contents of this bag evenly over 2,500 sq. ft. It is important that there are no skips or misses; use correct setting for your spreader as shown below.

Do not water lawn for at least 24 hours. Water lightly after about three days and water again in three more days if no rain has fallen. Do not apply to newly seed lawns or to Dichondra at any time.

*Spreader Settings*

SPREADER

SETTING

**Controls** weeds such as — Carpetweed, Common Chickweed, Purslane, Johnson Grass, Lamb Quarters, Love Grass, Witchgrass, Yellow Foxtail, Green Foxtail, Texas Millet, Florida Pussley.

**Controls** insects such as—Ants, Grubs, Sod Webworms, Chiggers, Cutworms, Armyworms, Earwigs, Mole Crickets and Mosquitoes in grass.

**Instructions:**

Apply to lawn in early spring before crabgrass seeds germinate. Kills crabgrass and other weeds listed above as they sprout from seed — not after growth has begun.

Apply the contents of this bag evenly over 2,500 sq. ft. It is important that there are no skips or misses; use correct setting for your spreader as shown below.

Do not water lawn for at least 24 hours. Water lightly after about three days and water again in three more days if no rain has fallen. Do not apply to newly seed lawns or to Dichondra at any time.

**Spreader Settings**

SPREADER	SETTING		
Cross Country (Sears)	5 1/2	Lawn Beauty	6 1/2
Garden Mark (Wards)	8	Modern	6
Jackson	5 1/2	Scott	6

**Caution:**

• Avoid breathing dust.

- Do not take internally
- Do not contaminate feed or foodstuffs
- Do not store near seed, fertilizer or other pesticides
- Keep out of the reach of children
- Avoid contact with eyes
- Wash after using


Made in U.S.A.

**N.S. KOOS & SON Company**  
 KENOSHA, WISCONSIN 53140

Printed in U.S.A.

TEST CONTAINER  
 U F C PERMIT 5611

**ACCEPTED**  
**JUL 23 1969**  
MEET THE FEDERAL REGULATION  
PUNISHING AND OFFENDING USE  
FOR ECONOMIC REASON GRANTED  
ED UNDER NO. 4712000000000000  
TO ATTACHED COMMENTS.



**CRABGRASS**  
*and*  
**LAWN INSECT CONTROL**  
*plus*  
**TURF FERTILIZER**

MOST

---

MOST

*Caution:*

██████████ (See other cautions on the back panel) ██████████

have been well watered and have dried completely."

U.S.D.A. REG. NO. 2491-213

**ACTIVE INGREDIENTS:**

Dimethyl ester of Tetrachlorosterephthalic acid 0.8800%

Technical Chlorobenzene 99.1200%

Equivalent to .69% o-chloro-4,7-methano-tetrahydroindane and .46% related compounds

**INERT INGREDIENTS:**

TOTAL 100.0000%

**CONTAINS DIMETHYL ESTER OF TETRACHLOROSTEREPHTHALIC ACID**

**CHLOROBENZENE**

**TECHNICAL CHLOROBENZENE**

**CHLOROBENZENE**