

HANDY HARDWARE

LAWN FERTILIZER

20-10-5

with Chinch Bug Killer

COVERAGE 5000 Sq. Ft. (50' x 100')

Manufactured Expressly For Lawns

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate) ..... 4.55%

INERT INGREDIENTS: ..... 95.45%

TOTAL ..... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements and Statement of Practical Treatment

EPA Reg. No. 2491-217

EPA Est. No. 2491-WI-1

Net Weight 22 lbs.

**ACCEPTED**

FEB 12 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2491-217

Manufactured by

KOOS, INC.

Kenosha, Wisconsin 53141

(Back Panel)

HANDY  
HARDWARE  
Lawn Fertilizer  
20-10-5  
with Chinch Bug Killer

GUARANTEED ANALYSIS

Total Nitrogen (N) .....	20%
2% Ammoniacal Nitrogen	
18% Urea Nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) .....	10%
Soluble Potash (K <sub>2</sub> O) .....	5%

Plant Food Sources: Anhydrous Ammonia, Urea, Phosphoric Acid, Muriate of Potash.

Chlorine (Cl) Maximum ..... 5%

PRECAUTIONARY STATEMENTS  
Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after using.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Get Medical Attention.
- IF IN EYES: Flush Eyes with Water for 15 Minutes. Get Medical Attention if Irritation Persists.
- IF ON SKIN: Wash Skin with Soap and Water.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control White Grubs (such as Japanese Beetle, Chafer Beetle, Phyllophaga Spp., and Green June Beetle Grubs): Apply 4 pounds of this product per 1,000 sq. ft. when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. For best results cut lawn close, remove clippings, and water thoroughly before treatment. Apply with a spreader for uniform coverage. For best control, water thoroughly soon after application. Repeat treatment two to three weeks later, if necessary.

To control Ants, Armyworms, bluegrass Billbug (Aids in Control), Centipedes, Chiggers,

Chinch Bugs, Cutworms, Earwigs, Essex Skipper, European Chafer, Fall Armyworm, Fleas, Fiery Skipper, Grasshoppers, June Beetles, Leafhoppers, Lucerne Moth, Millipedes, Adult Mosquitoes, Sowbugs, Spittlebugs, Springtails, Ticks, Yellowstriped Armyworm: Apply 4 pounds of this product uniformly to 1000 sq. ft. when lawn is dry. Water lawn lightly after application. Repeat treatment as necessary.

Use correct setting for your spreader as shown below.

Spreader Settings

Scotts	5-1/2	Carousel	3
Jackson	6	Cyclone	4.5
Modern	6-1/4	Central	7-1/2
	Lawn Beauty	6-1/4	

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in a dry place inaccessible to children and domestic animals. Do not store near feed or foodstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions provided, with proper equipment in good working order, and under normal conditions of use. If not used as directed, seller makes no warranty, expressed or implied, concerning the use of this product. User then assumes all risk of loss or damage arising from any contrary use or handling.