front panel

Not seight 10 lbs.

Treats
2,500 sq. ft.

THE N. S. KOOS & SON COMPANY

HCLIDAY

CRABGRASS KILLER

KILLS CRABGRASS

(ALSO OTHER GRASSY WEEDS) F BEFORE YOU SEE IT

2441 21

CAUTION: Keep out of the reach of children See back panel for additional cautions U.S.D.A. Reg. No. 2491-

2411-328.

Active Ingredient:

(N-butyl-N-ethyl-a, a, a-trifluoro-2, 6-dinito-p-toluidine)

0.86%

Inert Ingredients:

95.14%

back panel

Net 'eight 10 lbs.

Treats
2,500 sq. ft.

100

THE N. S. KOOS & SON COMPANY

HC LIDAY

CRABGRASS KILLER

This product KILLS CRABGRASS - FOXTAIL - BARNYAR (XCRASS - by effectively killing the sprouting seeds.

CONVENIENT & ECONC MICAL -- One springtime application saves time, work and money. This product will not damage bluegrass, ryegrass, feacue, zoysia grass, bermuda grass, St. Augustine grass or centipede grass turfs when applied as directed. Do not apply to bentgrass turfs. Do not apply to completely new lawns started the previous fall.

WHEN TO APPLY: Apply in the spring before crabgrass germinates. Do not sow grass seed for 42 days after application.

HOW TO APPLY: It is important that this product be applied evenly over your lawn without skps or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. The contents of this bag should be applied for every 2500 sq. ft. of lawn area (for example, 50 : 50 2500 sq. ft.). If your lawn measures 50 x 100 sq. ft. or (5000 sq. ft.), 2 bags are sufficient.

- 1. Using a spreader setting for the proper one-half rate (see table for spreader settings) spread one half of the required amount for your lawn, moving at a steady rate in one direction.
- 2. Spread the other half of the required amount over the same area moving across or at right angles to the first application. (This minimizes skips and overlaps, insuring good coverage) Then turning or stopping spreader, spreader gate should be closed.

SPREADER SETTINGS

The settings listed below are calculated to apply at one-half rate, as directed above. Check application rate of your spreader before applying. Settings may vary with type, age and condition of spreader.

and participation

diracte).

-75: -7

2.1.1.1.

to necessary

o att

∪**ot**t

Jankson

. odem

. yolone

and ICon hay be harmful if sellowed.

Avoid contact with skin and eyes

Avoid contamination of foodstuffs, foot and fishponds ash thoroughly with somp and water after using

The manufacturer makes no werrantic, empress or implied, concerning this product or its use, which extend beyond the description on the face nercof. All sintements concerning this product apply only when used as

> or factur day THE A. S. KOOP & BON LOWPACE Kanorha, isconsin 531 0