

HOLIDAY
50%
MALATHION
INSECT SPRAY

**Kills insects such as - Ants, Aphids,
 Crickets, Spiders, Mealybugs**

Active Ingredients	by Wt.
Malathion*	50%
Aromatic Petroleum Derivative Solvent	33%
Inert Ingredients	17%
Total	100%

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

NET WT. 32 OZ. (1 QT.)

ACCEPTED

Apr. 15, 1970

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND ROVANTICIDE ACT
 FOR ECONOMIC PESTS IN REGISTER-
 ED UNITED STATES SUBJECT

50% MALATHION

INSECT SPRAY

Read complete directions and use in strict accordance with directions, warnings and cautions.

Directions: Spray completely over upper and lower surfaces of plant leaves or other parts of plants that are infested. Do not store solution of spray. Mix new solution each time spray is needed. 3 teaspoons = 1 tablespoon = 1/2 oz.

Vegetables: To control Aphids—mix 1 1/2 to 2 teaspoonsfuls to gal. of water. To Control Red Spider Mites, Mealybugs, White Fly, Bean leafhoppers, Potato leafhopper, Tarnished Plant Bug, Japanese Beetle adults—mix 1 tablespoon per gallon of water.

Use on Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes. Use up to harvest on potatoes, up to 1 day before harvest on beans, up to 3 days before harvest on broccoli and peas, and up to 7 days before harvest on Brussels Sprouts, Cabbage, Cauliflower and Kale.

Ornamentals: (Azaleas, Camellias, Chrysanthemums, Roses, Stocks, Evergreens and many other flowers and shrubs—Mix 1 1/2 to 2 teaspoonsfuls to 1 gal. water to control aphids—Mix 1 tablespoon per gallon of water to control Thrips, Rose leafhoppers, tarnished plant bug, woolly aphids, Japanese beetle adults, box elder bugs, mealybugs, red spider mites and spruce mites. To control most types of scales—mix 1 1/2 to 2 tablespoons per gal. of water.

Fruits: For control of aphids—mix 1 1/2 to 2 teaspoonsfuls to 1 gal. of water. For control of Pear spylid, Grape leafhopper, Japanese beetle adults, woolly aphids, tarnished plant bug, mealybugs and red spider mites, scale crawlers mix 1 tablespoon per gallon of water. For control of scales—mix 1 to 1 1/2 tablespoons per gallon of water.

Use on Apples, Pears, and Grapes—This product may cause injury to Cortland and McIntosh apples, Bosc pears, and Ribier Grapes. Do not apply to pears within 2 days of harvest.

Household Pests: Control of Fleas on Dogs and Cats—Mix spray at the rate of 2 tablespoons per gallon of water. Spray animal to wet hair thoroughly. Do not apply oftener than once a week.

To treat kennels, dog houses, yards, etc., use 10 tablespoons per gallon of water and spray at the rate of 1 gallon per thousand square foot. Do not spray while animals are in their pens, houses or areas being sprayed. Put fresh bedding down in their houses or quarters.

Control of Bedbugs: Apply at a light rate on mattress surface to just dampen fabric and at heavier rate to bed parts, woodwork and wall crevices where bugs would hide. Mix at the rate of 3 tablespoons per gallon deodorized kerosene. Do not contaminate feed or foodstuffs. Control of Roaches, Spiders, Ants, Mosquitoes, Silverfish, Crickets in and around homes, dairies and food processing plants. Apply heavy spray or use paint brush on window sills, under sinks, drainboards, stoves or anywhere insects hide. Mix at the rate of 8 tablespoons per gallon of water. Use as needed. Do not contaminate food, dishes, milk or milking equipment. Do not use in edible products areas of food processing plants.

CAUTION: Harmful if swallowed. Do not breathe spray. Avoid contact with skin and wash hands thoroughly after using. Do not treat animals under one month of age. Allow mattresses to dry before using.

Wash thoroughly after using. This material will kill fish.

Do not contaminate fish ponds, lakes or streams with this product.

Store in a cool dry place.



4500 Thirteenth Court / Kenosha, Wisconsin 53140

U.S.D.A. REG. NO. 2401-237