GUARANTEED ANALYSIS*

Total Nitrogen (N)	22%	Calcium	(Ca)	5.00%	(CaO 7.0%)
4% Ammoniacal Nitrogen Derived from Anhydrous Ammonia 18% derived from Urea		Sulphur	(S)	3.00%	(SO ₃ 7.5%)
Available Phosphoric Acid (P2O5)	6%	ìron	(Fe)	1.00%	(Fe ₂ O ₃ 1.5%)
Derived from Triple Superphosphate Soluble Potash (K ₂ O) Derived from Muriate of Potash	8%	Secondary Plant Food Sources: Derived from Superphosphate, Ferrous Sulphate and Sulphuric Acid.			
Total Available Plant Food	36%				
Chlorine, not more than	7%				

*In Michigan reads, "Minimum Guaranteed Analysis"

Potential acidity equivalent to 1100 lbs. of Calcium Carbonate per ton

ACTIVE INGREDIENTS: MCPP

2-(2-methyl-4-chlorophenoxy) propionic acid

2,4-Dichlorophenoxyacetic acid
INERT INGREDIENTS:

Total

94% POST THE FETTER IN MEETING POST THE FETTER P

KILLS WEEDS AND FEEDS GRASS

Controls: Dandelions, Plantain, Buckhorn, Common Chickweed, Clover, Curled Dock, Knotweed, Ground Ivy, Red Sorrel, Stichwort, and English Daisy.

INSTRUCTIONS

Application is recommended immediately after first mowings of lawn or when weeds first appear. Mow grass and water lawn before applying.

Weeds are easiest to kill when temperature is 70° or higher.

Do not sow grass seed for at least 3 weeks after applying.

Do not spread on new lawns until after 2 mowings.

Do not apply on ivy or other broadleaf ground covers. Not for use on St. Augustine grass or Dichondra-may cause injury to Bent grass and carpetgrass.

Should additional weeds appear, other applications may be made later in the year.

Use correct setting for your spreader as shown below, apply at a uniform rate, coverage 5,000 sq. ft. per bag.

CAUTION: Avoid contact with skin, eyes and clothing.

Store away from seeds, fungicides, insecticides and other fertilizers.

In case of contact, flush with plenty of water, for eyes secure medical attention. In application avoid drift on to desirable plants, shrubs, and flowers. Avoid application on or near trees, shrubs and plants in areas where their roots may extend and in locations where the chemical may be washed or moved into contact with their roots. Clean spreader thoroughly after application but do not clean on or near trees, shrubs and plants.

Avoid contamination of domestic or irrigation ditches.

Keep out of the reach of children.

Do not reuse container. Destroy by burying in a safe place. Do not burn.