

CAUTION: Keep out of reach of children.
See other cautions on 'back panel'



ACTIVE INGREDIENTS
N-butyl N-ethyl-α,α-trifluoro-2,6-dinitro-p-toluidine 0.725%
INERT INGREDIENTS 99.275%
Total 100.000%

Premium


Premium



FAIRWAY FOOD

with CRABGRASS and
POA ANNUA CONTROL

**FAIRWAY
FOOD** with CRABGRASS and
POA ANNUA CONTROL



ACTIVE INGREDIENTS:
N-butyl N-ethyl-α,α-trifluoro-2,6-dinitro-p-toluidine 0.72
INERT INGREDIENTS: 99.2
Total 100.0

CAUTION: Keep out of reach of children.
(See other cautions on back panel)

EPA Reg No 2491-311

ACTIVE INGREDIENTS:

N-butyl-N-ethyl- α , α , α -trifluoro-2, 6-dinitro-p-toluidine 0.725%

INERT INGREDIENTS:

	99.275%
Total	<u>100.000%</u>



Premium



TURF





Premium FAIRWAY FOOD

with CRABGRASS and
POA ANNUA CONTROL

With Prescription Nutrition

20-5-10

GUARANTEED ANALYSIS*

Total Nitrogen (N)	20.00%
Ammoniacal Nitrogen	5.75%
Derived from Ammonium Sulphate and Anhydrous Ammonia	
Water Soluble Nitrogen	9.25%
Derived from Urea & Urea-Formaldehyde	
Water Insoluble Nitrogen	5.00%
Derived from Urea-Formaldehyde	
Available Phosphoric Acid (P_2O_5)	5.00%
Derived from 54% Phosphoric Acid	
**Soluble Potash (K_2O)	10.00%
Derived from Sulphate of Potash	
Sulphur (S)	12.000%
Boron (B)	0.020%
Cobalt (Co)	0.001%
Copper (Cu)	0.100%
Iron (Fe)	0.500%
Manganese (Mn)	0.200%
Molybdenum (Mo)	0.002%
Zinc (Zn)	0.150%

*In Michigan, reads "Minimum Guaranteed Analysis"

**In states where required, reads "Water Soluble Potash".

Potential Acidity Equivalent to 500 lbs. of calcium carbonate per ton.

Active Ingredients:

Benefin

N-butyl-N-ethyl- α , α , α -trifluoro-2, 6-dinitro-p-toluidine

0.725%

Inert Ingredients:

99.275%

Total

100.000%

GENERAL INFORMATION

TURF-TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL is a combination of a superior pre-emergent chemical control and high nitrogen complete turf food. When used as directed it will provide proper grass nourishment and protect turf against crabgrass (smooth and hairy), poa annua, and kill foxtail, barnyard and goose grass as their seeds sprout in established turf.

For best results in an over-all crabgrass control program, maintain a high level of fertility on turf areas so that permanent grasses produce dense growth and shade out crabgrass seedlings. This cultural method of control when combined with chemical control will produce turf of outstanding beauty . . . free from unsightly crabgrass.

CONVENIENT & ECONOMICAL — TURF-TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL will not damage established bluegrass, ryegrass, fescue, zoysia, Bermuda, St. Augustine, and centipede grass turfs when applied as directed. Do not apply to bent grass putting greens, or Dichondra turf. Do not apply to newly sprigged areas of Bermuda, St. Augustine, or centipede grasses until these turfs are well established.

WHEN AND HOW TO APPLY

Inert Ingredients:

Total

99.275%
100.000%

GENERAL INFORMATION

TURF-TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL is a combination of a superior pre-emergent chemical control and high nitrogen complete turf food. When used as directed it will provide proper grass nourishment and protect turf against crabgrass (smooth and hairy), poa annua, and kill foxtail, barnyard and goose grass as their seeds sprout in established turf.

For best results in an over-all crabgrass control program, maintain a high level of fertility on turf areas so that permanent grasses produce dense growth and shade out crabgrass seedlings. This cultural method of control when combined with chemical control will produce turf of outstanding beauty . . . free from unsightly crabgrass.

CONVENIENT & ECONOMICAL — TURF-TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL will not damage established bluegrass, ryegrass, fescue, zoysia, Bermuda, St. Augustine, and centipede grass turfs when applied as directed. Do not apply to bent grass putting greens, or Dichondra turf. Do not apply to newly sprigged areas of Bermuda, St. Augustine, or centipede grasses until these turfs are well established.

WHEN AND HOW TO APPLY

For Crabgrass Control Only: Apply TURF-TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL any time in the spring before crabgrass germinates. Apply at the rate of 220 lbs. per acre or one bag to 10,000 sq. ft. (100 x 100 = 10,000 sq. ft.). This application delivers 1½ lbs. of herbicide per acre and 1 lb. of nitrogen per 1,000 sq. ft. **DO NOT RESEED FOR 6 WEEKS AFTER APPLICATION.**

For Poa Annua Control: Apply in early spring until May 15th or in the fall between August 1st and October 1st. Apply at the rate of 275 lbs. per acre or one bag to 8,000 sq. ft. (80 x 100 = 8,000 sq. ft.). This application delivers 2 lbs. of herbicide per acre and 1.26 lbs. of nitrogen per 1,000 sq. ft. **DO NOT RESEED FOR 12-16 WEEKS AFTER APPLICATION.**

Apply the product evenly over the turf area avoiding skips or missed spots. Follow application rates carefully — do not under-apply or over-apply.

CAUTION:

Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Avoid contamination of foodstuffs, feeds, and fishponds.

Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams or ponds.

Do not apply when weather conditions favor drift from areas treated.

Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Keep out of smoke.

TURF CARE TIPS FOR CONTINUOUS CRABGRASS CONTROL

Fertilize regularly throughout the season with PREMIUM THRIVE or TURF-TERRA PREMIUM FAIRWAY FOOD. Reseed thin spots to insure uniform coverage of turf grasses. Raise mowing height to 2" during late summer. Keep mower sharp. Water deeply. Occasional deep waterings are more beneficial than frequent light sprinklings.

The manufacturer makes no warranties, express or implied, concerning this product or its use which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

SPREADER SETTINGS

	Crabgrass Control 50 lb. bag to cover 10,000 sq. ft.	Poa Annua Control 50 lb. bag to cover 8,000 sq. ft.
Cyclone Spreader 48"	4	4½
Lawn Beauty	7½	8½
Northrup-King 36"	3	4
Scotts	5½	6½

IMPORTANT

These settings were established with new, properly adjusted spreaders. Be sure you are getting proper coverage before spreading the entire area. Close spreader when filling, stopping and turning.




DIVISION OF

Koss
inc.

KENOSHA, WISCONSIN 53140

MADE IN U. S. A.

PRINTED IN U. S. A.



**Premium
FAIRWAY FOOD** WITH CRABGRASS AND
POA ANNUA CONTROL
With Phosphorus-Nitrogen
20-5-10
GUARANTEED ANALYSIS

Total Nitrogen (%)	20.000%		
Ammonia Nitrogen	12.000%		
Derived from Ammonia Nitrate	12.000%		
Water Soluble Nitrogen	12.000%		
Derived from Urea Nitrate	12.000%		
Water Insoluble Nitrogen	8.000%		
Derived from Urea Nitrate	8.000%		
Available Phosphoric Acid (P ₂ O ₅)	5.000%		
Derived from 54% Phosphoric Acid	5.000%		
**Soluble Potash (K ₂ O)	10.000%		
Derived from Sulphate of Potash	10.000%		
Sulphur (S)	12.000%	Iron (Fe)	0.500%
Boron (B)	0.020%	Manganese (Mn)	0.200%
Cobalt (Co)	0.001%	Molybdenum (Mo)	0.002%
Copper (Cu)	0.100%	Zinc (Zn)	0.500%

*In Michigan, reads Minimum Guaranteed Analysis
**In states where required, reads Water Soluble Potash
Potash: Acidity Equivalent to 500 lbs. of calcium carbonate per ton

Active Ingredients

Benlate	
N-butyl N-ethyl α, α, α-trifluoro 2, 6-dinitro p-toluidine	0.725%
Inert Ingredients	99.275%
Total	100.000%

GENERAL INFORMATION

TURF TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL is a combination of a superior pre-emergent crabgrass control and high nitrogen complete turf food. When used as directed it will provide proper grass maintenance and protect turf against crabgrass, smooth and hairy wood growth and sun-burn. Turfgrass and grasses grow as they should in established turf.

For best results in an overall crabgrass control program maintain a high level of fertility on turf areas so that permanent grasses produce dense growth and shade out crabgrass seedlings. This cultural method of control when combined with chemical control will produce turf of outstanding beauty free from unsightly crabgrass.

CONVENIENT & ECONOMICAL - TURF TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL will not damage established bluegrass, fescue, ryegrass, bermuda, St. Augustine, and centipede grass turfs when applied as directed. Do not apply to bare ground, golf courses, or St. Augustine turf. Do not apply to newly seeded areas of bermuda, St. Augustine, or centipede grasses until these turfs are well established.

WHEN AND HOW TO APPLY

For Crabgrass Control Only: Apply TURF TERRA PREMIUM FAIRWAY FOOD 20-5-10 WITH CRABGRASS AND POA ANNUA CONTROL any time in the spring before crabgrass germinates. Apply at the rate of 275 lbs. per acre or one bag to 12,000 sq. ft. (100 x 100 ft. = 10,000 sq. ft.). This application delivers 1 1/2 lbs. of herbicide per acre and 1 1/2 lbs. of nitrogen per 1,000 sq. ft. DO NOT RESEED FOR 6 WEEKS AFTER APPLICATION.

For Post Annual Control: Apply in early spring and also 15% or in the fall before August 1st and October 1st. Apply at the rate of 275 lbs. per acre or one bag to 12,000 sq. ft. (100 x 100 ft. = 10,000 sq. ft.). This application delivers 2 lbs. of herbicide per acre and 1 1/2 lbs. of nitrogen per 1,000 sq. ft. DO NOT RESEED FOR 12 TO 16 WEEKS AFTER APPLICATION.

Apply this product evenly over the turf area providing kept or mowed with follow application rates carefully. Do not over-apply or under-apply.

CAUTION:

Hazardous if swallowed.
Avoid contact with skin, eyes or clothing.
Avoid contamination of foodstuffs, feeds, and tobacco.
Wash thoroughly with soap and water after using.
This product is toxic to fish. Keep out of lakes, streams or ponds.
Do not apply where conditions favor drift from areas treated.
Apply this product only as specified on this label.
Do not use empty container directly or by burying with waste or burning. Keep out of reach of children.

TURF CARE TIPS FOR CONTINUOUS CRABGRASS CONTROL

For best results throughout the season use PREMIUM TURF or TURF TERRA PREMIUM FAIRWAY FOOD. Keep the lawn in peak condition coverage of turf grasses. Mow during height 1 1/2" during the summer. Keep mower sharp. Water deeply. Occasional deep waterings are more beneficial than frequent light waterings.

The manufacturer makes no warranty, express or implied, concerning the product or its use which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

SPREADER SETTINGS

	Crabgrass Control	Post Annual Control
12 ft. bag or cover	12,000 sq. ft.	12,000 sq. ft.
100 lb. bag	1,000 sq. ft.	1,000 sq. ft.
Home Spreader 40	4	4
Backhoe 40	4	4
Backhoe 40	4	4
Backhoe 40	4	4
Backhoe 40	4	4

These settings are for use only on properly adjusted spreaders. Do not use on other types of spreaders. Always use proper spreading technique.



DIVISION OF

Koss Inc.

PHILADELPHIA, PENNSYLVANIA

MADE IN U.S.A.

NET WT. 5 LBS.

4-12-73

2471-311

CAUTION: Keep out of reach of children.
For more information, see label.

ACTIVE INGREDIENTS
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane 10.0%
INERT INGREDIENTS 90.0%



Premium


Premium



FAIRWAY FOOD

with CRABGRASS and
POA ANNUA CONTROL

**FAIRWAY
FOOD**

with **CRABGRASS** and
POA ANNUA CONTROL

20-5-10



ACTIVE INGREDIENTS
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane 10.0%
INERT INGREDIENTS 90.0%