

ACTIVE INGREDIENTS:

Siduron
(1-(2-Methylcyclohexyl)-3-Phenylurea) 1.72%

INERT INGREDIENTS 98.28%
Total 100.00%

CAUTION: Keep out of the reach of children.
(See other cautions on back panel)



Sept 6, 1973

NET WEIGHT 20 LBS.

2491312



LAWN FOOD
WITH

Total 100.00%

GRIP-N-RIP

Feb 16 1975
2491-316

NET WEIGHT 20 LBS.



LAWN FOOD

WITH

CRABGRASS CONTROL

12-3-5

EPA Reg. No. 2491-316

NET WEIGHT 20 LBS.

770661975
2422



LAWN FOOD WITH CRABGRASS CONTROL 12-3-5

GUARANTEED ANALYSIS*

Total Nitrogen (N)	12%	Calcium (Ca)	5.00%
4% Ammoniacal Nitrogen		Sulphur (S)	3.00%
8% Derived from Urea		Iron (Fe)	1.00%
Available Phosphoric Acid (P ₂ O ₅)	3%		
Derived from 54% Phosphoric Acid			
Soluble Potash (K ₂ O)	5%		
Derived from Muriate of Potash			

Potential Acidity Equivalent to 200 lbs. of Calcium Carbonate per ton.

*In Michigan reads Minimum Guaranteed Analysis

**In Florida, the following additional statements apply.

Total Available Primary Plant Food, not less than 20%
Chlorine, not more than 4%

ACTIVE INGREDIENTS:

Siduron	1.72%
(1-(2-Methylcyclohexyl)-3-Phenylurea	98.28%
INERT INGREDIENTS	
Total	100.00%

INSTRUCTIONS

This product should be applied prior to germinating or sprouting of crabgrass seeds.

This product is recommended for New or Established plantings of bluegrass, ryegrass, fescue and Zoysia grass. Do not apply to bentgrass or Bermudagrass.

New Lawns - When seeding a new lawn in the Spring, sow seed, cover lightly with soil, spread Ace Lawn Food with crabgrass control, and then water gently. The contents of this bag should be applied for every 2,500 sq. ft. of lawn area.

Established Lawns - Do any reseeding shortly after the first mowing in the Spring, then apply the contents of this bag over 2,500 sq. ft. and water gently. A follow-up application should be made one month later.

It is important that this product be applied evenly without skips or misses.

CAUTION: Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Avoid contamination of foodstuffs, feeds, & fishponds.

Wash thoroughly with soap and water after using.

This product is toxic to fish.

Keep out of lakes, streams, or ponds.

Do not apply where runoff is likely to occur.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Keep out of smoke.

SPREADER SETTINGS

Ace (1962 and later models)	7	Cyclone	5
Ace (1960 - 1961 model)	1 $\frac{3}{4}$	Modern	7
Scott's	6	Central	8
Jackson	5 $\frac{1}{2}$	Lawn Beauty	6 $\frac{1}{2}$

Made in U.S.A.

Printed in U.S.A.

MANUFACTURED FOR
ACE HARDWARE CORPORATION
CHICAGO, ILLINOIS

BY

Koos
inc.

KENOSHA,
WISCONSIN 53140

Feb-6-1973

2471-316

**for
New Seedings and Established Lawns
Reseed at Anytime
No Waiting**

Kills Crabgrass and certain other grassy weeds as they sprout.

Covers 2,500 sq. ft. (50' x 50')

Feb 6 1973

2491 316

**NEW
ACE FORMULA**

Contains...

CALCIUM

SULPHUR

IRON

Added to Combat Chlorosis (yellowing) and to supply important trace elements to turf.