

ACCEPTED
JAN 27 1964
U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C.

068-11-11

LAWN FERTILIZER
WITH CRABGRASS CONTROL

NET WEIGHT 20 LBS.



YOUR LINK TO VALUE ®

LAWN
FERTILIZER



WITH CRABGRASS CONTROL

LAWN FERTILIZER

NET WEIGHT 20 LBS.



YOUR LINK TO VALUE ®

**LAWN
FERTILIZER**




NET WEIGHT 20 LBS.



YOUR LINK TO VALUE ®

LAWN FERTILIZER



Total Nitrogen (N) 12%
 4% Ammoniacal Nitrogen
 8% Derived from Urea
 Available Phosphoric Acid (P₂O₅) 2%
 Derived from 54% Phosphoric Acid
 Soluble Potash (K₂O) 4%
 Derived from Muriate of Potash
 Potential Acidity Equivalent to 200 lbs. of
 Calcium Carbonate per ton.
 * In Michigan meets Minimum Guaranteed Analysis

Active Ingredient:

~~Secret~~

(N-butyl-N-ethyl-a,a,a-trifluoro-2, 6-dinitro-p-toluidine)

0.43%

Inert Ingredients:

99.57%

Total

100.00%

INSTRUCTIONS

This product should be applied prior to germinating or sprouting of crabgrass seeds.
 Do not apply this product to new lawns started the previous fall.
 Do not apply on flower beds or allow product to come in contact with shrubs or trees.

Do not reseed for 42 days after application.

This product will not damage established bluegrass, ryegrass, fescue, Zoysiagrass, bermudagrass, St. Augustine grass and centipede grass turfs when applied as directed. Do not apply to bentgrass turfs.

It is important that this product be applied evenly over your lawn without skips or misses. The contents of this bag should be applied for every 2500 sq. ft. of lawn area.

CAUTION: Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Avoid contamination of foodstuffs, feeds, and fishponds.

Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Container Disposal: Do not reuse empty container. Destroy it by burying with waste or burning. Keep out of smoke.

SPREADER SETTINGS

Scott's	6
Jackson	5½
Cyclone	5
Modern	7
Control	8
Lawn Beauty	6½

(N-butyl-N-ethyl-p-g-toluenesulfonamide-2, 6-dinitro-p-toluidine)
Inert Ingredients

0.43%
99.57%
100.00%

Total

INSTRUCTIONS

This product should be applied prior to germinating or sprouting of crabgrass seeds.
Do not apply this product to new lawns started the previous fall.
Do not apply on flower beds or allow product to come in contact with shrubs or trees.

Do not reseed for 42 days after application.

This product will not damage established bluegrass, ryegrass, fescue, Zoysiagrass, bermudagrass, St. Augustine grass and centipede grass turfs when applied as directed. Do not apply to bentgrass turfs.

It is important that this product be applied evenly over your lawn without skips or misses. The contents of this bag should be applied for every 2500 sq. ft. of lawn area.

CAUTION: Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Avoid contamination of feedstuffs, feeds, and fishponds.

Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Container Disposal: Do not reuse empty container. Destroy it by burying with waste or burning. Keep out of smoke.

SPREADER SETTINGS

Scott's	6
Jackson	5½
Cyclone	5
Modern	7
Central	8
Lawn Beauty	6½

Manufactured By

Printed in U. S. A.

Made in U. S. A.

Koos
inc.

KENOSHA,
WISCONSIN 53140

ACCEPTED
Jan-22-1973

2491-320

LAWN FERTILIZER



Jan. 29 1973

1971- 336

LAWN FERTILIZER



EPA Reg. No. 2491-320

LAWN FERTILIZER
WITH CRABGRASS CONTROL
NET WEIGHT 20 LBS.



YOUR LINK TO VALUE ®

**LAWN
FERTILIZER**

bermudagrass, St. Augustine grass and centipede grass turfs when applied as directed. Do not apply to bentgrass turfs.

It is important that this product be applied evenly over your lawn without skips or misses. The contents of this bag should be applied for every 2500 sq. ft. of lawn area.

CAUTION: Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Avoid contamination of foodstuffs, feeds, and fishponds.

Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Container Disposal: Do not reuse empty container. Destroy it by burying with waste or burning. Keep out of smoke.

SPREADER SETTINGS	
Scott's	6
Jackson	5½
Cyclone	5
Modern	7
Central	8
Lawn Beauty	6½

Manufactured By

Printed in U. S. A.

Made in U. S. A.

Koos inc.

KENOSHIA,
WISCONSIN 53140