

JAN 14 1994

Mr. H. R. McLane
Koos Inc.
4500 13th Court
Kenosha, WI 53140

Dear Mr. McLane:

SUBJECT: Nature's Best Brand Lawn Weed and Feed
Label Amendment
EPA Registration No. 2491-335
Your Application Dated September 10, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) Under the section on Precautionary Statements, add the following reentry statement: "Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has dried or dust has settled."
- 2) Under the section titled, "Rates and Frequency of Application" make the following changes:
 - a. Within the title heading, remove the word "Frequency" since the entire contents of the bag is intended for use in the initial application.
 - b. Add the following sentence under the edited title, "Rates of Application": "This 18 pound bag may be used on the following square footage of lawns."
 - c. The label does not clearly specify the rate of application in this section. Under the section, "Application Information", replace the fifth sentence that begins with, "This bag covers approximately 5,000 sq. ft....", with the following:

CONCURRENCES							
SYMBOL	7505C						
SURNAME	Morgan						
DATE	1/13/94						

143
- 2 -

"The entire contents (net weight 18 pounds) is the recommended rate of usage and will cover approximately 5,000 square feet. (100 ft. x 50 ft.)."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

NATURE'S BEST BRAND LAWN WEED AND FEED

1. Nitrogen: Essential for plant growth and a thick green lawn. 3. Phosphorus: To promote root growth and grass multiplication. 5. Potassium: To help grass resist the elements and stay strong.

WEED & FEED Lawn Fertilizer 25-3-5

KILLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds, some of which are listed on the back panel.

Coverage: 6,000 sq. ft.

Crabgrass Preventer Plus Lawn Fertilizer Promotes a lush, green lawn while controlling crabgrass

ACTIVE INGREDIENTS

N-butyl-N-ethyl-alpha alpha alpha	
tributyl-2, 6-dinitro-p-toluidine	0.77%
Trifluralin Alpha alpha alpha	
tributyl-2, 6-dinitro-N, N-dipropyl-p-toluidine	0.38%
INERT INGREDIENTS	98.85%
Total	100.00%

Consists of TEAM 6 a Reg. TM of Dow/Elanco

REG. NO. 2491-335 EPA EST. NO. (K) 491-W-1 (6) 37105-F-1
Full letter of our code denotes location of manufacturing plant.

KEEP OUT OF REACH OF CHILDREN WARNING

PREVENT hold breath, cover and flush with a steady gentle stream of water for 15 minutes. See or ophthalmologist or physician immediately. **IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink promptly a large quantity of milk, egg white, chicken broth, or if these are not available, large quantities of water. Avoid acids. Do not induce vomiting. If O.K. S.K.P. Wash with plenty of soap and water. Get medical attention if vomiting persists. **IF INHALED:** If breathing difficulty occurs, move individual to fresh air and get medical attention. If no breathing, provide cardiac-respiratory resuscitation as soon as possible (mouth-to-mouth) and call a physician.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye irritation. Do not get it into eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish. For terrestrial use, do not apply directly to water. In areas where surface water is present or it is likely to be present, grass below the water line may be killed. From treatment areas may be hazardous to aquatic organisms in neighboring water. Do not contaminate water. Dispose of empty containers immediately.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions Carefully Before Applying.

STORAGE AND DISPOSAL

STORAGE: Store in original container only. In case of leak or spill, contain material and dispose as waste. **REUSE/RECYCLE:** Wastes resulting from the use of this product may be disposed of or recycled at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag and its application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities in burning, if burned stay out of smoke.

OUR ENVIRONMENT

This product provides phosphorus, potassium plus time-released nitrogen which encourages grass to fill in bare spots, weeds leave behind. Contains sulfur which helps maintain green color and encourages lawn and root growth. Grass clippings and lawn waste are approximately 20% of the volume of our nation's landfill. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce thicker grass clippings that will decompose more readily. So nutrients will go back into your lawn. Besides increasing property values, the you know it - well maintained lawn provides the following benefits to your home and environment:

- 1. **Save 2 to 3 times more money** on lawn care for a family of four.
- 2. **Save 2 to 3 times more money** on lawn care for a family of four.
- 3. **Save 2 to 3 times more money** on lawn care for a family of four.
- 4. **Save 2 to 3 times more money** on lawn care for a family of four.

Use on the following established cool and warm season grasses

COOL SEASON	WARM SEASON
Kentucky Bluegrass, Perennial Ryegrass, Annual Ryegrass, Tall Fescue, Bermudagrass, Zoysiagrass, St. Augustine, Centaury, Bahiagrass, Paspalum, etc.	St. Augustine, Centaury, Bahiagrass, Paspalum, etc.

KODS INC.

BEST AVAILABLE COPY

ACCEPTED
and COMMENTS
in Full Letter Dated

JAN 1 1984

Under the Federal Insecticide
Fungicide and Rodenticide Act
as amended for the protection
of man and animals under FFA Reg. No.
2491-335

Will control these weeds
Annual Bluegrass (Poa Annua), Crabgrass (smooth and hairy), Goosegrass (lawn and ornamental), Barnyard grass, Fallow grass and yellow.

Partial control of these weeds

Spurge (Prostrate, spotted and creeping), Wood sorrel (creeping and yellow).

This product should be applied two weeks before emergence of listed weeds. Generally this is when air temperatures reach 70 degrees F for two consecutive days. Spread with lawn spreader only. DO NOT apply by hand.

When annual grassy weeds have been a serious problem a second application, eight to ten weeks after the first, treatment may be necessary.

Wait to reseed treated areas for a minimum of eight weeks when covering 6,000 sq. ft. before reseeded areas when covering 4,500 sq. ft. and sooner when covering 3,000 sq. ft. of lawn. DO NOT apply to putting greens, discolors or newly sown grasses of Bermudagrass, St. Augustine grass, Centipedegrass and Zoysiagrass. Am. culture practices that require the soil (watering, drenching and other similar procedures) should be done before application of the product.

RATES AND FREQUENCY OF APPLICATION

Use higher rates when weed problem is more severe	
COOL SEASON LAWNS	WARM SEASON LAWNS
4,500 sq. ft. to 6,000 sq. ft.	3,000 sq. ft. to 4,500 sq. ft.
Annual Bluegrass, Goosegrass	Annual Bluegrass, Goosegrass
4,500 sq. ft.	3,000 sq. ft.


APPLICATION INFORMATION

The following settings are approximate. Settings are based on average walking speed. Reduce settings for slower speeds; increase settings for faster speeds. Check your spreader or 250 sq. ft. and adjust to apply the proper amount. This bag covers approximately 5,000 sq. ft. (100 ft. x 50 ft.). Refer to the table and picture below to determine the size of your lawn.

BROADCAST SPREADER SETTINGS
For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage. Apply the contents of this bag to 5,000 sq. ft.



Green Thumb 5-5-0	3
Centra	3 3/4
Earthline	10
Greenman	1 1/2
Orbit	2
Orbit Worm Eater	1
Proctor	1
Reputon	2
Scotts Easygreen	2 1/2



Green Thumb 5-5-0	1
Centra	1 1/2
Earthline	5 1/2
Orbit	5 1/2
Proctor	1
Reputon	1
Scotts Easygreen	1 1/2

Treats 5,000 Sq. Ft.

NUTRIENTS: GUARANTEED ANALYSIS

Total Nitrogen (N):	
17% Ammoniacal N	1%
23.83% Urea Nitrogen	
Available Phosphorus Acid (P2O5)	3%
Soluble Potash (K2O)	7%
Sulfur (S): 1.2%	Iron: 1%

Plant nutrients derived from ammoniated Nitrogen, Urea, Sulfur coated urea, Muriatic Potash and Iron Oxide.
2.7% Soluble Nitrogen from Sulfur Coated Urea. Contains 10% Magnesium.

WARRANTY: Seller warrants that this product conforms to the quality and quantity stated on the label. Since conditions of use such as weather, competition, light, etc., are not under the control of the seller, the seller makes no claim for the results of application of this product.

NET WEIGHT 18 POUNDS (8.2kg)

4500 13 COURT - KENOSHA, WI 53141