

Reg #

2517-8

PM-17

1-23-70

181

DOG FLEA & TICK SPRAY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid prolonged or repeated contact with skin. Do not spray into eyes or face of dog. Do not use on puppies under 6 weeks of age. This product can be used around foodstuffs and utensils if they are protected from direct contact while spraying. Remove or cover fish bowls for one hour.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call poison control center or contact physician.

IF IN EYES: Flush with plenty of cold water. If irritation persists get medical attention.

IF ON SKIN: Wash with soap and warm water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold can upright about 10 to 12 inches from pet. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including legs and underside. Fluff the hair so that the spray will penetrate to the skin. Wet ticks thoroughly. Do not spray into eyes, face or scrotum. Towel dry, comb and brush coat. Repeat once a week if necessary. Use on bedding and surrounding area as needed.

STORAGE & DISPOSAL

Storage: Store only in a cool, dry place away from heat or open flame and inaccessible to children and pets.

Disposal: When empty, replace cap, securely wrap in newspaper and discard in trash. Do not incinerate or puncture.

EPA Reg No 2517-8
EPA Est No 7056-TX-1

Manufactured for
ConAgra Pet Products Company

Omaha, NE 68105

PN190P



Item 40479

Double Duty.

DOG FLEA & TICK SPRAY

KILLS FLEAS AND TICKS

ACTIVE INGREDIENTS:	
Pyrethrins	0.75%
Piperonyl butoxide, technical*	100%
2,3,4,5-Bis (2-butylene) tetrahydro-2-hydroxyaldehyde	240%
N-Octyl bicycloheptene dicarboximide	166%

INERT INGREDIENTS:	99.418%
	(100.000%)

*Consists of 0.6% (butylcarbamyl) (10-pro-lyl) piperonyl ether and 0.82% related compounds.



KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

NET WT. 7 OZ. (198.4g)



Not Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY