

Double Duty.

CAT FLEA & TICK POWDER

KILLS FLEAS, TICKS AND LICE


CONTINUED PROTECTION UP TO ONE WEEK

ACTIVE INGREDIENTS:
Carbaryl (1-naphthyl N-methylcarbamate) 5.0%
..... 95.0%
INERT INGREDIENTS 100.0%

KEEP OUT OF REACH OF CHILDREN. CAUTION

See Back Panel for Additional Precautionary Statements.

NET WT. 4 OZ. (113.4g).



Cat Flea & Tick Powder PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing of dust and contact with eyes, skin or clothing. Wash hands with soap and warm water after handling and before eating or smoking. For eyes flush with plenty of water. If irritation persists get medical attention. Do not contaminate feed, water or foodstuffs. Do not use in food serving areas while food is exposed. Food processing surfaces and utensils should be covered or thoroughly washed after treatment.

STATEMENT OF PRACTICAL TREATMENTS:

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and warm water.

Note for Physician: Carbaryl exerts a reversible mild to moderate cholinesterase inhibitory action. Atropine is anti-dotal.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic invertebrates. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Double Duty Flea and Tick Powder is specifically formulated for use on all breeds of dogs. A single treatment is in providing protection from reinfestation of fleas, ticks and lice for up to one week.

To kill fleas, ticks and lice, powder should be liberally applied to the body of the cat. Working from the tail toward the head, rub powder against the lay of the hair until it penetrates to the skin. Take care to treat feet and legs. Repeat once weekly if necessary. Ticks are hard to kill. Locate individual ticks and apply powder directly. Comb out dead ticks in a few hours. Do not treat kittens under four weeks of age. Do not use on pregnant cats. To help alleviate reinfestation in kennels and sleeping quarters, force dust into cracks and crevices when applying in and around individual bedding.

STORAGE & DISPOSAL:

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in a cool dry place out of reach of children.

DISPOSAL: Do not re-use this container. Securely wrap in several layers of newspaper before discarding in trash.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

EPA Reg. No. 2517-18

EPA EST. 2517-NB-1

Manufactured for:
ConAgra Pet Products Company
Omaha, NE 68105

CPN900297

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under 2517-18
EPA Reg. No. 2517-18

AUG 24 1987

ACCEPTED