

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY
Flea & Tick Collar
For Cats

TOP PANEL

Price

CAT

Item No. _____

FRONT PANEL

DOUBLE DUTY[®]
Flea & Tick Collar
For Cats

Kills Fleas for 5 Months
Kills Ticks for 4 Months

ACCEPTED
SEP 21 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2517-20

ACTIVE INSECTICIDAL INGREDIENT:

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] . . . 15.0%

INERT INGREDIENTS: 85.0%

TOTAL 100.0%

**KEEP OUT OF THE
REACH OF CHILDREN**

CAUTION:

See back panel for additional precautionary
statements.

ConAgra[®]

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 0.42 oz. (12.0 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee
to kill fleas up to five months and ticks up to four
months on your cat.

LEFT SIDE PANEL

Same copy as right side panel.

DOUBLE DUTY[®]
Flea & Tick Collar
For Cats

RIGHT SIDE PANEL

For
Cats

2517-20

REAR PANEL

DOUBLE DUTY™
Flea & Tick Collar For Cats

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on animal while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rain-falls; however, it is suggested collar be removed before bathing.


DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

PFT
SPECIALISTS
SINCE
1888

EPA Reg. No. 2517-20
EPA Est. 15577-FR-1
PN XXXXP

Made in France
Manufactured For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending



2517-20

Cat

**DOUBLE DUTY™
Flea & Tick Collar
For Cats**

Will Accommodate up to a 11" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY FOR USE

ACTIVE INGREDIENTS:

Diazinon:[O,O-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] . . . 15.0%

INERT INGREDIENTS: 85.0%

TOTAL 100.0%

Manufactured for
CONAGRA PET PRODUCTS COMPANY
Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-20
EPA Est. 15577-FR-1

PN XXXXXX

PATENT PENDING
MADE IN FRANCE

