

Geisler (logo)  
A SOURCE OF  
PET CARE  
PRODUCT

Flea & Tick Collar  
For Dogs

TOP PANEL

Price

FRONT PANEL

DOG

Item No. \_\_\_\_\_

**DOUBLE DUTY™**  
Flea & Tick Collar  
For Dogs

Kills Fleas for 3 Months  
Kills Ticks for 3 Months

For neck size up to 22"

**ACCEPTED**  
JUL - 1 1992  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2517-20

**ACTIVE INSECTICIDAL INGREDIENT:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . . 15.0%

**INERT INGREDIENTS:** . . . . . 85.0%

**TOTAL** . . . . . 100.0%

**KEEP OUT OF THE  
REACH OF CHILDREN**

**CAUTION:**

See back panel for additional precautionary  
statements.

ConAgra

**CONTENTS:** 1 FLEA AND TICK COLLAR

**NET WT:** 0.83 oz. (23.5 grams)

**BOTTOM PANEL**

This product has an unconditional money back guarantee to kill fleas  
and for 3 months on your dog.

**LEFT SIDE PANEL**

Pet Care Book - The latest edition of this book is based upon over 99  
years of experience in handling and feeding pets. For your copy, send  
50¢ to PET CARE BOOK OFFER, 3902 Leavenworth Street, Omaha, NE 68105.

**DOUBLE DUTY**  
Flea & Tick Collar  
For Dogs

**RIGHT SIDE PANEL**

For  
Dogs

**BEST AVAILABLE COPY**

DOUBLE DUTY  
Flea & Tick Collar for Dogs

Adjustable - Fits Dogs, 22" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to physician: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 90 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-20  
EPA Est. 2517-NE-1  
PN XXXXX

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For:  
ConAgra Pet Products Co.  
Omaha, NE 68105  
Litho USA U.S. Patent No. 4,150,109

**BEST AVAILABLE COPY**

Dog - Pouch Label

**DOUBLE DUTY™  
Flea & Tick Collar  
For Dogs**

Will Accommodate up to a 22" neck

**CAUTION KEEP OUT OF REACH OF CHILDREN**

**SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

**DO NOT OPEN UNTIL READY FOR USE**

**ACTIVE INGREDIENTS:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . . .15.0%

**INERT INGREDIENTS:** . . . . .85.0%

**TOTAL** . . . . .100.0%

Manufactured for  
**CONAGRA PET PRODUCTS COMPANY**  
Omaha, NE 68105

EPA Reg. No. 2517-20  
EPA Est. 15577-FR-1

PN YXXXXX

U.S. Patent  
No. 4,150,109  
**MADE IN FRANCE**

4 8 12

Geisler (logo)  
A SNOOPY  
PET CARE  
PRODUCT

DOUBLE DUTY  
Flea & Tick Collar  
For Cats

TOP PANEL

Price

FRONT PANEL

CAT

Item No. \_\_\_\_\_

DOUBLE DUTY™

Flea & Tick Collar  
For Cats

Kills Fleas for 3 Months  
Kills Ticks for 3 Months

Will accommodate up to an 11" neck size

**ACTIVE INSECTICIDAL INGREDIENT:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . 15.0%

INERT INGREDIENTS: . . . . . 85.0%

TOTAL . . . . . 100.0%

KEEP OUT OF THE REACH OF CHILDREN .

**CAUTION:**

See back panel for additional precautionary  
statements.

ConAgra

CONTENTS: 1 FLEA AND TICK COLLAR

NET WT: 0.42 oz. (12.0 grams) 1/

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas  
and ticks for three months on your cat.

LEFT SIDE PANEL

Pet Care Book - The latest edition of this book is based upon over 99  
years of experience in handling and feeding pets. For your copy, send  
50¢ to PET CARE BOOK OFFER, 3902 Leavenworth St., Omaha, NE 68105

DOUBLE DUTY  
Flea & Tick Collar

RIGHT SIDE PANEL

For Cats

**BEST AVAILABLE COPY**

5 8 12

**DOUBLE DUTY™**  
Flea & Tick Collar For Cats

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS & DOMESTIC ANIMALS**

**CADTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

**Note to physician:** Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing cats.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 90 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

**GUARANTEE:** If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-20  
EPA Est. 15577-ER-1  
PN XXXXP

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For:  
ConAgra Pet Products Co.  
Omaha, NE 68105  
Litho USA U.S. Patent No. 4,150,109

**BEST AVAILABLE COPY**

DOUBLE DUTY™  
Flea & Tick Collar  
For Cats  
Will accommodate up to an 11" neck size

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY FOR USE

ACTIVE INGREDIENT:

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . . 15.0%

INERT INGREDIENTS: . . . . . 85.0%

TOTAL 100.0%

Manufactured for  
CONAGRA PET PRODUCTS COMPANY  
Omaha NE 68105

EPA Reg. No. 2517-20

EPA Est. 15577-FR-1

PN X0000X

U.S. Patent

No. 4,150,109

MADE IN FRANCE

**BEST AVAILABLE COPY**

7 8 12

TOP PANEL

A SNOOPY  
PET CARE  
PRODUCT

Flea & Tick Collar  
for Large Dogs

Price

FRONT PANEL

LARGE DOG

Item No. \_\_\_\_\_

**DOUBLE DUTY™**  
Flea & Tick Collar for  
Large Dogs

Kills Fleas for 3 Months  
Kills Ticks for 3 Months

For neck size up to 28"

**ACCEPTED**  
  
JUL - 1 1992  
  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2517-20

**ACTIVE INSECTICIDAL INGREDIENT:**

Diazinon: (0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate) . . . 15.0%  
INERT INGREDIENTS: . . . . . 85.0%  
TOTAL . . . . . 100.0%

**KEEP OUT OF THE  
REACH OF CHILDREN**

**CAUTION:**  
See back panel for additional precautionary  
statements.

ConAgra

**CONTENTS: 1 FLEA AND TICK COLLAR**  
**NET WT: 0.9 oz. (25.5 grams)**

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas  
and ticks for 3 months on your dog.

LEFT SIDE PANEL

Pet Care Book - The latest edition of this book is based upon over 99  
years of experience in handling and feeding pets. For your copy, send  
50¢ to PET CARE BOOK OFFER, 3902 Leavenworth Street, Omaha, NE 68105.

**DOUBLE DUTY**  
Flea & Tick Collar  
For Large Dogs

RIGHT SIDE PANEL

For Large Dogs

**BEST AVAILABLE COPY**

## Flea &amp; Tick Collar For Large Dogs

Adjustable - Fits Large Dogs, 28" neck or smaller.

## PRECAUTIONARY STATEMENTS

## HAZARD TO HUMANS &amp; DOMESTIC ANIMALS

**CAUTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

**Note to physician:** Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 90 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

**GUARANTEE:** If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-20  
EPA Est. 2517-NE-1  
PN XXXXX

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For  
ConAgra Pet Products Co.  
Omaha, NE 68105  
Litho USA U.S. Patent No. 4,150,109

**BEST AVAILABLE COPY**



9 of 12

Large Dog - Pouch Label

**DOUBLE DUTY™  
Flea & Tick Collar  
For Large Dogs**

Will Accommodate up to a 28" neck

**CAUTION KEEP OUT OF REACH OF CHILDREN**

**SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

**DO NOT OPEN UNTIL READY FOR USE**

**ACTIVE INGREDIENTS:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . .15.0%

**INERT INGREDIENTS:** . . . . .85.0%

**TOTAL** . . . . .100.0%

Manufactured for  
**CONAGRA PET PRODUCTS COMPANY**  
Omaha, NE 68105

EPA Reg. No. 2517-20  
EPA Est. 15577-FR-1

PN XXXXXX

U.S. Patent  
No. 4,150,109  
**MADE IN FRANCE**

TOP PANEL

Geisler (logo)  
A SNOOPY  
PET CARE  
PRODUCT

DOUBLE DUTY  
Flea & Tick Collar  
For Puppies

Price

FRONT PANEL

PUPPIES

Item No. \_\_\_\_\_

DOUBLE DUTY™  
Flea & Tick Collar  
For Puppies

Kills Fleas for 3 Months  
Kills Ticks for 3 Months

**ACCEPTED**  
JUL - 1 1992  
Under the Pet Care Book Offer  
2517-20

For neck size 13" or smaller

ACTIVE INSECTICIDAL INGREDIENT:

Diazinon: (0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)	. . . 15.0%
<u>INERT INGREDIENTS:</u>	. . . 85.0%
<u>TOTAL</u>	. . . 100.0%

KEEP OUT OF THE  
REACH OF CHILDREN

CAUTION:

See back panel for additional precautionary statements.

ConAgra

CONTENTS: 1 FLEA AND TICK COLLAR  
NET WT: 0.42 oz. (12.0 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas and ticks for 3 months on your puppy.

LEFT SIDE PANEL

Pet Care Book - The latest edition of this book is based upon over 99 years of experience in handling and feeding pets. For your copy, send 50¢ to PET CARE BOOK OFFER, 3902 Leavenworth Street, Omaha, NE 68105.

DOUBLE DUTY  
Flea & Tick Collar  
For Puppies

RIGHT SIDE PANEL

For  
Puppies

**BEST AVAILABLE COPY**

11 7 12

**DOUBLE DUTY™**  
Flea & Tick Collar For Puppies

Adjustable - Fits Puppies, 13" neck or smaller.

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

**Note to physician:** Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around puppie's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 90 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

**GUARANTEE:** If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-20  
EPA Est. 2517-NE-1  
PN XXXXX

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For:  
ConAgra Pet Products Co.  
Omaha, NE 68105/Fairfield, NJ 07006  
Litho USA Patent Pending

**BEST AVAILABLE COPY**

12 9 12

Puppy- Pouch Label

**DOUBLE DUTY™  
Flea & Tick Collar  
For Puppies**

Will Accommodate up to an 11" neck

**CAUTION KEEP OUT OF REACH OF CHILDREN**

**SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

**DO NOT OPEN UNTIL READY FOR USE**

**ACTIVE INGREDIENTS:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . .15.0%

**INERT INGREDIENTS:** . . . . .85.0%

**TOTAL** . . . . .100.0%

Manufactured for  
CONAGRA PET PRODUCTS COMPANY  
Omaha, NE 68105

EPA Reg. No. 2517-20

EPA Est. 15577-FR-1

PN XXXXXX

U.S. Patent

No. 4,150,109

MADE IN FRANCE