

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb*

TOP PANEL

Price

FRONT PANEL

PUPPIES


Item No. 40843

NEW

DOUBLE DUTYTM PLUS
Flea & Tick Collar with
NutriSorbTM*

Kills Fleas for 5 Months
Kills Ticks for 4 Months

*Slow release coat conditioner helps enhance
texture, manageability and luster.



ACTIVE INSECTICIDAL INGREDIENT:

Diazinon [O, O-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] 11.0%

INERT INGREDIENTS: * 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF THE
REACH OF CHILDREN

CAUTION:
See back panel for additional precautionary
statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 1.3 oz. (36 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas
up to five months and ticks up to four months on your dog.

Same copy as right side panel.

LEFT SIDE PANEL

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb*

RIGHT SIDE PANEL

For
Dogs

DOUBLE DUTYTM PLUS

Flea & Tick Collar with NutriSorbTM
Adjustable - Fits Puppies, 13" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit, and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double DutyTM PLUS Collar contains NutriSorbTM which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra Pet Products Company, P.O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21
EPA Est. 15577-FR-1.
PN XXXXXP

PET
SPECIALISTS
SINCE
1888

Made in France
Manufactured For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending

Puppy

**Double Duty Plus
Flea and Tick Dog Collar
with NutriSorb**

Will accommodate up to a 13" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

Do not open until ready for use

ACTIVE INGREDIENTS:

Diazinon [O, O-diethyl O- (2-isopropyl-6-
methyl-4-pyrimidinyl) Phosphorothioate] 11.0%

INERT INGREDIENTS* 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for

ConAgra Pet Products Company

Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-21

EPA Est. 15577-1R-1

PN 20610R

PATENT PENDING

MADE IN FRANCE

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb*

TOP PANEL

Price

DOG

FRONT PANEL

Item No. 40401

NEW

DOUBLE DUTYTM PLUS
Flea & Tick Collar with
NutriSorbTM*

Kills Fleas for 5 Months
Kills Ticks for 4 Months

*Slow release coat conditioner helps enhance
texture, manageability and luster.

For neck size up to 22"

ACTIVE INSECTICIDAL INGREDIENT:

Diazinon [O, O-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] 11.0%

INERT INGREDIENTS: * 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF THE
REACH OF CHILDREN

CAUTION:

See back panel for additional precautionary
statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 1.3 oz. (36 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas
up to five months and ticks up to four months on your dog.


Same copy as right side panel.

LEFT SIDE PANEL

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb*

RIGHT SIDE PANEL

For
Dogs



5
REAR PANEL

DOUBLE DUTYTM PLUS

Flea & Tick Collar with NutriSorbTM*

Adjustable - Fits mature dogs, 22" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit, and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double DutyTM PLUS Collar contains NutriSorbTM, which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra Pet Products Company, P.O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21
EPA Est. 15577-FR-1
PN XXXXP

PET
SPECIALISTS
SINCE
1888

Made in France
Manufactured For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending

6
25 17 21

Dog

**Double Duty Plus
Flea and Tick Dog Collar
with NutriSorb**

Will accommodate up to a 22" neck

CAUTION KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS
Do not open until ready for use

ACTIVE INGREDIENTS:	
Diazinon [O, O-diethyl O- (2-isopropyl-6-methyl-4-pyrimidinyl) Phosphorothioate]	11.0%
INERT INGREDIENTS*	89.0%
TOTAL	100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for:
ConAgra Pet Products Company
Omaha, NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-21	PATENT PENDING
EPA Est. 15577-FR-1	PN 20610R MADE IN FRANCE

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb*

TOP PANEL

Price

FRONT PANEL

LARGE DOG

Item No. 40797

NEW

DOUBLE DUTY PLUS
Flea & Tick Collar with
NutriSorb*

Kills Fleas for 5 Months
Kills Ticks for 4 Months

*Slow release coat conditioner helps enhance
texture, manageability and luster.

ACTIVE INSECTICIDAL INGREDIENT:

Diazinon [O, O-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] 11.0%

INERT INGREDIENTS: * 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF THE
REACH OF CHILDREN

CAUTION:

See back panel for additional precautionary
statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 1.3 oz. (36 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas
up to five months and ticks up to four months on your dog.


Same copy as right side panel.

LEFT SIDE PANEL

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb*

RIGHT SIDE PANEL

For
Dogs



DOUBLE DUTYTM PLUS

Flea & Tick Collar with NutriSorbTM
Adjustable - Fits Large Dogs, 30" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit, and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double DutyTM PLUS Collar contains NutriSorbTM which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra Pet Products Company, P.O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21
EPA Est. 15577-FR-1
PN XXXXXP

PET
SPECIALISTS
SINCE
1888

Made in France
Manufactured For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending

Large Dog

**Double Duty Plus
Flea and Tick Dog Collar
with NutriSorb**

Will accommodate up to a 30" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

Do not open until ready for use

ACTIVE INGREDIENTS:

Diazinon [O, O-diethyl O- (2-isopropyl-6-
methyl-4-pyrimidinyl) Phosphorothioate] 11.0%

INERT INGREDIENTS: 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for

ConAgra Pet Products Company

Omaha, NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-21

EPA Est. 15577-FR-1

PN 20610R

PATENT PENDING

MADE IN FRANCE