

Geisler (logo)  
A SNOOPY  
PET CARE  
PRODUCT

DOUBLE DUTY  
Flea & Tick Collar  
For Dogs

TOP PANEL  
Price


DOG

Item No. \_\_\_\_\_

FRONT PANEL

DOUBLE DUTY™  
Flea & Tick Collar  
For Dogs

Kills Fleas for 5 Months  
Kills Ticks for 4 Months



For neck size up to 22"

**ACTIVE INSECTICIDAL INGREDIENT:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . . . 15.0%

INERT INGREDIENTS: . . . 85.0%

TOTAL . . . 100.0%

KEEP OUT OF THE  
REACH OF CHILDREN

CAUTION:  
See back panel for additional precautionary  
statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR  
NET WT: 0.8 oz. (22.7 grams)

UNCONDITIONAL  
MONEY BACK GUARANTEE

BOTTOM PANEL

Same copy as right side panel.

DOUBLE DUTY  
Flea & Tick Collar  
For Dogs

LEFT SIDE PANEL

RIGHT SIDE PANEL  
For  
Dogs

REAR PANEL

**DOUBLE DUTY**  
**Flea & Tick Collar For Dogs**

Adjustable - Fits Dogs, 22" neck or smaller.

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

**Note to Physicians:** This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

**GUARANTEE:** If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21  
EPA Est. 15577-FR-1  
PN XXXXP

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For:  
ConAgra Pet Products Co.  
Omaha, NE 68105/Fairfield, NJ 07006  
Litho USA Patent Pending

2517-21

Dog

**DOUBLE DUTY™  
Flea & Tick Collar  
For Dogs**

Will Accommodate up to a 22" neck

**CAUTION KEEP OUT OF REACH OF CHILDREN**

SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

**DO NOT OPEN UNTIL READY FOR USE**

**ACTIVE INGREDIENTS:**

Diazinon:[O,O-Diethyl O-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . . 15.0%

**INERT INGREDIENTS:** . . . 85.0%

**TOTAL** . . . 100.0%

Manufactured for  
CONAGRA PET PRODUCTS COMPANY  
Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-21

EPA Est. 15577-FR-1

PN XXXXXX

PATENT PENDING

MADE IN FRANCE

Geisler (logo)  
A SNOOPY  
PET CARE  
PRODUCT

DOUBLE DUTY  
Flea & Tick Collar  
for Large Dogs

TOP PANEL

Price


LARGE DOG

Item No. \_\_\_\_\_

FRONT PANEL

DOUBLE DUTY®  
Flea & Tick Collar  
for Large Dogs

Kills Fleas for 5 Months  
Kills Ticks for 4 Months



For neck size up to 30"

**ACTIVE INSECTICIDAL INGREDIENT:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0%
INERT INGREDIENTS:	85.0%
TOTAL	100.0%

KEEP OUT OF THE  
REACH OF CHILDREN

**CAUTION:**

See back panel for additional precautionary statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR  
NET WT: 0.9 oz. (25.5 grams)

UNCONDITIONAL  
MONEY BACK GUARANTEE

BOTTOM PANEL

Same copy as right side panel.

LEFT SIDE PANEL

DOUBLE DUTY  
Flea & Tick Collar  
For Large Dogs

RIGHT SIDE PANEL

REAR PANEL

**DOUBLE DUTY**  
**Flea & Tick Collar For Large Dogs**

2517 21

Adjustable - Fits Large Dogs, 30" neck or smaller.

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

**Note to Physicians:** This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

**GUARANTEE:** If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21  
EPA Est. 15577-FR-1  
PN XXXXXP

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For:  
ConAgra Pet Products Co.  
Omaha, NE 68105/Fairfield, NJ 07006  
Litho USA Patent Pending

2517-21

**DOUBLE DUTY™**  
**Flea & Tick Collar**  
**for Large Dogs**

Will Accommodate up to a 30" neck

**CAUTION KEEP OUT OF REACH OF CHILDREN**

**SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

**DO NOT OPEN UNTIL READY FOR USE**

**ACTIVE INGREDIENTS:**

Diazinon:[0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . . 15.0%

**INERT INGREDIENTS:** . . . . . 85.0%

**TOTAL** . . . . . 100.0%

Manufactured for  
**CONAGRA PET PRODUCTS COMPANY**  
Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-21  
EPA Est. 15577-PR-1

PN XXXXXX

PATENT PENDING  
MADE IN FRANCE

Geisler (logo)  
A SNOOPY  
PET CARE  
PRODUCT

DOUBLE DUTY  
Flea & Tick Collar  
For Puppies

TOP PANEL

Price


PUPPIES

Item No. \_\_\_\_\_

FRONT PANEL

DOUBLE DUTY<sup>®</sup>  
Flea & Tick Collar  
For Puppies

Kills Fleas for 5 Months  
Kills Ticks for 4 Months



For neck size 13" or smaller

**ACTIVE INSECTICIDAL INGREDIENT:**

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . . 15.0%

INERT INGREDIENTS: . . . . . 85.0%

TOTAL . . . . . 100.0%

KEEP OUT OF THE  
REACH OF CHILDREN

**CAUTION:**

See back panel for additional precautionary  
statements.

ConAgra<sup>®</sup>

CONTENTS: 1 FLEA AND TICK COLLAR

NET WT: 0.45 oz. (13.0 grams)

BOTTOM PANEL

UNCONDITIONAL  
MONEY BACK GUARANTEE

LEFT SIDE PANEL

Same copy as right side panel.

DOUBLE DUTY  
Flea & Tick Collar  
For Puppies

RIGHT SIDE PANEL

For  
Puppies

REAR PANEL

**DOUBLE DUTY™**  
**Flea & Tick Collar For Puppies**

Adjustable - Fits Puppies, 13" neck or smaller.

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

**Note to Physicians:** This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing puppies. Do not use on puppies less than five weeks of age.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around puppy's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

**GUARANTEE:** If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21  
EPA Est. 15577-FR-1  
PN XXXXXP

PET  
SPECIALISTS  
SINCE  
1888

Made in France  
Manufactured For:  
ConAgra Pet Products Co.  
Omaha, NE 68105/Fairfield, NJ 07006  
Litho USA Patent Pending



Puppie

**DOUBLE DUTY™  
Flea & Tick Collar  
For Puppies**

Will Accomodate up to a 13" neck

**CAUTION KEEP OUT OF REACH OF CHILDREN**

SEE BACK PANEL OF OUTER CARTON FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

**DO NOT OPEN UNTIL READY FOR USE**

**ACTIVE INGREDIENTS:**

Diazinon:[0,0-Diethyl 0-(2-isopropyl-6-methyl-  
4-pyrimidinyl) phosphorothioate] . . . 15.0%

**INERT INGREDIENTS:** . . . 85.0%

**TOTAL** . . . 100.0%

Manufactured for  
CONAGRA PET PRODUCTS COMPANY  
Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-21

EPA Est. 15577-PR-1

PN XXXXXX

PATENT PENDING

MADE IN FRANCE