

345,797,210
38/11

305,198,668
17/12

Ms. Julie M. Hedlund
ConAgra Pet Products Company
3902 Leavenworth Street
Omaha, NE 68105

Dear Ms. Hedlund:

Subject: Amendment - Change of Supplier and Extend Label Claim
Double Duty Flea & Tick Collar for Dogs
EPA Registration No. 2517-21
Your Letter Dated June 2, 1987 and
Application Dated June 18, 1987

The change of suppliers for the stabilized diazinon is acceptable.
This change has been made a part of the record for this product.

The labeling referred to above, submitted in connection with
registration under the Federal Insecticide, Fungicide, and Rodenticide
Act, as amended, is acceptable, provided that you make the labeling
change listed below before you release the product for shipment bearing
the amended labeling.

- Revise the Note to Physician as follows:

Dichlorvos is an organophosphate insecticide.
If symptoms of cholinesterase inhibition are
present, atropine sulfate by injection is
antidotal. 2-PAM is also antidotal and may be
administered, but only in conjunction with atropine.

10708:I:Newkirk:LR-04:KENCO:01/19/88:01/27/88:aw:VO:EK:aw

CONCURRENCES

SYMBOL	SIGNATURE	DATE						
	Newkirk	1-25-88						

234

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY
Flea & Tick Collar
for Large Dogs

TOP PANEL

Price

LARGE DOG

Item No. _____

FRONT PANEL

DOUBLE DUTY™
Flea & Tick Collar
for Large Dogs

Kills Fleas for 5 Months
Kills Ticks for 5 Months

For neck size up to 28"

ACTIVE INGREDIENT:

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . . 15.0%

INERT INGREDIENTS: 85.0%
TOTAL 100.0%

KEEP OUT OF THE
REACH OF CHILDREN

CAUTION:

See back panel for additional precautionary statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 0.9 oz. (25.5 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas and ticks for 5 months on your dog.

Pet Care Book - The latest edition of this book is based upon over 99 years of experience in handling and feeding pets. For your copy, send 50c to PET CARE BOOK OFFER, 3902 Leavenworth Street, Omaha, NE 68105

DOUBLE DUTY
Flea & Tick Collar

ACCEPTED
with COMMENTS
EPA Letter Dated:

RIGHT SIDE PANEL

For Large Dogs

FEB - 8 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
2517-21

DOUBLE DUTY
Flea & Tick Collar For Large Dogs

Adjustable - Fits Large Dogs, 28" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21
EPA Est. 2517-NE-1
PN XXXXXP

PET
SPECIALISTS
SINCE
1888

Made in France
Manufactured For:
ConAgra Pet Products Co.
Omaha, NE 68105
Litho USA U.S. Patent No. 4,150,109

ACCEPTED
with COMMENTS
EPA Letter Dated:

FEB - 8 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2517-21