Geisler (logo) A SNOOPY PET CARE PRODUCT

DOUBLE DUTY PLUS Flea & Tick Collar with NutriSorb"\* for Puppies

FRONT PANEL

aalanda;

ACCEPT

SEP 1 9 19

TOP PANEL

Price

PUPPIES

Item No.

NEW

DOUBLE DUTY" PLUS Flea & Tick Collar with NutriSorb"\* for Puppies

Kills Fleas for 5 Months Kills Ticks for 4 Months

\*Slow release coat conditioner helps enhance texture, manageability, and luster.

For neck size up to 13"

ACTIVE INSECTICIDAL INGREDIENT: Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . . 11.0% 100.0% TOTAL

\*Includes 5% unsaturated fatty acids as a grooming aid.

## KEEP OUT OF THE **REACH OP CHILDREN**

CAUTION:

See back panel for additional precautionary statements.

ConAgra

2 1

1

CONTENTS: 1 FLEA AND TICK COLLAR NET WT: 0.71 oz. (20 grams)

,

,

٠

BOTTOM PANEL

UNCONDITIONAL. MONEY BACK GUARANTEE

LEFT SIDE PANEL

RIGHT SIDE PANEL

Same copy as right side panel.

DOUBLE DUTY PLUS Flem & Tick Collar with NutriSorb\* for Puppies

REAR PANEL

9517-24

### DOUBLE DUTY" PLUS Flea & Tick Collar with NutriSorb"\* for Puppies

Adjustable - Fits puppies, 13" neck or smaller.

#### PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** This collar is intended for use as an insecticide and fatty acid generator and is not be be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs. Do not use on puppies less than 5 weeks of age.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double Duty" PLUS collar contains NutriSorb" which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NF 68105 for refund.

PET SPECIALISTS SINCE 1888 EPA Reg. No. 2517-FPA Est. 15577-FR-1 PN XXXXXP

Made in France Manufactured For: ConAgra Pet Products Co. Omaha, NF 6m105/Fairfield, NJ 07006 Litho USA — Patent Pending

# DOUBLE DUTY" PLUS Flea & Tick Collar With NutriSorb" for Puppies

2517.24

÷Þ

۲ ب

•

\_/

ļ

.

. ,

...

...

ц.

}

Will Accommodate up to a 13" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACF PANEL OF OUTER CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY POR USB

ACTIVE INGREDIENTS:	
Diazinon:[0,0-Diethyl 0-(2-isopropyl-6-methyl-	
4-pyrimidinyl) phosphorothicate]	11.0%
INERT INGREDIENTS:*	89.0%
	100.0%
*Includes 5% unsaturated fatty acids as a grooming Manufactured for	g aid.
CONAGRA PET PRODUCTS COMPANY	
Quaha NE 68105 Fairfield, NJ 07006	
EPA Reg. No. 2517- PATENT PEN	DING
EPA Est. 15577-FR-1 PN XXXXXX MADE IN FR	ANCE

,

۰.

•

	.,	•	
			25 11 9 0
	,		2517-21
	́ з		
Coiclos (logo)	DOUBLE DUTY PLU	Q	TOP PANEL
Geisler (logo) A SNOOPY	Flea & Tick Colla		Price
PET CARE	NutriSorb"+ for L	arge Dogs	
PRODUCT			
			PRONT PANEL
LARGE DOG		Item No.	FROM FROM
······			······································
	NEW		A
	DOUBLE DUT		A C C F F
	Flea & Tick C NutriSorb <sup>**</sup> fo		ACCEPTED Under SEP10
	autrisoro + 10	t raige noge	Under SEP 1 0 4
	Kills Fleas fo	r 5 Months	SEP 1 9 1983 Fuggiculo. on 1 10001 10883 an amendod. 10 10001 1000000000000000000000000000
	Kills Ticks fo	r 4 Months	EPA Reg un in the interior
	· · · · ·		251-
*S10	<pre>w release coat condi   texture, manageabil</pre>	-	
	revente, manageanti	ity and idete	
	For neck size	up to 30"	
	ACTIVE INSECTICID	AL INGREDIENT	÷
Diazino	n:[0,0-Diethyl 0-(2-	isopropyl-6-m	ethyl-
,	•••		lioate] 11.0%
	INBRT INGREDIENTS	:• • • • • •	
	TOTAL		100.0%
*Includes	5% unsaturated fatt	y acids as a	grooming aid.
	KEEP OUT	OF THE	
	REACH OF C	HILDRBN	•
· · ·	GANSTON -		
	CAUTION: See back panel fo	r edditionel	neogautionary
9	statements.	i additional	precaucionary
ConAgra®			LEA AND TICK COLLAR
			oz. (44.5 grams)
			BOTTOM PANEL
	UNCONDIT	IONAL	
	MONEY BACK G		۔ د ب ب ب
Samo oo	py as right side pan	ما	LEFT SIDE PANEL
oame co	hy as right side bau	** * * * * * * * * * * * * * * *	······································
DOUBLE DUTY PLUS			RIGHT SIDE PANEL
Flea & Tick Colla			
with NutriSorb* F	or Large Dogs		For Large Dogs
with NutriSorb* F	or Large Dogs		For Large Dogs
_		2	

. .

,

e).

ł

1517-21

REAR PANEL

### DOUBLE DUTY PLUS Flea & Tick Collar with NutriSorb"\* For Large Dogs Adjustable - Fits Large Dogs, 30" neck or smaller.

#### PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** This collar is intended for use as an insecticide and fatty acid generator and is not be be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinester-d ase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the aniwal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This DOUBLE DUTY" PLUS collar contains NutriSorb"\*which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-21 EPA Est. 15577-FR-1 PN XXXXXP

PET SPECIALISTS SINCE 1888

Made in France Manufactured For: ConAgra Pet Products Co. Omaha, NE 68105/Fairfield, NJ 07006 Litho USA — Patent Pending

### DOUBLE DUTY" PLUS Flea & Tick Collar With NutriSorb" for Large Dogs

Will Accommodate up to a 30" neck

### CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY FOR USE

### ACTIVE INGREDIENTS:

Ŋ

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-					
4-pyrimidinyl) phosphorothioate] 11.0%	é –				
INERT INGREDIENTS:*					
TOTAL					
*Includes 5% unsaturated fatty acids as a grooming aid.	ļ				

Manufactured for CONAGRA PET PRODUCTS COMPANY Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-EPA Est. 15577-FR-1 PN XXXXXX

PATENT PENDING MADE IN FRANCE

11

( ·

 $\mathcal{O}$ 

 $\hat{\mathbf{D}}$ 

2517-24

· . . . .

H

'\

Geisler (logo) A SNOOPY PET CARE PRODUCT

DOUBLE DUTY PLUS Flea & Tick Collar with NutriSorb\* for Dogs

FRONT PANEL

TOP PANEL

Price

12517.20

NEW DOUBLE DUTY" PLUS Flea & Tick Collar with NutriSorb"\* for Dogs

Kills Fleas for 5 Months Kills Ticks for 4 Months

\*Slow release coat conditioner helps enhance texture, manageability and luster.

For neck size up to 22"

ACTIVE INSECTICIDAL INGREDIENT: Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . 11.0%

 INERT INGREDIENTS:\*
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .

,

**74**.2

ltem No.

\*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

ConAgra•	CONTENTS: NET WT:	1 FLEA AND TICK COLLAR 1.3 oz. (36 grams)
	NDITIONAL CK GUARANTEE	BOTTOM PANEL
Same copy as right side	panel.	LEFT SIDE PANEL
DOUBLE DUTY PLUS Flea & Tick Collar		RIGHT SIDE PANEL

.

with NutriSorb\* for Dogs

<u>^</u>,

, **`** 

. •

DOG

REAR PANEL

4211.14

51

## DOUBLE DUTY" PLUS Flea & Tick Collar with NutriSorb"\* for Dogs

Adjustable - Fits mature dogs, 22" neck or smaller.

### PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide and fatty acid generator and is not be be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

#### DIRECTIONS FOR USE

L ... !

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double Duty" PLUS collar contains NutriSorb" which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

**DISPOSAL:** Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in the newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

ÉPA Reg. No. 2517-EPA Fst. 15577-FR-1 PN XXXXP

PET SPECIALISTS SINCE 1888

Made in France Manufactured For: ConAgra Pet Products Co. Omaha, NE 68105/Fairfield, 4J 07006 Litho PSA — Patent Pending

DOURLE DUTY	- PLUS
Flea & Tick	Collar
With NutriSorb	" for Dogs
	_

Will Accommodate up to a 22" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY FOR USE

ACTIVE INGREDIENTS:

\*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for OONAGRA PET PRODUCTS COMPANY Onaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-EPA Est. 15577-FR-1 PN XXXXXX

.

- 11

.

PATENT PENDING MADE IN FRANCE

2517.24