

Water (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY PLUS
Flea & Tick Collar with
NutriSorb™ for Large Dogs

TOP PANEL

Price

FRONT PANEL

LARGE DOG

Item No. 40436

DOUBLE DUTY™ PLUS
Flea & Tick Collar with
NutriSorb™ for Large Dogs

*Slow release coat conditioner helps enhance
texture, manageability and luster.

Kills Fleas for 5 Months
Kills Ticks for 5 Months

For neck size up to 30"

ACTIVE INSECTICIDAL INGREDIENT:

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] . . . 11.0%

INERT INGREDIENTS:* 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF THE
REACH OF CHILDREN

CAUTION

See back panel for additional
precautionary statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 1.6 oz. (44.5 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill
fleas up to 5 months and ticks up to 5 months on your dog.


LEFT SIDE PANEL Same copy as right side panel.

DOUBLE DUTY™ PLUS
Flea & Tick Collar
with NutriSorb™ For Large Dogs

RIGHT SIDE PANEL

For Large Dogs

BEST AVAILABLE COPY



DOUBLE DUTY PLUS
Flea & Tick Collar with NutriSorb®
For Large Dogs

REAR PANEL

Adjustable - Fits Large Dogs, 30" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION:

This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to physician: Diazinon is an organophosphate insecticide.

If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double Duty® PLUS collar contains NutriSorb® which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-24
EPA Est. 15577-FR-1
PN _____

PET
SPECIALISTS
SINCE
1888

Made in France For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending

BEST AVAILABLE COPY

Snoopy: ©1958 United Feature Syndicate, Inc.

DOUBLE DUTY™ PLUS
Flea & Tick Collar
With NutriSorb™ for Large Dogs

Will Accomodate up to a 30" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY FOR USE

ACTIVE INGREDIENT:

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	11.0%
INERT INGREDIENTS:*	89.0%
TOTAL	100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for
CONAGRA PET PRODUCTS COMPANY
Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-24

EPA Est. 15577-FR-1

FN 40436

PATENT PENDING

MADE IN FRANCE

BEST AVAILABLE COPY

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb™ for Puppies

TOP PANEL 4 7 9

Price

PUPPIES

Item No. _____

FRONT PANEL

DOUBLE DUTY™ PLUS
Flea & Tick Collar with
NutriSorb™ for Puppies

*Slow release coat conditioner helps enhance
texture, manageability, and luster.

Kills Fleas for 5 Months
Kills Ticks for 5 Months

For neck size up to 13"

ACTIVE INSECTICIDAL INGREDIENT:

Diazinon [O,O-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] . . . 11.0%

INERT INGREDIENTS:* 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF THE
REACH OF CHILDREN

CAUTION

See back panel for additional
precautionary statements.

ConAgra®

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 0.71 oz. (20 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas up
to 5 months and ticks up to 5 months on your dog.

LEFT SIDE PANEL

Same copy as right side panel.

RIGHT SIDE PANEL

DOUBLE DUTY™ PLUS
Flea & Tick Collar
with NutriSorb™ for Puppies

BEST AVAILABLE COPY

DOUBLE DUTY PLUS
Flea & Tick Collar with NutriSorb for Puppies

REAR PANEL

Adjustable - Fits puppies, 13" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION:

This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to physician: Diazinon is an organophosphate insecticide.

If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first

sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double Duty PLUS collar contains NutriSorb which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-24
EPA Est. 15577-FR-1
PN

BEST AVAILABLE COPY

PET
SPECIALISTS
SINCE
1888

Made in France For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending

**DOUBLE DUTY™ PLUS
Flea & Tick Collar
With NutriSorb™ for Puppies**

Will Accommodate up to a 13" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

DO NOT OPEN UNTIL READY FOR USE

ACTIVE INGREDIENT:

Diazinon: [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] . . . 11.0%

INERT INGREDIENTS:* 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for
CONAGRA PET PRODUCTS COMPANY
Oraha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-24
EPA Est. 15577-FR-1

PN _____

**PATENT PENDING
MADE IN FRANCE**

BEST AVAILABLE COPY

7 8 9

TOP PANEL

Geisler (logo)
A SNOOPY
PET CARE
PRODUCT

DOUBLE DUTY PLUS
Flea & Tick Collar
with NutriSorb for Dogs

Price

FRONT PANEL

DOG

Item No. 40401

DOUBLE DUTY[™] PLUS
Flea & Tick Collar with
NutriSorb[™] for Dogs

*Slow release coat conditioner helps enhance
texture, manageability and luster.

Kills Fleas for 5 Months
Kills Ticks for 5 Months
For neck size up to 22"

ACCEPTED
JUL - 1 1982
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2577-24

ACTIVE INSECTICIDAL INGREDIENT:
Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-
4 pyrimidinyl) phosphorothioate] . . 11.0%

INERT INGREDIENTS:* 89.0%
TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

**KEEP OUT OF THE
REACH OF CHILDREN**

CAUTION
See back panel for additional
precautionary statements.

ConAgra[®]

CONTENTS: 1 FLEA AND TICK COLLAR
NET WT: 1.3 oz. (36 grams)

BOTTOM PANEL

This product has an unconditional money back guarantee to kill fleas up
to 5 months and ticks up to 5 months on your dog.

LEFT SIDE PANEL

Same copy as right side panel.

DOUBLE DUTY[™] PLUS
Flea & Tick Collar
with NutriSorb[™] for Dogs

RIGHT SIDE PANEL

BEST AVAILABLE COPY

8 9 9

DOUBLE DUTY™ PLUS
Flea & Tick Collar with NutriSorb™ for Dogs

REAR PANEL

Adjustable - Fits mature dogs, 22" neck or smaller.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION:

This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to physician: Diazinon is an organophosphate insecticide.

If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place DOUBLE DUTY PLUS Collar around dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. For unusually large breeds, collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfalls; however, it is suggested collar be removed before bathing.

This Double Duty™ PLUS collar contains NutriSorb™ which releases unsaturated fatty acids necessary for healthy skin and hair. Unsaturated fatty acids are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL: Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

GUARANTEE: If not satisfied, send used collar and indication of purchase price to ConAgra, P. O. Box 55033, Omaha, NE 68105 for refund.

EPA Reg. No. 2517-24
EPA Est. 15577-FR-1
PN _____

BEST AVAILABLE COPY

**PET
SPECIALISTS
SINCE
1888**

Made in France For:
ConAgra Pet Products Co.
Omaha, NE 68105/Fairfield, NJ 07006
Litho USA Patent Pending

Snoopy: ©1958 United Feature Syndicate, Inc.

DOUBLE DUTY™ PLUS
Flea & Tick Collar
With NutriSorb™ for Dogs

Will Accommodate up to a 22" neck

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

DO NOT OPEN UNTIL READY FOR USE

ACTIVE INGREDIENT:

Diazinon:[0,0-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] . . . 11.0%

INERT INGREDIENTS:* 89.0%

TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

Manufactured for
CONAGRA PET PRODUCTS COMPANY
Omaha NE 68105 Fairfield, NJ 07006

EPA Reg. No. 2517-24

EPA Est. 15577-FR-1

FN 40401

PATENT PENDING

MADE IN FRANCE

BEST AVAILABLE COPY