

Reg no 2517-61

PM-12

131

ACCEPTED
 7 AUG 61
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2517-61



IDV


Sergeant's DOG COLLAR

FAST ACTING

Sergeant's DOG COLLAR

Sergeant's

DUAL ACTION FLEA & TICK COLLAR



(With d-phenothrin)

SPECIALLY DEVELOPED FOR DOGS

Active Ingredients

0-Isopropoxyphenyl methylcarbamate	9.00%
*3-phenoxycarbonyl-(1RS, 3RS, 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropylpropane-carboxylic acid	3.00%
N-octyl bicycloheptene dicarboximide	3.00%
d-phenothrin	

Inert Ingredients 85.00%


Contents: 1 Collar Net wt. 0.85 oz. (24 grams)

Do not allow children to play with collar.
CAUTION!
 See directions on back.

S-PA-7797

Sergeant's DOG COLLAR

Sergeant's FLEA & TICK COLLAR FOR DOGS



IMPORTANT CONSUMER INFORMATION

PURPOSE: This Collar kills fleas and ticks on dogs for five months. Collar is a double layer sustained release system which combines the insecticidal actions of vapor and powder working two ways to provide fast acting and long lasting head to tail protection. Thus, Collar has the effect of simultaneous usage of a spray and powder in the control of fleas and ticks including ticks that may carry Rocky Mountain Spotted Fever. Wetting will not impair Collar's effectiveness. It is not necessary to remove Collar if pets go swimming or are out in rain. Use Sergeant's Dual Action Flea and Tick Collar year round for most effective control.

PRECAUTIONARY STATEMENTS: HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not open until ready to use. Dust will form on Collar during storage. Do not get dust in mouth or eyes. Harmful if swallowed; if in eyes will cause eye irritation. In case of contact, flush eyes with water. If irritation persists, get medical attention. Collar is intended for external use only, not to be taken internally. Some animals may become irritated by any Collar. If this occurs, remove Collar. If condition persists, consult a veterinarian. Toxic to aquatic life. **ANTHRACIN:** Dust released by this Collar is a cholinesterase inhibitor. Atropine is antidotal.

USE: FIFTEEN (15) DAYS FOR USE. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Place Collar around pet's neck, adjust for fit and buckle in place. The Collar must be worn loosely to allow for growth of the pet and to permit the Collar to move about the neck. Generally, a properly fitted Collar is one that when fastened, will snugly cover pet's head, have 2 or 3 inches for extra adjustment. Cut off and dispose of excess length. Wash hands after installing Collar on pet. In some conditions, replace Collar every 3 months. Under conditions of severe infestation and where control of infestation is desired, Collar may be replaced more often. Do not use on dogs under 6 weeks of age.

STORAGE AND DISPOSAL: Store unopened Collar in a cool, dry place. Dispose of empty pouch and expired Collar in trash.

EPA Reg. No. 778-BR EPA Est. No. 778-VA-1

REGISTERED TRADEMARK OF SARGENT'S PRODUCTS DIVISION

SARGENT'S
Insecticide Products Division
The Cluett Company, Inc., New York, N.Y.

Made in U.S.A.



Sergeant's DOG COLLAR

BEST AVAILABLE COPY