



U.S. ENVIRONMENTAL PROTECTION AGENCY

OFFICE OF PESTICIDE PROGRAMS  
1200 Pennsylvania Ave., N.W.  
Washington, DC 20460-0001

EPA Reg. Number  
2517-78

Date of Issuance  
APR 1 2002

Term of Issuance

Unconditional

Name of Pesticide Product  
SERGEANT'S SENDRAN  
FLEA & TICK COLLAR

NOTICE OF PESTICIDE

Registration  
 Reregistration  
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Products  
P.O. Box 18993  
Memphis, TN 38181-0993

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you:

1. Submit and/cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA sec. 4.
2. Replace "EPA File Symbol 2517-TI" with "EPA Reg. No. 2517-78" on page 1 of draft label.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. Should you have any questions, do not hesitate to contact the Registration Manager for this chemical, Dr. Suku Oonnithan at 703-605-0368.

Signature of Approving Official:

Deborah McCall

Date:

**SERGEANT'S SENDRAN  
FLEA & TICK COLLAR**

For [Dogs], [Large Dogs], [Small Dogs & Puppies], [Cats]  
Fits Necks Up To [20][26][14][12.5] Inches

[Fast Acting] [Quick Kill]  
Kills [Fleas & Ticks] for (3) (4) (5) months [(90) (120) (150) days]  
[Fresh] [Clean] Scent  
Kills the Ticks That Carry [Lyme Disease]  
[Rocky Mountain Spotted Fever] [Ehrlichiosis]

[The following Claims on initial labeling only, or 6 months after initial sale]  
[“new”]

**ACTIVE INGREDIENTS:**

O-Isopropoxyphenyl methylcarbamate (Propoxur).....9.00 %

INERT INGREDIENTS:.....91.00%

**DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR**  
**CAUTION**  
**See Additional Cautions on Back**

NET WT: \_\_\_\_\_

EPA REG. NO. 2517-

EPA EST. NO. 11715-TN-1


**READ ENTIRE LABEL BEFORE EACH USE**  
**USE ONLY ON [DOGS] [CATS] [SMALL DOGS] [PUPPIES]**  
**[KITTENS]**

**IMPORTANT CONSUMER INFORMATION**

This collar kills fleas and ticks for (3)(4)(5) months. Collar is a [double layer] sustained-release system working to provide fast acting [quick kill] and long lasting head-to-tail protection. Thus, collar controls fleas and ticks, including ticks that may carry [Rocky Mountain Spotted Fever] [Lyme Disease] [Ehrlichiosis]. Wetting collar will not impair collar's effectiveness. It is not necessary to remove collar if pets go swimming or are out in the rain. Use Sergeant's Sendran Flea & Tick Collar year round for most effective control. Replace every (3)(4)(5) months.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Do not open until ready to use. Dust will form on collar during storage. Do not get dust in mouth or eyes. Harmful if swallowed. If in eyes will cause eye irritation. In case of contact, flush eyes with water. If irritation persists, get medical attention. Collar is intended for external use only, not to be taken internally. Some animals may become irritated by any collar. If this occurs, remove collar. If condition persists, consult a veterinarian. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Do not use on pet's under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water.



### FIRST AID

If Swallowed:	<ul style="list-style-type: none"><li>•Call poison control center or doctor immediately for treatment advice.</li><li>•Have person sip a glass of water if able to swallow. *</li><li>•Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>•Do not give anything by mouth to an unconscious person.</li></ul>
If in Eyes	<ul style="list-style-type: none"><li>•Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>•Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-224-7387 for emergency medical treatment information.	
<b>Note to Physician/Veterinarian:</b> Dust released by this collar is a cholinesterase inhibitor. Atropine is antidotal. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals.	

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

Place collar around pet's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over pet's head. Leave 2 or 3 inches for extra adjustment. Cut off and dispose of excess length. Wash hands after installing collar on pet. Under normal conditions, replace collar every (3) (4) (5) months. Under conditions of severe infestation and where continued rapid kill is desired, collar may be replaced more often.

### STORAGE AND DISPOSAL

Store unopened collar in a cool dry place. Dispose of empty pouch and expired collar in trash.

### MADE IN USA

Sergeant's is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 18993, Memphis, TN 38181-0993.

In case of emergency, call: 1-800-224-PETS  
[www.sergeants.com](http://www.sergeants.com)

Manufactured for:  
**SERGEANT'S PET PRODUCTS**  
P. O. Box 18993  
Memphis, TN 38181-0993

C:\NETSERVER\B\WASHBURN\PRODUCT DEVELOPMENT\GLP\SEND\DRAN  
COLLAR\SEND\DRAN COLLAR.PUB- (10/30/01)