UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

APR 1 1 2013

Ms. Deborah Chadbourne Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-3710

Subject:

Amended label to revise efficacy claims for ticks on cats, and to add marketing

claims related to an alternate collar production method Product Name: Sergeant's Sendran Flea & Tick Collar

EPA Registration No. 2517-78 EPA Decision No. 473310

Dear Ms. Chadbourne:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable. A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed labeling before you release the product for shipment. Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Regards,

John Hebert, Product Manager (07) Insecticide-Rodenticide Branch

Registration Division (7505P)

Enclosure

AMENDMENT CLEAN 3APR2013

Version 12.1c EPA Reg. No. 2517-78 Information in { } is explanatory, not to be included in label text. Page 1 of 6 EPA SAL 08 JUN 2011

Information in [] is optional.

FRONT PANEL

DOG COLLAR

Propoxur

Sergeant's Sendran Flea & Tick Collar

{ABN} [Bansect Flea & Tick Collar for Dogs]

{ABN} [Bansect Flea & Tick Collar for Cats*]

{ABN} [Bansect Flea & Tick Collar for Cats over twelve [12] weeks of age]

{ABN} [Bansect Flea & Tick Collar for Small Dogs and Puppies*]

{ABN} [Bansect Flea & Tick Collar for Small Dogs and Puppies over twelve [12] weeks of age]

{Label for DOG OR CAT Collars}

- [1] [Lock and Stay Design]
- [2] [Click and Stay Design]
- [3] [Click to Fit Design]
- [4] [Fits Just Right [Design]]
- [5] [Comfort Fit [Design]]
- [6] [Designed for Comfort]
- [7] [Rugged]
- [8] [Time Release formula]
- [9] [Modern Click to Fit Design]
- [10] [Pull and Click]
- [11] [Best Fitting Flea Collar]
- [12] [Stay in Place design]
- [13] [Clicks into place]
- [14] [Won't slide and stretch]
- [15] [Won't be too loose or too tight]
- [16] [Won't be too loose or too tight [...fits just right[!]]]
- [17] [Fits just right [Design]]
- [18] [Fits just right...won't be too loose or too tight.]
- [19] [Right Size Collar [Design]]
- [20] [New Lock and Fit Design]
- [21] [Slide [to] [and] Fit [Design]]
- [22] [Fit] [-] [and] [-] Stay [Design]]
- [23] [Slide Fit [and] Stay Design]
- [24] [Right Fit [Design]]
- [25] [Just Right Fit [Design]]
- [26] [Right fit [Design]]
- [27][Fits neck up to [XX"]]
- [28] [Fits Neck to {specific inch size}]
- [29] [Kills [adult] fleas which may cause flea bite anemia.]
- [30] [Kills [adult] fleas which may cause flea allergy dermatitis.]
- [31] [Kills [adult] fleas which may transmit tapeworms.]
- [32] [[Fresh] [Clean] Scent]
- [33] [Deodorizes]
- [34] [Deodorizing]

ACCEPTED

APR 1 1 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 2517-78

AMENDMENT CLEAN 3APR2013 Information in [] is optional.

Version 12.1c EPA Reg. No. 2517-78 Information in { } is explanatory, not to be included in label text. Page 2 of 6 EPA SAL 08 JUN 2011

{Label for DOG Collars}

- [1] [For [Dogs], [Large Dogs], [Medium Dogs] [Small Dogs & Puppies over twelve [12] weeks of age] [small breeds]]
- [2] [Fits Neck to [12.5"] [14"] [20"] [26"] [XX]]
- [3] [Long Lasting Protection for up to [3] [three] [4] [four] months]
- [4] [Controls fleas for up to [3] [three] [4] [four] months.]
- [5] [Controls fleas for up to [90] [120] days].
- [6] [Aids in the control of ticks for up to [3] [three] [4] [four] months.
- [7] [Controls fleas and aids in the control of ticks for up to [3] [three] [4] [four] months.]
- [8] [Notched to fit securely on any size dog]
- [9] [Fits securely on any size dog]
- [10] [Grrreat Fit]
- [11] [GRR...eat FIT]
- [12] [Grr.eat [Fit]]

{Label for CAT Collars}

- [1] [For-Cats over [twelve] [12] weeks of age]
- [2] [Works in as little as [48] [forty-eight] hours against Dermacentor variabilis ticks]
- [3] [Works in as little as [48] [forty-eight] hours against American dog ticks]
- [4] [Works in as little as [48] [forty-eight] hours against Wood ticks]
- [5] [Fits Neck to [12.5"][14"] [XX"]]
- [6] [Fits Cats of All Sizes]
- [7] [Up to [3] [three] [4] [four] [5] [five] months protection against fleas!]
- [8] [Up to [90] [120] [140] days protection against fleas!]
- [9] [Long Lasting Flea Protection for up to [3] [three] [4] [four] [five] [5] months]
- [10] [Long Lasting Flea Protection for up to [90] [120] [140] days]
- [11] [Long Lasting Tick Protection for up to [3] [three] months]]
- [12] [Long Lasting Tick Protection for up to [90] [ninety] days]
- [13] [Long Lasting Flea and Tick Protection for up to [3] [three] months]
- [14] [Long Lasting Flea and Tick Protection for up to [90] [ninety] days]]
- [15] [Controls fleas for up to [3] [three] [4] [four][5] [five] months]
- [16] [Controls fleas for up to [90] [[120] [140] days]
- [17] [Kills Ticks for up to [3] [three] months]
- [18] [Kills Fleas and Ticks for up to [3] [three] months]
- [19] [Kills [Dermacentor variabilis,] [Ambloyomma americanum,] [Rhipicephalus sanguines] [and] [Ixodes sacpularis] ticks for up to [3] [three] months]
- [20] [Kills [American dog ticks,] [lone star ticks,] [brown dog ticks] [and] [deer] ticks for up to [3] [three] months]
- [21] [Kills the ticks that may carry Rocky Mountain Spotted Fever for up to [3] [three] months]
- [22] [Kills the ticks that may carry Rocky Mountain Spotted Fever for up to [90] [ninety] days]
- [23] [Kills the ticks that may carry Lyme Disease for up to [3] [three] months]
- [24] [Kills the ticks that may carry Lyme Disease for up to [90] [ninety] days]
- [25] [Kills the ticks that may carry Lyme Disease and Rocky Mountain Spotted Fever for up to [3] [three] months]
- [26] [Kills the ticks that may carry Lyme Disease and Rocky Mountain Spotted Fever for up to [90] [ninety] days]
- [27] [Purrrfect Fit]
- [28] [Purrfect Fit]
- [29] [Break away collar [for Cats]]

AMENDMENT CLEAN 3APR2013 Information in [] is optional.

Version 12.1c EPA Reg. No. 2517-78 Information in { } is explanatory, not to be included in label text. Page 3 of 6 EPA SAL 08 JUN 2011

{for use with ABNs as indicated by asterisk} [*over [twelve] [12] weeks of age]

ACTIVE INGREDIENT:

Propoxur [o-Isopropoxyphenyl methylcarbamate] [CAS #114-26-1] 9.00%

OTHER INGREDIENTS: 91.00%

TOTAL 100.00%

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR CAUTION

See [Back][or][Side] [Label] [Panel(s)] for Additional Precautions [See Additional Precautions on Back]

Net Weight: XX

BACK/SIDE PANEL

DOG COLLAR

Propoxur

[Product Name] READ ENTIRE LABEL BEFORE EACH USE.

{label for DOG Collars}

USE ONLY ON [DOGS] [SMALL DOGS] [PUPPIES over [twelve] [12] weeks of age] {label for CAT Collars}

USE ONLY ON [CATS over [twelve] [12] weeks of age] [KITTENS over [twelve] [12] weeks of age]

[PRODUCT INFORMATION]

{label for DOG Collars}

[[Product Name] [This collar] controls fleas for up to [4] [four] months [on dogs].] [[Product Name] [This collar] aids in the control of ticks [on dogs] for up to [4] [four] months.] [[Product Name] [This collar] controls fleas and aids in the control of ticks for up to [4] [four] months [on dogs].] [Collar is a [double layer] sustained-release system.] [Use [Product Name] year round for most effective control.] [Replace every [4] [four] months or sooner if needed.]

{label for CAT Collars}

[[Product Name] [This collar] controls fleas for up to [5] [five] months [on cats].] [[Product Name] [This collar] controls fleas for up to [5] [five] months and [kills] ticks for up to [3] [three] months [on cats].] [[Product Name] [This collar] kills ticks for up to [3] [three] months [on cats].] [[Product Name] [This collar] kills ticks for up to [3] [three] months and controls fleas for up to [5] [five] months [on cats].] [[Product Name] [This collar] controls fleas and ticks for up to [3] [three] months [on cats].] [Collar is a [double layer] sustained-release system.] [[Thus,] collar controls fleas and ticks, including ticks that may carry [Rocky Mountain Spotted Fever] [and] [Lyme disease] for up to [3] [three] months.] [[Thus,] collar controls ticks that may carry Rocky Mountain Spotted Fever for up to [3] [three] months.] [Use [Product Name] year round for most effective control.] [Replace every [4] [four] [5] [five] months or sooner if needed.]

AMENDMENT CLEAN 3APR2013 Information in [] is optional.

Version 12.1c EPA Reg. No. 2517-78
Information in { } is explanatory, not to be included in label text.
Page 4 of 6 EPA SAL 08 JUN 2011

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS: Collar is for external use only, not to be taken internally. Some animals may become irritated by any collar. If this occurs, remove collar. If condition persists, consult a veterinarian. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Do not use on pets under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. [Notice: This product contains a chemical (o-Isopropoxyphenyl methylcarbamate) (Propoxur) known to the State of California to cause cancer.]

FIRST AID	
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center
	or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING :	• Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	ontainer or label with you when calling a poison control center or doctor, or . You may contact 1-800-781-4738 for emergency medical treatment
	NOTE TO PHYSICIAN/VETERINARIAN:
product on animals	is collar is a cholinesterease inhibitor. Atropine is antidotal. Do not use this simultaneously or within 30 days or after treatment with or exposure to ibiting drugs, pesticides or chemicals. However, flea and tick collars may be

5/7

AMENDMENT CLEAN 3APR2013 Information in [] is optional.

Version 12.1c EPA Reg. No. 2517-78 Information in { } is explanatory, not to be included in label text. Page 5 of 6 EPA SAL 08 JUN 2011


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{NOTE: ONE of the following alternate directions for use will be included on the label as appropriate for the production process.}

(OPTIONAL ALTERNATE DIRECTIONS FOR USE FOR EXTRUDED COLLARS)

Do not open until ready to use. Dust will form on collar during storage. Do not get dust in mouth or eyes. Place collar around pet's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over pet's head. Leave 2 or 3 inches for extra adjustment. Cut off and dispose of excess length. Wash hands after installing collar on pet. Replace collar every {for CAT collar} [4] [four] [5] [five] {for DOG collar} [4] [four] months, or sooner if needed.



(OPTIONAL ALTERNATE DIRECTIONS FOR USE FOR INJECTION MOLDED COLLARS)

[[1.] Do not open until ready to use. Dust will form on collar during storage. Do not get dust in mouth or eyes. Take the collar out of the packaging and stretch to full length. [The tabs that held the collar in place [should] [will] fall off when stretching; pull on any remaining tabs to remove them.]


[2.] Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.



[3.] Place the collar around your pet's neck. Feed the collar through both holes [[ridges][notches] facing out]. Fit to the neck of the [dog] [cat]. The collar must be worn loosely to allow for growth of the pet and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over pet's head[, and two fingers can be placed between the collar and pet's neck]. Leave [2 {or} 3] [1 {or} 2] extra inches for collar adjustment, cut off remaining excess collar and dispose of in the trash.

AMENDMENT CLEAN 3APR2013 Information in [] is optional.

Version 12.1c EPA Reg. No. 2517-78 Information in { } is explanatory, not to be included in label text. Page 6 of 6 EPA SAL 08 JUN 2011



{NOTE: optional dog image for dog collar, cat image for cat collar.}

[4.] Wash hands after installing collar on pet. Replace collar every {for CAT collar} [4] [four] [5] [five] {for DOG collar} [[4] [four]] months, or sooner if needed.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unopened collar in a cool, dry place inaccessible to children or pets. Protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Dispose of expired collar in trash.

[[WARRANTY]

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's Pet Care Products, Inc. is committed to providing high quality products.] [If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 [Product coupons]

Non-Emergency call 1-800-224-PETS (7387) [Made in USA] {lot, date & label code}

Distributed by: Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710 [BAR CODE AREA] EPA Reg. No. 2517-78 EPA Est. No. XXXXXXX

END BACK/SIDE PANEL

DOG COLLAR Propoxur