

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20466

> OFFICE OF PREVENTION PESTICIDES AND TOXIC SUBSTANCES

January 2, 2007

James Messina Agent for Sergeant's Pet Care Products, Inc. Exponent 1730 Rhode Island Ave., NW Washington, DC 20036

SUBJECT: Applications for Pesticide Notification Sergeant's Cyphenothrin + IGR Squeeze-On for Dogs EPA Reg. No. 2517-80 Applications Dated December 12, 2006 and December 22, 2006

Dear Mr. Messina:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of these requests for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Richel C. Halloman

Linda Arrington
 Notifications & Minor Formulations Team Leader
 Registration Division (7505P)
 Office of Pesticide Programs

Exponent

NOTIFICATION

UAN 0 2 2010 7

Exponent 1730 Rhode Island Ave., NW Suite 1100 Washington, DC 20036

telephone 202-772-4900 facsimile 202-772-4979 www.exponent.com

December 12, 2006

Sherada Hobgood Document Processing Desk Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Office of Pesticide Programs (7504P) Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 (703) 305-5264

Subject: Submission of a Notification for Sergeant's Cyphenothrin + IGR Squeeze-On for Dogs (EPA Reg. No. 2517-80) Project No. WD00758.000

Dear Ms. Hobgood:

On behalf of Sergeant's Pet Care Products, Inc. (2637 South 158 Plaza, Suite 100, Omaha, NE 68130), Exponent is submitting a label notification for the EPA registered product Sergeant's Cyphenothrin + IGR Squeeze-On for Dogs (EPA Reg. No. 2517-80), containing the EPA registered active ingredients cyphenothrin and pyriproxyfen. Please find the following information enclosed in support of this application package:

- EPA Form 8570-1;
- Three copies of the revised product label (one with all notification changes highlighted).

The purpose of this notification is to revise the following:

- Update the In Case of Emergency phone number to read, "In Case of an Emergency: call 1-800-781-4736. Non-Emergency: call 1-800-244-PETS (7387)"
- Update the hotline number to read, "You may also contact 1-800-781-4738 for emergency medical treatment information"

We have not included a confidential statement of formula with this submission, as it has not changed in anyway.

Pursuant to PR Notice 98-10, I certify this notification is consistent with the provisions of PR Notice 98-10 and EPA regulations 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula

Please read instructions on reverse before co	mpleting form.		Form Approved	I. OMB No.	2070-006	Print Form
	ion Agency	×	Registra Amendi Other		OPP Identifier Number	
	Applicati	on for Pestici	de - Section	1		
1. Company/Product Number 2517-80	2. EPA Product Manager S. Hobgood				oposed Classification	
 Company/Product (Name) Sergeant's Cyphenothrin+IGR Spot-On for 	or Dogs	₽M#				
5. Name and Address of Applicant <i>(Include Z. Sergeant's Pet Care Products, Inc. 2637 South 158th Plaza Omaha, NE 68130</i>		(b)(i), m to: EPA R	eg. No	illar or ident	ical in co	FIFRA Section 3(c)(3) mposition and labeling
		Section - I	ct Name			
Amendment - Explain below. Resubmission in response to Agency I Notification - Explain below. Explanation: Use additional page(s) if nece Submission of final printed label pursuar	oss ary . (For sectio	on I and Section II.)	Final printed labe Agancy latter dat "Ma Too" Applica Other - Explain be	ed ation, slow,		CATION 2 2007
1. Material This Product Will Be Packaged In:	<u></u>	Section - II	<u> </u>			<u></u>
Child-Resistant Packaging Unit Packaging		Water Soluble Pr	ckaging	2. Type of	Container	
Yes Yes No		Yes Text No			Motal Plastic Glass	
* Certification must Unit Packaging be submitted	No.per wgt.conteiner	lf "Yes" Peckege wgt	No. per container		Paper Other (S	pecify)
3. Location of Net Contents Information	4. Size(s) Re	tail Container	5. Lo	Cation of Lab On Label On Labelin		ns aning product
6. Manner in Which Label is Affixed to Produc	t Lithog Paper	graph glued illed	Other			
<u></u>		Section - IV	,		<u>.</u>	<u> </u>
1. Contact Point <i>(Complete items directly bel</i>	ow for identification			essery, to pro	cess this	application.)
Name James Messina		<u> </u>			Tsiephone No. (Include Area Code) 202-772 4932	
I certify that the statements I have med I acknowledge that any knowlingly fals both under applicable law.		all attachments the				R. Date Application Received (Stamped)
2. Signatura		3. Title Authorized Repre				
A Typed Name Lanzes Messina		5. Date December 12, 20				

S. Hobgood December 12, 2006 Page 2

of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions, please contact me at (202) 772-4932.

Sincerely, James Messina

James Messina Authorized Representative of Sergeant's Pet Care Products, Inc.

Enclosures

cc: Larry Nouvel, Nouvel Associates Kelly Hoskins, Sergeants Sherri Gray, Exponent Bonnielin Sceurman, Exponent



JAN 02 2007

[CARTON LABEL - DRAFT MASTER LABEL COPY] Sergeant's Cyphenothrin+IGR Squeeze-On for Dogs [(ABN) Sergeant's Gold Flea and Tick Squeeze-On for Dogs] [(ABN) Sergeant's Gold Squeeze-On for Dogs] [(ABN SentryPro XFC Squeeze-On for Dogs] [(ABN) SentryPro XFC Flea and Tick Squeeze-On for Dogs]

• DO NOT USE ON CATS [Box/Icon with Cat Image and Cross-Out]

[• Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

[• [12 week],[16],[20], [24][28] [32] [52] Week Supply For Dogs weighing [more than 9

lbs],[9 to 20 lbs], [21 to 39 lbs] [40 to 60 lbs] [61 lbs and over]*

[Works up to [4] [four] Weeks!]

[Protects for up to [4] [Four] Weeks!]

[Kills fleas, ticks, mosquitoes, flea eggs, and flea larvae]

[• [Five] [5] Way Protection [Kills fleas, ticks, mosquitoes, flea eggs & flealarvae]]*

- [• Five Way Protection! Kills ticks, mosquitoes fleas, flea eggs & flea larvae]*
- [• 5 Way Protection! Kills ticks, mosquitoes, fleas, flea eggs & flea larvae]*
- [• [4 Week] [Flea Tick & Treatment]*

[• [Four (4) Week] [Flea and Tick Control]*

[• With Nylar® Insect Growth Regulator which Breaks the Flea Life Cycle]*

[• With Nylar® to Break Flea Life Cycle]*

[• With Insect Growth Regulator to Break Flea Life Cycle]*

[• Dual Action [!]: Cyphenothrin with Nylar® IGR Effectively Breaks the Flea Life Cycle]*

[• Dual Action [!]: Effectively Breaks the Flea Life Cycle[!]]*

[• For Dogs & Puppies (Over 12 Weeks of Age) and greater than 9 lbs.]

[• For Dogs & Puppies (Over 12 Weeks of Age) 9 to 20 lbs.]

- [• For Dogs & Puppies (Over 12 Weeks of Age) 21 to 39 lbs.]
- [• For Dogs & Puppies (Over 12 Weeks of Age) 40 to 60 lbs.]

[• For Dogs & Puppies (Over 12 Weeks of Age) 61 lbs and Over]

[• Three Applications {for cartons with 3 applicators}] and/or [3 Month Supply] or [12 Week Supply]

[• For Dogs [more than 9 lbs.] or [9 lbs. to 20 lbs.] or [21 lbs. to 39 lbs.] or [40 lbs. to 60 lbs.] or [61 lbs. and Over]]

[• Breaks Flea Life Cycle!]*for up to 9 weeks]

[Controls reinfestation for up to 9 weeks!]

[• Best if used year round!]

- [• Kills & Repels Fleas Up to [4 weeks]!]*
- Kills [& Repels] fleas in as little as 1 hour!]
- Kills [& Repels] ticks in as little as 3 hours!]
- [Kills fleas [in as little as 1 hour], ticks [in as little as 3 hours], [mosquitoes], [flea eggs & flea larvae]
- [Kills [and Repels]]
 - Fleas [in as little as 1 hour]

- Ticks [in as little as 3 hours]
- [Mosquitoes]
- [Kills for [9 weeks] [63 days]]
 - [flea eggs]
 - [flea larvae]
- [(ICON Showing 4 Week Protection)]
- [4 Week Dose!]
- [1 Month Dose!]
- [Prevents ticks from attaching and feeding in as little as 3 hours after application]
- [Kills and Detaches Ticks]
- [Easy to Use Application]
- [Specially Formulated for Dogs and Puppies]
- [4 Week Protection!]
- [[Free] Calendar Stickers Inside!]
- [[Free] Brochure Inside!]
- [[Free] Brochure and Calendar Stickers Inside]
- [Patented Technology]
- [• Kills Flea Eggs & Flea Larvae for more than [63 days], [9 weeks]!]*
- [• Prevents Flea Eggs From Developing Into Biting Adults]*
- [• Kills & Repels Ticks for Up to [4 weeks]!]*
- [• Kills & Repels Deer Ticks (vector of Lyme Disease) for up to 4 weeks]
- [• Kills & Repels Ticks (Including Deer Ticks) for up to 4 weeks]
- [• Kills & Repels Brown Dog Ticks [(*Rhipicephalus sanguineus*)] for up to 4 weeks!]

[CARTON LABEL - MASTER LABEL COPY]

[• Kills & Repels American Dog Ticks [(*Dermacentor variabilis*)] for up to 4 weeks!]

[• Apply once every [4 weeks]!]

- [• 4 week Flea and Tick Treatment!]
- [One Month Flea and Tick Treatment]
- [• Kills & Repels Fleas and Ticks for up to 4 weeks!]
- [• Kills all stages of the flea life cycle]
- [• Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to 4 Weeks]
- [Kills [and Repels] mosquitoes]
- [Dogs can be bathed 24 hours after squeeze-on is applied]

[• May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label ard/or applicator labeling.]

[] - Denotes Optional Statements and/or Images that May be Used on Front, Back or Side Label Panels



<u>*Note:</u> Underscored Claims To Be Based on New as well as Existing Product Performance (Efficacy) Data

[Ingredient Statement may be on front or back label]

ACTIVE INGREDIENTS:

Cyphenothrin (CAS# 39515-40-7)	40.0%
Pyriproxyfen (CAS# 95737-68-1)	2.0%
OTHER INGREDIENTS:	<u>58.0%</u>
TOTAL:	100.0%

Nylar® is a registered trademark of McLaughlin Gormley King Company. U.S. Patent No. 5,942,525

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Label Panel[s] for Additional Precautionary Statements

NET CONTENTS: [THREE] [FOUR] [SIX][TWELVE] 1.5 ml (0.05 oz.)Tubes [THREE][FOUR][SIX][TWELVE] 3.0 ml (0.10 oz.)Tubes [THREE][FOUR][SIX][TWELVE] 4.5 ml (0.15 oz)Tubes [THREE][FOUR][SIX][TWELVE] 6.0 ml (0.20 oz.)Tubes

[BACK/SIDE CARTON LABEL - MASTER LABEL]

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE. DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

	FIRST AID
If on skin or	• Take off contaminated clothing.
clothing	• Rinse skin immediately with plenty of water for $15 - 20$ minutes.
L,	Call a poison control or doctor for treatment advice.

If swallowed	• Immediately call a poison control center or doctor.
	• Do not induce vomiting unless told to do so by a poison control center or doctor.
	• Do not give any liquid to the person.
	• Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	UOTI INF NIMPED

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

NOTE TO PHYSICIAN OR VETERINARIAN Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats.

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Best if used year round. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to apply: Remove product tube from package. Holding tube with top end pointing up and away from face and body, [snap or] cut off top end. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 4 weeks.

[BACK/SIDE CARTON LABEL - MASTER LABEL]

For Dogs Weighing Between 9 and 20 lbs.: {For cartons containing 1.5 ml applicator tubes} Apply one tube (1.5 ml)(0.05 oz.) as a spot to the dog's back between the shoulder blades [from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing Between 21 and 39 lbs. {For cartons containing at least two 1.5 ml applicator tubes, or at least one 3.0 ml applicator tube}

[Apply two tubes (1.5 ml)(0.05 oz.) as a spot on the dog's back between the shoulder blades] or [Apply one tube (3.0 ml)(0.05 oz.) as a spot to the dog's back between the shoulder blades.]

For Dogs Weighing Between 40 and 60 lbs. {For cartons containing at least three 1.5 ml applicator tubes, or at least one 4.5 ml applicator tube}

[Apply two tubes (1.5 ml)(0.05 oz.) as a spot to the dog's back between the shoulder blades and apply the third tube. from the back of the neck to a point midway between the neck and tail]. - or - [Apply one tube (4.5 ml)(0.15 oz.) from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing 61 lbs. and Over: {For cartons containing at least two 3.0 ml applicator tubes, or at least one 6.0 ml applicator tube}

[Apply the first tube (3.0 ml)(0.10 oz.) as a spot to the dog's back between the shoulder blades and apply the contents of the other tube (3.0 ml each)(0.10 oz.) from the back of the neck to a point midway between the neck and tail.] - or - [Apply one tube (6.0 ml)(0.20 oz.) from the back of the neck to a point midway between the neck and tail.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 25° C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Sergeant's Squeeze-On Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product.] [Sergeant's Squeeze-On Flea & Tick Control with Nylar® Insect Growth Regulator prevents eggs from fleas on treated dogs from developing into biting adults for 63 days.] [7 weeks][As with all flea and tick control products, [Sergeant's Squeeze-On Flea and Tick Control with Nylar® Insect Growth Regulator] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard).] [Consult your retailer for program recommendations.]

[BACK/SIDE CARTON LABEL - MASTER LABEL]

www.sergeants.com

MADE IN USA

Sergeant's is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response; P.O. Box 54(399; Omaha, NE 68154-0399.

[Satisfaction Guaranteed!] [Please return for a refund if not completely satisfied!]

In Case of Emergency: call 1-800-781-4738. Non-Emergency: call 1-800-224-PETS (7387).

10/10

[WARRANTY: SERGEANT'S PET CARE, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.]

Made in the USA For: Sergeant's Pet Care Products, Inc. Omaha, NE 68130 EPA Reg. No. 2517 -80 EPA Est. No. XXXXX -XX -XXX [TUBE/APPLICATOR LABEL]

[BAR CODE AREA]

FRONT PANEL -

Sergeant's Squeeze-On Flea & Tick Control with Nylar® Insect Growth Regulator, [Box/Icon with Cat Image and Cross-Out], [1.5 ml][0.05 oz.] or [3.0 ml][0.10 oz.] or [4.5 ml][0.15 oz.] or [6.0 ml][0.20 oz.], Cyphenothrin 40.0% W/W, Pyriproxyfen 2.0% W/W

BACK PANEL -

READ DIRECTIONS/PRECAUTIONS BEFORE USING. CAUTION: KEEP OUT OF REACH OF CHILDREN EPA REG. NO. 2517-80 NEXT

LABEL

517-80

1-2-2007



TNHED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON (D.C. 20466

> OFFICEOF PRIATNON PENEODS NO TOXICSEBSENCES

January 2, 2007

James Messina Agent for Sergeant's Pet Care Products, Inc. Exponent 1730 Rhode Island Ave., NW Washington, DC 20036

SUBJECT: Applications for Pesticide Notification Sergeant's Cyphenothrin + IGR Squeeze-On for Dogs EPA Reg. No. 2517-80 Applications Dated December 12, 2006 and December 22, 2009

Dear Mr. Messina:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of these requests for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

CRachel C. Hellornan



Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

								F	
		1_4* F							Print Form
Please read instructions on reverse before completing form. United States Environmental Protect Weshington, DC 20			tion Agency			X	d. OMB No. 2070-006 Registration Amendment Other		D. Approvel expires 2-28- OPP Identifier Number
		Application	n for	Pestici	de - Sect	ion	1		
1. Company/Product Numb 2517-80	76r			2. EPA G. LaR	Product Mani occa	ager			posed Classification
4. Company/Product (Nem Sergeant's Cyphenothrin		or Does		PM#					
5. Name and Address of A Sergeant's Pet Care Pro 2637 South 158th Plaza Omaha, NE 68130	ducts, Inc.	code)		(b)(i), n to: EPA I	ny product i Reg. No	s sim	ilar or iden	tical in co	FIFRA Section 3(c)(3) mposition and labeling
			6	Produ	ct Name _				
Amendment - Expla Resubmission in res Notification - Explai Explanation: Use addition Submission of a label n	ponse to Agency lette n below. 	ry. (For section l			Final printed Agency lett "Me Too" A Other - Expl	er dat pplice ain be	ed ation. 	N	DTIFICATION JAN 0 2 2007
			Sec	tion - I					
1. Material This Product W Child-Resistant Packaging Yes No			Wate	Soluble P Yes Text No	ackaging		2. Type of	Container Metal Plastic Glass	
* Certification must be submitted	lf "Yes" Unit Packeging wgt	No. per . conteiner	lf "Ye Pecke	s" ge wgt	No. per container			Paper Other (S	pecify)
3. Location of Net Contents	Container	4. Size(s) Retail		iner	Other	5. Loc	On Label		ns ning product
		Stencileo		tion I					
1. Contact Point (Complete	items directly below	for identification :		tion - IN		tores	eeerv to o	mores this	ecolication
Name James Messina		Ti	tie		esentative			· · · · ·	No. (Include Area Code)
	oments I have made or ny knowlinglly false or Jaw.		attaci						6. Date Application Received (Stamped)
2. Signature			Title Luthor	ized Repr	esentativea				
4. Typed Name James Messina			Date Decem	ber 22, 20					
EPA Form \$570-1 (Rev. 3-94) Previous editions are	e obsolete.		<u></u>	White	• EP	A File Copy	(original)	Yellow - Applicant Co

I

NOTIFICATION

JAN 0 2 2007

Exponent 1730 Rhode Island Ave., NW Suite 1100 Washington, DC 20036

telephone 202-772 4900 facsimile 202-772-4979 www.exponent.com

December 22, 2006

Exponent

Sherada Hobgood Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 (703) 305-5264

Subject: Submission of a Notification for Sergeant's Cyphenothrin + IGR Squeeze-On for Dogs (EPA Reg. No. 2517-80) Project No. WD00758.000

Dear Ms. Hobgood:

On behalf of Sergeant's Pet Care Products, Inc. (2637 South 158 Plaza, Suite 100, Omaha, NE 68130), Exponent is submitting a label notification for the EPA registered product Sergeant's Cyphenothrin + IGR Squeeze-On for Dogs (EPA Reg. No. 2517-80), containing the EPA registered active ingredients cyphenothrin and pyriproxyfen. Please find the following information enclosed in support of this application package:

- EPA Form 8570-1; and
- Three copies of the revised product label.

We have corrected several typographical errors in the enclosed label, including the addition of the application text for the weight group of 21-39 pounds, "Apply one tube (3.0 ml)(0.10 fl. oz.) from the back of the neck to a point midway between the neck and tail." This text is found in all of the other application weight groups and was mistakenly left off of this specific weight group. All changes have been highlighted in the enclosed label. We have not included a confidential statement of formula with this submission, as it has not changed in anyway.

Pursuant to PR Notice 98-10, I certify this notification is consistent with the provisions of PR Notice 98-10 and EPA regulations 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to

S. Hobgood December 22, 2006 Page 2

willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions, please contact me at (202) 772-4932.

Sincerely,

James Messina Authorized Representative of Sergeant's Pet Care Products, Inc.

Enclosures

cc: Larry Nouvel, Nouvel Associates Kelly Hoskins, Sergeants Susan Kane, Sergeants



NOTIFICATION 10

JAN 0 2 2007

[CARTON LABEL - DRAFT MASTER LABEL COPY] Sergeant's Cyphenothrin+IGR Squeeze-On for Dogs [(ABN) Sergeant's Gold Flea and Tick Squeeze-On for Dogs] . [(ABN) Sergeant's Gold Squeeze-On for Dogs] [(ABN SentryPro XFC Squeeze-On for Dogs] [(ABN) SentryPro XFC Flea and Tick Squeeze-On for Dogs]

• DO NOT USE ON CATS [Box/Icon with Cat Image and Cross-Out]

[• Flea & Tick Control for Dogs & Puppies 12 weeks old and older]

[• [12 week],[16],[20], [24][28] [32] [52] Week Supply For Dogs weighing (more than 9 lbs],[9 to 20 lbs], [21 to 39 lbs] [40 to 60 lbs] [61 lbs and over]*

[Works up to [4] [four] Weeks!]

[Protects for up to [4] [Four] Weeks!]

[Kills fleas, ticks, mosquitoes, flea eggs, and flea larvae]

[• [Five] [5] Way Protection [Kills fleas, ticks, mosquitoes, flea eggs & tlea larvae]]*

[• Five Way Protection! Kills ticks, mosquitoes, fleas, flea eggs & flea larvae]*

[• 5 Way Protection! Kills ticks, mosquitoes, fleas, flea eggs & flea larvae]*

[• [4 Week] [Flea Tick & Treatment]*

[• [Four (4) Week] [Flea and Tick Control]*

[• With Nylar® Insect Growth Regulator which Breaks the Flea Life Cycle]*

[• With Nylar® to Break Flea Life Cycle]*

[• With Insect Growth Regulator to Break Flea Life Cycle]*

[• Dual Action [!]: Cyphenothrin with Nylar® IGR Effectively Breaks the Flea Life Cycle]*

[• Dual Action [!]: Effectively Breaks the Flea Life Cycle[!]]*

[• For Dogs & Puppies (Over 12 Weeks of Age) and greater than 9 lbs.]

[• For Dogs & Puppies (Over 12 Weeks of Age) 9 to 20 lbs.]

[• For Dogs & Puppies (Over 12 Weeks of Age) 21 to 39 lbs.]

[• For Dogs & Puppies (Over 12 Weeks of Age) 40 to 60 lbs.]

[• For Dogs & Puppies (Over 12 Weeks of Age) 61 lbs and Over]

[• Three Applications {for cartons with 3 applicators}] and/or [3 Month Supply] or [12 Week Supply]

[• For Dogs [more than 9 lbs.] or [9 lbs. to 20 lbs.] or [21 lbs. to 39 lbs.] or [40 lbs. to 60 lbs.] or [61 lbs. and Over]]

[• Breaks Flea Life Cycle!]*for up to 9 weeks]

[Controls reinfestation for up to 9 weeks!]

[• Best if used year round!]

[• Kills & Repels Fleas Up to [4 weeks]!]*

- Kills [& Repels] fleas in as little as 1 hour!]
- Kills [& Repels] ticks in as little as 3 hours!]
- [Kills fleas [in as little as 1 hour], ticks [in as little as 3 hours], [mosquitoes], [flea eggs & flea larvae]
- [Kills [and Repels]]

- Fleas [in as little as 1 hour]
- Ticks [in as little as 3 hours]
- [Mosquitoes]
- [Kills for [9 weeks] [63 days]]
 - [flea eggs]
 - [flea larvae]
- [(ICON Showing 4 Week Protection)]
- [4 Week Dose!]
- [1 Month Dose!]
- [Prevents ticks from attaching and feeding in as little as 3 hours after application]
- [Kills and Detaches Ticks]
- [Easy to Use Application]
- [Specially Formulated for Dogs and Puppies]
- [4 Week Protection!]
- [[Free] Calendar Stickers Inside!]
- [[Free] Brochure Inside!]
- [[Free] Brochure and Calendar Stickers Inside]
- [Patented Technology]
- [• Kills Flea Eggs & Flea Larvae for more than [63 days], [9 weeks]!]*
- [• Prevents Flea Eggs From Developing Into Biting Adults]*
- [• Kills & Repels Ticks for Up to [4 weeks]!]*
- [• Kills & Repels Deer Ticks (vector of Lyme Disease) for up to 4 weeks]
- [• Kills & Repels Ticks (Including Deer Ticks) for up to 4 weeks]
- [• Kills & Repels Brown Dog Ticks [(*Rhipicephalus sanguineus*)] for up to 4 weeks!]

[CARTON LABEL - MASTER LABEL COPY]

[• Kills & Repels American Dog Ticks [(*Dermacentor variabilis*)] for up to 4 weeks!]

- [• Apply once every [4 weeks]!]
- [• 4 week Flea and Tick Treatment!]
- [One Month Flea and Tick Treatment]
- [• Kills & Repels Fleas and Ticks for up to 4 weeks!]
- [• Kills all stages of the flea life cycle]
- [• Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to 4 Wecks]
- [Kills [and Repels] mosquitoes]
- [Dogs can be bathed 24 hours after squeeze-on is applied]

[• May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.] [] - Denotes Optional Statements and/or Images that May be Used on Front, Back or Side Label Panels

<u>*Note:</u> Underscored Claims To Be Based on New as well as Existing Product Performance (Efficacy) Data

[Ingredient Statement may be on front or back label]

ACTIVE INGREDIENTS:

Cyphenothrin (CAS# 39515-40-7)	40.0%
Pyriproxyfen (CAS# 95737-68-1)	2.0%
OTHER INGREDIENTS:	<u>58.0%</u>
TOTAL: 1	00.0%

Nylar® is a registered trademark of McLaughlin Gormley King Company. U.S. Patent No. 5,942,525

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Label Panel[s] for Additional Precautionary Statements

NET CONTENTS: [THREE] [FOUR] [SIX][TWELVE] 1.5 ml (0.05 fl. oz.) Tubes [THREE][FOUR][SIX][TWELVE] 3.0 ml (0.10 fl. oz.) Tubes [THREE][FOUR][SIX][TWELVE] 4.5 ml (0.15 fl. oz) Tubes [THREE][FOUR][SIX][TWELVE] 6.0 ml (0.20 fl. oz.) Tubes

[BACK/SIDE CARTON LABEL - MASTER LABEL]

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE. DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling.



	FIRST AID			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
If on skin or clothing	Take off contaminated clothing.			
	• Rinse skin immediately with plenty of water for 15 – 20 minutes.			
	Call a poison control center or doctor for treatment advice.			
If swallowed	• Immediately call a poison control center or doctor.			
	• Do not induce vomiting unless told to do so by a poison control center or doctor.			
	• Do not give any liquid to the person.			
	• Do not give anything by mouth to an unconscious person.			
	HOTLINE NUMBER et container or label with you when calling a poison control center or doctor, or ent. You may also contact 1-800-781-4738 for emergency medical treatment			
	NOTE TO PHYSICIAN OR VETERINARIAN			

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats.

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Best if used year round. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to apply: Remove product tube from package. Holding tube with top end pointing up and away from face and body, [snap or] cut off top end. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 4 weeks.

[BACK/SIDE CARTON LABEL - MASTER LABEL]

For Dogs Weighing Between 9 and 20 lbs.: {For cartons containing 1.5 ml (0.05 fl. oz.) applicator tubes}

Apply one tube (1.5 ml)(0.05 fl. oz.) [as a spot to the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing Between 21 and 39 lbs. {For cartons containing at least two 1.5 ml (0.05 fl. oz.) applicator tubes, or at least one 3.0 ml (0.10 fl. oz.) applicator tube}

[Apply two tubes (1.5 ml)(0.05 fl. oz.) as a spot on the dog's back between the shoulder blades] or [Apply one tube (3.0 ml)(0.10 fl. oz.) as a spot to the dog's back between the shoulder blades.] [Apply one tube (3.0 ml)(0.10 fl. oz.) from the back of the neck to a point midway between the neck and tail.]

For Dogs Weighing Between 40 and 60 lbs. {For cartons containing at least three 1.5 mi (0.05 fl. oz.) applicator tubes, or at least one 4.5 ml (0.15 fl. oz.) applicator tube}

[Apply two tubes (1.5 ml)(0.05 fl. oz.) as a spot to the dog's back between the shoulder blades and apply the third tube from the back of the neck to a point midway between the neck and taill. - or - [Apply one tube (4.5 ml)(0.15 fl. oz.) from the back of the neck to a point midway between the neck and tail].

For Dogs Weighing 61 lbs. and Over: {For cartons containing at least two 3.0 ml (0.10 fl. oz.) applicator tubes, or at least one 6.0 ml (0.20 fl. oz.) applicator tube}

[Apply the first tube (3.0 ml)(0.10 fl. oz.) as a spot to the dog's back between the shoulder blades and apply the contents of the other tube (3.0 ml each)(0.10 fl. oz.) from the back of the neck to a point midway between the neck and tail.] - or - [Apply one tube (6.0 ml)(0.20 fl. oz.) from the back of the neck to a point midway between the neck and tail.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 25^{0} C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indeer or outdoor drain.

[Sergeant's Squeeze-On Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product.] [Sergeant's Squeeze-On Flea & Tick Control with Nylar® Insect Growth Regulator prevents eggs from fleas on treated dogs from developing into biting adults for 63 days.] [7 weeks][As with all flea and tick control products, [Sergeant's Squeeze-On Flea and Tick Control with Nylar® Insect Growth Regulator] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard).] [Consult your retailer for program recommendations.]

[BACK/SIDE CARTON LABEL - MASTER LABEL]

Visit us at <u>www.sergeants.com</u>

MADE IN THE USA

Sergeant's is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response; P.O. Box 540399; Omaha, NE 68154-0399.

[Satisfaction Guaranteed!] [Please return for a refund if not completely satisfied!]

In Case of Emergency, call 1-800-781-4738. Non-Emergency: call 1-800-224-PETS (7387).

[WARRANTY: SERGEANT'S PET CARE, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.]

[Made in the USA For:] [Manufactured by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68130 EPA Reg. No. 2517 -80 EPA Est. No. 2517-TN-1

[BAR CODE AREA]

[TUBE/APPLICATOR LABEL]

FRONT PANEL -

Sergeant's Squeeze-On Flea & Tick Control with Nylar® Insect Growth Regulator, [Box/Icon with Cat Image and Cross-Out], [1.5 ml][0.05 fl. oz.] or [3.0 ml][0.10 fl. oz.] or [4.5 ml][0.15 fl. oz.] or [6.0 ml][0.20 fl. oz.], Cyphenothrin 40.0% W/W, Pyriproxyfen 2.0% W/W

BACK PANEL -

READ DIRECTIONS/PRECAUTIONS BEFORE USING. CAUTION: KEEP OUT OF REACH OF CHILDREN EPA REG. NO. 2517-80