

U.S. ENVIRONMENTAL PROTECTION

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
___ Reregistration

EPA Reg. Date of
Number: Issuance:
2517-85 NOV 2 2 2006

Term of Issuance: Conditional

Name of Pesticide Product: Sergeant's Cypernothrin Squeeze- On for Dogs

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Care Products, Inc. 2637 South 158 Plaza, Suite 100

Omaha, NE 68130-1703

Note: Changes in labeling differing in smostance from that accepted in connection with this registration must be submitted to the accepted by the Registration Division prior to use of the label in commence of any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is **conditionally** registered in accordance with FIFRA sec. 3(c)(7)(A)(B) provided that:

- 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. You submit as agreed the data listed below conducted in accordance with 40CFR Part 158 test guidelines or agreed upon protocols:

Title of Study G

Guideline Reference Date

Cyphenothrin-specific
Dislodgeability Study (dogs)

NA

Within 9 months of acceptance of protocol*

Efficacy Study of a Cyphenothrin 810-1000,3000, Spot-On Against fleas, ticks and 3300 Mosquitoes

Protocol submitted within one month of Notice of Registration. Study submitted within 9 months of acceptance of protocol.*

Signature of Approving Official:

| Date:

November 22,2006

page 2

EPA Reg. No. 2517-85

*You must submit a protocol prior to conducting the efficacy for Agency review and approval. We note that the protocol for Cyphenothrin dislodgeability study is currently under review.

- 3. You will make the following label changes before you release the product for shipment:
- a. Revise the EPA Registration Number to read "EPA Registration Number 2517-85.".
- b. Under Directions for Use replace "as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the dog's tail" with "from the back of the neck to a point midway between the neck and tail". Make the same change to the directions beginning, "as a spot or stripe to the dogs back directly in front..." and "apply the contents of the other tube along the dog's back ...".
- c. The net contents must be expressed in terms of U.S. liquid units or measurements also. It is recommended that the application rates also include US units of measurement.

page 3

EPA Reg. No. 2517-85

ACUTE TOXICITY REVIEW

STUDY	MRID	CATEGORY	CLASSIFICATION
Acute Oral	46166103	III	Acceptable
Acute Dermal	46166104	III	Acceptable
Acute Inhalation		IV	Waived
Eye Irritation	46166105	III	Acceptable
Dermal Irritation	46166106	IV	Acceptable
Dermal Sensitization	46166107	Negative	Acceptable

- d. Delete "Pleasant and Fresh Scent or Fragrance" since there is no fragrance in the formulation.
- e. Move the paragraph beginning, "For External Use on Dogs Only \dots etc." and to the directions for use section of the label.

- f. Delete "Water Proof formula". No data was submitted to support this claim.
- 3. You must generate studies corresponding to guidelines 830.6317 (one year storage stability) and 830.6320 (corrosion characteristics). The observations must be3 made at 0, 3, 6, 9, and 12 months intervals. The results must be submitted to the Agency along with and electronic format also.
- 4. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

[MASTER CARTON/PACK LABEL-FRONT PANEL]

Sergeant's Cyphenothrin Squeeze-On for Dogs

[ABN: Sergeant's Silver Flea and Tick Squeeze-On for Dogs]

[ABN: Sergeant's Silver Squeeze-On for Dogs]

[ABN: Sentry XFC Squeeze-On for Dogs]

[ABN: Sentry XFC Flea and Tick Squeeze-On for Dogs]

- DO NOT USE ON CATS [Box/Icon with cat image and cross-out]
- [Pleasant fresh scent [or] Fragrance [or] "a specific fragrance(s) will be identified"]
- [Flea & Tick control for dogs and puppies over 12 weeks of age]
- [Three in one protection [Kills fleas, ticks and mosquitoes]
- [[Three] [3] Way Protection [Kills fleas, ticks and mosquitoes]
- [Three in one protection! Kills fleas, ticks and mosquitoes]
- [Up to 4 week Flea and Tick Treatment]
- [Up to 4 week Flea and Tick Control][4 week [monthly] protection]
- [Monthly flea and tick control]
- [For dogs & puppies (over 12 weeks of age) More than 9 lbs.]
- [For dogs & puppies (over 12 weeks of age) 9 to 20 lbs]
- [For dogs & puppies (over 12 weeks of age) 21 to 39 lbs]
- [For dogs & puppies (over 12 weeks of age) 40 to 60 lbs]
- [For dogs & puppies (over 12 weeks of age) 61 lbs and over]
- [Three applications (for cartons with 3 applications)] and/or [3 month supply] or [12 week supply]
- [For dogs [9 lbs and up] or [9 lbs to 20 lbs] or [21 lbs to 39 lbs] or [40 lbs to ACCEPTED 60 lbs] or [61 lbs and over] with COMMENTS
- [Best if used year round!]
- [Kills & Repels fleas up to [4 weeks]!]
- Kills [& repels] fleas in as little as 1 hour!]
- Kills [& repels] ticks in as little as 3 hours!]
- [Kills & Repels ticks for up to [4 weeks]!]
- [Kills & Repels deer ticks (vector of lyme disease) for up to 4 weeks!]
- [Kills & Repels ticks (including deer ticks) for up to 4 weeks!)
- [Kills & Repels brown dog ticks [(Rhipicephalus sanguincus)] for up to 4 weeks!]
- [Kills & Repels American dog ticks [(Dermacentor variabilis)] for up to 4 weeks!]
- [Apply every [4 weeks]!][1 month]
- [Up to 4 weeks of flea & tick treatment!]
- [Kills [& Repels] fleas and ticks for up to 4 weeks!]
- [Kills [and Repels] mosquitoes]

NOV 22 2006

In EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

- [Waterproof formula]
- [Dogs can be bathed 24 hours after squeeze-on is applied]
- [Reapply once every 4 weeks.] [Reapply monthly]
- [May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.]

[NOTE: Text or images in [] on this label denotes optional statements and/or images that may be used on front, back, sides, top or bottom of carton/pack and/or tube label panels.]

ACTIVE INGEDIENTS:

Cyphenothrin (CAS # 3951:	5-40-7)40.0%
OTHER INGREDIENTS:	<u>60.0%</u>
TOTAL:	100.0%

[NOTE: Due to limited size of carton/pack labeling, the "Ingredient Statement" may be placed to "prominently" appear on the Back Carton/Pack label panel]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back] [or] [side] label panel[s] for additional precautionary statements

NET CONTENTS: [Three] [Six] [Twelve] 1.5 ml tubes, or

[Three] [Six] [Twelve] 3.0 ml tubes, or [Three] [Six] [Twelve] 4.5 ml tubes, or [Three] [Six] [Twelve] 6.0 ml tubes

[MASTER CARTON/PACK LABEL - BACK/SIDE PANELS]

Sergeant's Cyphenothrin Squeeze-On for Dogs

[DO NOT USE ON CATS] [Box/icon with cat image and cross-out]

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE.
DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-224-PETS for emergency medical treatment information.

NOTE TO PHYSICIAN OR VETERINARIAN

Treat patient symptomatically

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats.

How to apply: Remove product tube from package. Holding tube with top end pointing up and away from face and body, [snap or] cut off top end. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 4 weeks.

For Dogs Weighing 9 lbs. to 20 lbs.: [For cartons containing 1.5 ml applicator tubes] Apply one tube (1.5 ml) as a spot or strip to the dog's back between the shoulder blades.

For Dogs Weighing 21 lbs. to 39 lbs.: [For cartons containing two 1.5 ml applicator tubes] [Apply two tubes (1.5 ml) as a spot or stripe to the dog's back between the shoulder blades.] [For cartons containing one 3.0 ml applicator tube] [Apply one tube (3.0 ml) as a spot or stripe to the dog's back between the shoulder blades.]

For Dogs Weighing 40 lbs. to 60 lbs.: [For cartons containing three 1.5 ml applicator tubes] [Apply two tubes (1.5 ml) as a spot or stripe to the dog's back between the shoulder blades and apply the third tube as a spot or stripe to the dog's back directly in front of the base of the tail.] [For cartons containing one tube (4.5 ml)] [Apply one tube (4.5 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the dog's tail.]

For Dogs Weighing 61 lbs. and Over [For cartons containing at least four 1.5 ml applicator tubes] [Apply two tubes (1.5 ml) as a spot or stripe to the dog's back between the shoulder blades and apply the contents of the other two tubes (1.5 ml) along the dog's back extending to directly in front of the base of the tail.] or [For cartons containing at lease two 3.0 ml applicator tubes] [Apply one tube (3.0 ml) as a spot or strip to the dog's back between the shoulder blades and apply the contents of the other tube (3.0 ml) along the dog's back extending to directly in front of the base of the tail.] [For cartons containing one tube (6.0 ml)] [Apply one tube (6.0 ml) as a spot or stripe to the dog's back between the shoulder blades.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not remove tube from the pack until ready to use. Store in a cool (below 25° C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

Pesticide Disposal: If empty: do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Sergeant's Cyphenothrin Squeeze-On for Dogs is an effective and easy to use product.][As with all flea and tick control products, Sergeant's Cyphenothrin Squeeze-On for Dogs should be used as part of a [an overall] [complete] program [aimed at][to][intended to][reduce] reducing flea populations in the dog's environment (bedding, carpets, kennel, yard).] [Consult your retailer for program recommendations.]

www.sergeants.com

Made in the USA

[Sergeant's is committed to providing high quality products. If you have any questions or comments about this product, please write: Sergeant's Consumer Response: P.O. Box 540399, Omaha, NE 68154-0399.]

[In case of emergency, call 1-800-224-PETS.]

[WARRANTY: SERGEANT'S PET CARE, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENT MADE ON THIS LABEL.]

Made in the USA For: Sergeant's Pet Care Products, Inc. Omaha, NE 68130-1703

[BAR CODE AREA]

EPA Reg. No. 2517-EPA Est. No.