

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

FEB 6 2012

Ms. Susan Kane Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza Omaha, NE 68130-1770

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Kane:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 13, 2012 for the following product(s):

MarketQuest One Drop Flea & Tick Control with Nylar Insect Growth Regulator

EPA Reg. No. 2517-87

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,


Richard J. Gebken

Product Manager Insecticide Branch

Led A De Luca

Registration Division (7504P)

Please read instructions on	reverse before coi.	sting form.	Forr	n Approv	, OMB N	lo. 2070-00	80. Approval expires 2-28-	
ŞEPA	United States Environmental Protection Agency Washington, DC 20460			✓	O THE PROPERTY OF	tration idment	OPP Identifier Number	
		Application f	or Pesticide - S	Section	1			
1. Company/Product Number 2517-87			2. EPA Product Manager Richard Gebken			-	3. Proposed Classification ✓ None Restricted	
4. Company/Product (Name) MarketQuest One Drop Flea&Tick Control with Nyla			sect Gi 10					
5. Name and Address of Applicant (Include ZIP Code) Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza Omaha NE 68130-1770 Check if this is a new address			6. Expedited Reveiw. In accordance with FFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. FEB - 6 2012 Product Name					
			Section - II					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sections)			Agend "Me T	Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.				
labeling or the confidential s EPA. I further understand th FIFRA and I may be subject	nat if this notification is r	not consistent with the and penalties under s	e terms of PR Notice 9 ections 12 and 14 of F	8-10 and 40	C. Sec. 10 CFR 152	001 to willfully .46, this prod	make any false statement to uct may be in violation of	
		S	ection - III					
1. Material This Product Wi	1	lw.	ater Soluble Packagin		1 T	of Containe		
Child-Resistant Packaging Yes No If "Yes" Unit Packaging No. per Unit Packaging wgt.		No. per If	Yes No If "Yes" No. per			Metal Plastic Glass Paper	Metal Plastic Glass	
be submitted	Other dokaging wat	i container	l l	Carrior		other	opodity/	
3. Location of Net Contents Information 4. Size(s) R Label Container			Setail Container 5. Location of Label Directions On label					
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		Other				
		S	ection - IV				6666	
1. Contact Point (Complete	items directly below	for identification of i	individual to be conta	cted, if nec	essary, to	process thi	s application.)	
Name Susan Kane			Title Regulatory Specialist				Telephone No. (Include Area Code) 402-938-7065	
	ments I have made or ny knowlinglly false or law.						6. Dete Application Received (Stamped)	
2. Signature			3. Title Regulatory Specialist				((((((((((((((((((((
4. Typed Name Susan Kane		5. De	January 13, 2012					





2625 South 158th Plaza • Omaha, NE 68130-1770 • Telephone 402.938.7000 • Fax 402.938.7099 • www.sergeants.com

January 13, 2012

Registration Support Branch
Registration Division (7505P)
Office of Pesticide Programs (NOTF)
US Environmental Protection Agency
One Potomac Yard
2777 Crystal Drive
Arlington, VA 22202

SUBJECT: MarketQuest One Drop Flea & Tick Control with Nylar Insect Growth Regulator

EPA Registration No. 2517-87

Notification to: Add'l claim per PR Notice 98-10

Dear Mr. Gebken.

Sergeant's Pet Care Products, Inc. submits the following administrative documents in support of the Notification to add an add'l claim.

- Notification (EPA Form 8570-1)
- 2 copies of revised master label

Should you have any questions about this submission, please contact me via phone at 402/938-7065 or email at skane@sergeants.com.

Sincerely,

Susan Kane

Regulatory Specialist

Sergeant's Pet Care Products, Inc.

Enclosures

Sergeant's Master Label

13 January 2012 add'l claim notification Information in [] is optional.

Page 1 of 5

EPA Reg. No. 2517-87 EPA SAL 8 December 2003

FRONT PANEL

DOG SQUEEZE ON

Permethrin & Pyriproxyfen

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator

[(ABN) Sergeant's Squeeze-On for Dogs and Puppies]

[(ABN) SentryPro Squeeze-On Flea & Tick Control for Dogs]

[(ABN) SENTRY Flea & Tick Squeeze-On for Dogs]

• DO NOT USE ON CATS [Box/Icon with Cat Image and Cross-Out] FOR DOGS [15 lbs and Under][Between 15 & 33 lbs][Between 33 & 66 lbs][66 lbs & Over]

Optional Marketing Statements

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OI
- BREAKS FLEA LIFE CYCLE!
- KILLS AND REPELS FLEAS UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE FOR UP TO 123 DAYS [PER APPLICATION]!
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS FOR UP TO 123 DAYS [PER APPLICATION]!
- KILLS AND REPELS MOSQUITOES!
- PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS TICKS FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- MONTHLY APPLICATION
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH [PER APPLICATION]!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE [FOR UP TO 4 MONTHS][FOR 123 DAYS][PER APPLICATION]!
- KILLS AND REPELS TICKS FOR UP TO [4 WEEKS][3 TO 4 WEEKS] [PER APPLICATION] INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS & AMERICAN DOG TICKS!
- KILLS AND REPELS [ADULT FLEAS] FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- Do Not Use On Cats (repeated on front panel)
- KILLS FLEAS, TICKS, FLEA EGGS AND FLEA LARVAE

[Use of the following marketing claims as applicable to the specific size packaging]

For Dogs Between 15 [33] and 33 [66] LBS.

For Dogs Weighing 15 LBS. and under [or less]; For Dogs Weighing Less Than 15 LBS.

For Dogs Weighing 66 LBS. and over [or more]; For Dogs Weighing More Than 66 LBS.

33% MORE FREE!

Bonus 33% MORE FREE!

ACTIVE INGREDIENTS:

Permethrin* (CAS# 52645-53-1) 45.0% Pyriproxyfen (CAS# 95737-68-1) (Nylar®)...... 1.9% OTHER INGREDIENTS: 53.1% TOTAL

*Cis/trans ratio: Max 55% (+) cis and min 45% (+) trans

Nylar® is a registered trademark of McLaughlin Gormley King Company, U.S. Patent No. 5,942,525

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Label Panel[s] for Additional Precautionary Statements

NET CONTENTS:

XX [1.0 mL (.03 fl oz)] [1.5 mL (.05 fl oz)] [3.0 mL (.1 fl oz)] [4.5 mL (.152 fl oz)] Applicator(s) [CONTENTS: XX X.X mL Applicators (Total X.XX fl oz)]



NOTIFICATION

FEB - 6 2012

Sergeant's Master Label

13 January 2012 add'l claim notification Information in [] is optional.

Page 2 of 5

EPA Reg. No. 2517-87 EPA SAL 8 December 2003

BACK PANEL

DOG SQUEEZE ON Permethrin & Pyriproxyfen

{Product Name}
READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS 3 MONTHS [12 WEEKS] OF AGE OR OLDER.
DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS HAZARDS TO DOMESTIC ANIMALS

CAUTION FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 3 months [12 weeks] of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at application site. Dogs may also show "lethargy".

Environmental Hazards: This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

[For Dogs Weighing 15 lbs. and Under: {(1.0 mL) (.034 fl. oz.) applicator tubes} Apply one tube (1.0 mL) (.034 fl. oz.) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 15 and 33 lbs. {1.5 mL (.051 fl. oz.) applicator tubes} Apply one tube (1.5 mL) (.051 fl. oz.) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs. {1.5 mL (.051 fl. oz.) applicator tubes}

Apply one tube 1.5 mL (.051 fl. oz.) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube 1.5 mL (.051 fl. oz.) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

{3.0 mL applicator tube} [Apply approximately half of the tube (1.5 mL) (.051 fl. oz.) of this product as a spotor stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 mL) (.051 fl. oz.) as a spot or stripe to the dog's back directly in front of the base of the tail.]

6/8

Sergeant's Master Label

13 January 2012 add'l claim notification Information in [] is optional.

Page 3 of 5

EPA Reg. No. 2517-87 EPA SAL 8 December 2003

OR

[Apply the entire tube (3.0 mL) (.101 fl. oz.) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66 lbs. and Over: {1.5 mL (.051 fl. oz.) applicator tubes} Apply one tube (1.5 mL) (.051 fl. oz.) of this product as a stripe to the dog's back between the shoulder blades <u>and</u> apply a second tube (1.5 mL) (.051 fl. oz.) continuing the stripe down the center of the dog's back <u>and</u> apply a third tube (1.5 mL) (.051 fl. oz.) to the dog's back directly in front of the base of the tail.]

OR

{4.5 mL (0.152 fl. oz) applicator tube} [(4.5 mL) (0.152 fl. oz.) applicator tubes) Apply approximately half of the tube (2.25 mL) (.076 fl. oz.) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (2.25 mL) (.076 fl. oz.) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (4.5 mL) (0.152 fl. oz.) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

HOW TO APPLY:

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from (the) package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

OR

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from (the) card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

7/8

Sergeant's Master Label

13 January 2012 add'l claim notification Information in [] is optional.

Page 4 of 5

EPA Reg. No. 2517-87 EPA SAL 8 December 2003

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from (the) package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[** FOR MULTI-DOSE PACKAGING: Withdraw (1.0 ml) (1.5 ml)(3.0 ml)(4.5 ml) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]

[** FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to (1.0 ml) (1.5ml)(3.0 ml)(4.5 ml) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

[** FOR SALE TO VETERINARIANS ONLY]

(INSERT DIAGRAM(S) THAT DEPICTS APPLICATION OF PRODUCT ON THE DOG)

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 25° C), dry place out of reach of children. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Product Name is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. As with all flea and tick control products, **Product Name** should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

OR

Product Name is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. **Product Name** kills and repels Deer Ticks (vector of Lyme Disease), Brown Dog Ticks, and American Dog Ticks for up to [3 to 4 weeks][4 weeks]. This product also kills and repels mosquitoes and protects against blood feeding by mosquitoes (vector of heartworm) for up to 4 weeks.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [[The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of application, all of which are beyond the control of Sergeant's.] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

8/8

Sergeant's Master Label

13 January 2012 add'l claim notification Information in [] is optional.

Page 5 of 5

EPA Reg. No. 2517-87 EPA SAL 8 December 2003

[If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

Visit us at www.sergeants.com

In Case of an Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387)

Made in USA Distributed by:

EPA Reg. No. 2517-87

Sergeant's Pet Care Products, Inc. P.O. Box 540399

EPA Est. No. XXXXX

Omaha, NE 68154-0399

{label code}

END - BACK / SIDE PANEL

TUBE / VIAL LABEL

Front Label Back Label

{Product Name}	KEEP OUT OF REACH OF CHILDREN				
[Box/Icon with Cat Image &Cross-Out], Permethrin45.0% W/W	CAUTION: Read directions and precautions before using.				
Pyriproxyfen1.9% W/W 1.0 mL (or) 1.5 mL (or) 3.0 mL (or) 4.5 mL {label code}	EPA REG. No. 2517-87 {label code}				

OUTER BOX LABEL (Contains the following labeling plus full product label)

{Product Name}

[*Nylar inhibits development of the immature stages of the fleas for up to 4 months preventing them from reaching the biting adult stage.]

• [Nylar - Registered Trademark of McLaughlin Gormley King and Company]

(picture of flea life cycle here)

4 STEPS FOR COMPLETE FLEA CONTROL

Step 1- Shampoo or dip your dog.

Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for fleat control.

Step 3- Apply Product Name for up to four weeks adult flea and tick control.

Step 4- Maintenance treatments with on-animal sprays and powders.