

#### OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

May 28, 2024

Prince Bamaze
Regulatory Affairs
Sergeant's Pet Care Products, LLC
10077 South 134th Street
Omaha, NE 68138-3710

Subject: Label Amendment - Registration Review Mitigation for Permethrin and

Pyriproxyfen

Product Name: Sergeant's Pet Care Products, LLC / MarketQuest One Drop Flea

& Tick Control with Nylar® Insect Growth Regulator for Dogs

EPA Registration Number: 2517-87

Application Dates: 2/4/2021 and 5/28/2024 Decision Numbers: 570576 and 595885

#### Dear Prince Bamaze:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin and Pyriproxyfen Interim Decisions and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Page 2 of 2 EPA Reg. No. 2517-87

Decision No. 570576 and 595885

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Carolyn Smith by phone at 202-566-2273, or via email at <a href="mailto:smith.carolyn@epa.gov">smith.carolyn@epa.gov</a>.

Sincerely,

Galyn Pyrie

Jaclyn Pyne, Team Leader

Risk Management and Implementation Branch 3

Pesticide Re-Evaluation Division

Office of Pesticide Programs

**ENCLOSURE: Stamped label** 

28 MAY 2024 - Notification Information in { } is instructional

Version 24.1 Page 1 of 10 EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

**FRONT PANEL** 

DOG SQUEEZE ON PERMETHRIN + NYLAR}

### MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator for Dogs

**(ABN)** Sergeant's Squeeze-On for Dogs and Puppies

{ABN} SentryPro Squeeze-On Flea & Tick Control for Dogs

**(ABN) SENTRY Flea & Tick Squeeze-On for Dogs** 

{ABN} GuardianPro Flea & Tick Topical for Dogs

{ABN} GuardianPro Dog Topical

{ABN} GuardianPro Dog Topical Prevention

{ABN} GuardianPro Dog Topical Prevention & Treatment

**(ABN)** GuardianPro Topical Prevention for Dogs

{ABN} GuardianPro Topical Prevention & Treatment for Dogs

{ABN} GuardianPro Prevention Topical for Dogs

{ABN} GuardianPro Prevention & Treatment Topical for Dogs

{ABN} Sergeant's GuardianPro Flea & Tick Topical for Dogs

{ABN} Sergeant's GuardianPro Dog Topical

**(ABN)** Sergeant's GuardianPro Dog Topical Prevention

{ABN} Sergeant's GuardianPro Dog Topical Prevention & Treatment

{ABN} Sergeant's GuardianPro Topical Prevention for Dogs

{ABN} Sergeant's GuardianPro Topical Prevention & Treatment for Dogs

{ABN} Sergeant's GuardianPro Prevention Topical for Dogs

{ABN} Sergeant's GuardianPro Prevention & Treatment Topical for Dogs

[1.5cm x 1.5cm on final or as below]



#### {Use of the following marketing claims as applicable to the specific size packaging}

#### {Weight Break Group 1}

[For Use ONLY on Dogs [[&] [and] Puppies] [Weighing] 7 lbs and [Under] [Less Than] 15 lbs over 12 weeks of age]

[For Dogs [[&] [and] Puppies] ONLY [Weighing] 7 lbs and [Under] [Less Than] 15 lbs over 12 weeks of age]

#### {Weight Break Group 2}

[For Use ONLY on Dogs [[&] [and] Puppies] [Weighing] 7 lbs and [Under] [Less Than] 33 lbs over 12 weeks of age]

[For Dogs [[&] [and] Puppies] ONLY [Weighing] 7 lbs and [Under] [Less Than] 33 lbs over 12 weeks of age] [For Use ONLY on Dogs [[&] [and] Puppies] [Weighing] 15 lbs and [Under] [Less Than] 33 lbs over 12 weeks of age]

[For Dogs [[&] [and] Puppies] ONLY [Weighing] 15 lbs and [Under] [Less Than] 33 lbs over 12 weeks of age]

#### {Weight Break Group 3}

[For Use ONLY on Dogs [Weighing] 33 lbs and [Under] [Less Than] 66 lbs] [For Dogs ONLY [Weighing] 33 lbs and [Under] [Less Than] 66 lbs]

ACCEPTED

05/28/2024

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 0547,07

2517-87

28 MAY 2024 - Notification Version 24.1 EPA No. 2517-87

Information in { } is instructional Page 2 of 10 Supersedes EPA SAL 02/03/2022

#### {Weight Break Group 4}

[For Use ONLY on Dogs [Weighing] 66 lbs and [over] [or more]] [For Dogs ONLY [Weighing] 66 lbs and [over] [or more]]

#### **{Optional Marketing Statements}**

#### [Mosquitoes]

- [1] [KILLS AND REPELS MOSQUITOES!]
- [2] [PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS [PER APPLICATION]!]

#### [Fleas]

- [3] [BREAKS FLEA LIFE CYCLE!]
- [4] [KILLS AND REPELS FLEAS UP TO [3] [4] [5] WEEKS [PER APPLICATION]!]
- [5] [KILLS FLEA EGGS AND LARVAE FOR UP TO 123 DAYS [PER APPLICATION]!]
- [6] [PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS FOR UP TO 123 DAYS [PER APPLICATION]!]
- [7] [KILLS AND REPELS ADULT FLEAS FOR UP TO [3] [4] [5] WEEKS [PER APPLICATION]!]
- [8] [KILLS FLEA EGGS AND LARVAE [FOR UP TO 4 MONTHS] [FOR 123 DAYS] [PER APPLICATION]!]
- [9] [KILLS AND REPELS [ADULT FLEAS] FOR UP TO [3] [4] [5] WEEKS [PER APPLICATION]!]

#### [Ticks]

- [10] [KILLS AND REPELS TICKS FOR UP TO [3] [4] [5] [6] WEEKS [PER APPLICATION]!]
- [11] [KILLS AND REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO [3] [4] [5] [6] WEEKS [PER APPLICATION]!]
- [12] [KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO [3] [4] [5] [6] WEEKS [PER APPLICATION]!]
- [13] [KILLS AND REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO [3] [4] [5] [6] WEEKS [PER APPLICATION]!]
- [14] [KILLS AND REPELS TICKS FOR UP TO [3] [4] [5] [6] [PER APPLICATION] INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS & AMERICAN DOG TICKS!]

#### [Multiple Infestations]

- [15] [FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER]
- [16] [MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!]
- [17] [KILLS AND REPELS FLEAS AND TICKS FOR UP TO [A MONTH] [[3] [4] [5] WEEKS] [PER APPLICATION]!]
- [18] [KILLS FLEAS, TICKS, FLEA EGGS AND FLEA LARVAE]
- [19] [TRIPLE PEST PROTECTION AGAINST FLEAS, TICKS, MOSQUITOES]
- [20] [[THREE] [3] IN [ONE] [1] PEST PROTECTION FLEAS, TICKS, MOSQUITOES]

#### [All Others]

- [21] [CITRUS SCENT]
- [22] [MONTHLY APPLICATION]
- [23] [3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS] ]
- [24] [[QUICK DRYING,] [ NON-GREASY,] [WATERPROOF]]
- [25] [33% MORE FREE!]

28 MAY 2024 - Notification Version 24.1 EPA No. 2517-87
Information in { } is instructional Page 3 of 10 Supersedes EPA SAL 02/03/2022

[26] [Bonus 33% MORE FREE!]

- [27] [Contains aloe [vera]]
- [28] [With aloe [vera]]
- [29] [+ Aloe [vera] [extract]]
- [30] [Infused with aloe [vera]]

#### **ACTIVE INGREDIENTS:**

Permethrin* [CAS# 52645-53-1]	45.00%
Pyriproxyfen [(Nylar)] [CAS# 95737-68-1]	1.90%
OTHER INGREDIENTS:	53.10%
TOTAL	100.00%

\*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans [[Nylar® ] [Nylar® Insect Growth Regulator] is a registered trademark of McLaughlin Gormley King Company.]

### KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Label Panel[s] for Additional Precautionary Statements

#### **NET CONTENTS:**

28 MAY 2024 - Notification Information in { } is instructional Version 24.1 Page 4 of 10 EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

#### {BACK/SIDE/OTHER PANEL(s)

DOG SQUEEZE ON PERMETHRIN + NYLAR}

[[This product] [Brand Name] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months] [123 days]. As with all flea and tick control products, [This product] [Brand Name] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.]

[OR]

[[This product] [Brand Name] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months] [123 days]. [[This product] [Brand Name] kills and repels Deer Ticks (vector of Lyme Disease), Brown Dog Ticks, and American Dog Ticks for up to [3 to 4 weeks][4 weeks]. This product also kills and repels mosquitoes and protects against blood feeding by mosquitoes (vector of heartworm) for up to 4 weeks.]

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

**Side Effects:** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4783. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

{box frame below is optional}

{1.5cm x 1.5cm on final or as shown below}



DO NOT USE ON CATS. May be toxic or potentially fatal if applied to or ingested by cats. Keep cats away from treated dogs for 24 hours. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

28 MAY 2024 - Notification Information in { } is instructional Version 24.1 Page 5 of 10 EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use on cats, rabbits or animals other than dogs. Do not get this product in your dog's eyes or mouth. Do not allow your dog to ingest this product. Do not use on puppies under 3 months of age or dogs less than [7] [15] [33] [66] lbs. [Use entire contents of tube [vial] on each dog.] [Do not split one tube between dogs.] Do not use multiple tubes [vials] on one dog unless SPECIFICALLY instructed otherwise. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks. Application of product on pets must only be done indoors.

**HOW TO OPEN**: Remove product tube[s] from the package. [Separate one tube from the others.] Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

#### **HOW TO APPLY:**

{FOR SARAN TUBES/VIALS IN BLISTER CARD, FLAT CARD (DOUBLED) UNIT-DOSE PACKAGING, FLAT CARD UNIT DOSE PACKAGING (PUSH-PIN APPLICATOR), FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING, AND BLISTER CARD WITH TRI-LAYER TUBES/VIALS} Invert tube over dog and use open end to part dog's hair. [{FOR PUSH PIN APPLICATOR} With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap and invert [tube] [vial] over dog.] Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Wrap [tube] [vial] and put in trash.

[OR]

**FOR MULTI-DOSE PACKAGING FOR SALE TO VETERINARIANS ONLY**} Withdraw [(1.5 mL)] [(3.0 mL)] [(4.5 mL)] of solution at a time. Apply entire given dose directly to the skin at the indicated locations.

[OR]

#### FOR DROPPER BOTTLE MULTI-DOSE PACKAGING FOR SALE TO VETERINARIANS

**ONLY}:** Insert dropper tube into [insecticide solution] [this product] [Brand Name], squeeze bulb and then release to fill tube barrel to [(1.5 mL)] [(3.0 mL)] [(4.5 mL)] line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of [the solution] [this product] [Brand Name] to the dog's skin as indicated for dog's size.

28 MAY 2024 - Notification Information in { } is instructional

Version 24.1 Page 6 of 10 EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

{The following for cartons bearing directions for use for dogs in Weight Break Group 1.}

#### {1.0 mL (0.034 fl. oz.) applicator tubes}

[[Only for Dogs [Weighing] 7 lbs and [Under] [Less Than] 15 lbs] [including small dogs and puppies, 12 weeks or older] {rate = (1.0 mL) (0.034 fl. oz.)} Do not use on dogs weighing less than 7 lbs. Apply one tube (1.0 mL) [(.034 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.]

#### {1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only for Dogs [Weighing] 7 lbs and [Under] [Less Than] 15 lbs] [including small dogs and puppies, 12 weeks or older] {rate = (1.5 mL) (0.051 fl. oz.)} Do not use on dogs weighing less than 7 lbs. Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.]

{The following for cartons bearing directions for use for dogs in Weight Break Group 2.}

#### {1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only for Dogs [Weighing] 7 lbs and [Under] [Less Than] 33 lbs] [OR] [Only for Dogs [Weighing] 15 lbs and [Under] [Less Than] 33 lbs] [{for the 7-33 lb category} including small dogs and puppies, 12 weeks of age or older] {rate = 1.5mL 0(.051 fl. oz)} Do not use on dogs weighing less than [7] [15] lbs. Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.]

{The following for cartons bearing directions for use for dogs in Weight Break Group 3.}

#### {1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only For Dogs [Weighing] 33 lbs and [Under] [Less Than] 66 lbs.] {rate = 2X(1.5 mL) (0.051 fl. oz)} Do not use on dogs weighing less than 33 lbs. Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 mL) [(0.051 fl. oz.)] as a spot or stripe to the dog's back directly in front of the base of the tail.]

#### {3.0 mL (0.101 fl. oz.) applicator tubes}

[[Only For Dogs [Weighing] 33 lbs and [Under] [Less Than] 66 lbs.] {rate = 1 (3.0 mL) (0.101 fl. oz)} Do not use on dogs weighing less than 33 lbs. [Apply one tube [vial] (3.0 mL) [(0.101 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.] [OR] [Apply approximately [one-half] [½] of the tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 mL) [(0.051 fl. oz.)] as a spot or stripe to the dog's back directly in front of the base of the tail.] [OR] [Apply the entire tube [vial] (3.0 mL) [(0.101 fl. oz.)] as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]]

28 MAY 2024 - Notification Information in { } is instructional Version 24.1 Page 7 of 10 EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

{The following for cartons bearing directions for use for dogs in Weight Break Group 4.}

#### {1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only For Dogs [Weighing] 66 lbs [and Over] [or More]] {rate =  $3X (1.5 \text{ ml}) [(0.051 \text{ fl. oz.})]}$  Do not use on dogs weighing less than 66 lbs. Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a stripe to the dog's back between the shoulder blades and apply a second tube [vial] (1.5 mL) [(0.051 fl. oz.)] continuing the stripe down the center of the dog's back and apply a third tube [vial] (1.5 mL) [(0.051 fl. oz.)] to the dog's back directly in front of the base of the tail. Do not use additional tubes on dogs over 66 lbs.]

#### {4.5 mL (0.152 fl. oz.) applicator tubes}

[[Only For Dogs Weighing 66 lbs [and Over] [or More]] {rate = 6.0 ml} Do not use on dogs weighing less than 66 lbs. [Apply approximately [one-] half] [½] of the tube [vial] (2.25 mL) [(0.076 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's [vial's] contents (2.25 mL) [(0.076 fl. oz.)] as a spot or stripe to the dog's back directly in front of the base of the tail.] [OR] [Apply the entire tube [vial] (4.5 mL) [(0.152 fl. oz.)] as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.] Do not use additional tubes on dogs over 66 lbs.]

#### [FREQUENCY OF APPLICATION]

[Use [this product] [Brand Name] monthly for complete control of fleas [and] ticks [and] [to kill] [mosquitoe[s]] [infestations].] [If your dog is at high risk for flea reinfestation [, or in a highly infested environment], apply monthly. [Apply monthly to control [fleas,] [ticks,] [and] [mosquitoes]].] [Allow treated area to dry thoroughly.] [Do not reapply for [30 days] [4 weeks].]

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE**: Do not remove tubes from outer packaging until ready to use. Store in a cool dry place out of reach of children. Protect from freezing and direct sunlight.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING**: Nonrefillable container. Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental, or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's Pet Care Products, Inc. is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[Visit us at www.sergeants.com]

In Case of an Emergency, call: 1-800-781-4738 Non-Emergency call 1-800-224-PETS (7387)

28 MAY 2024 - Notification Information in { } is instructional

Version 24.1 Page 8 of 10 EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

EPA Reg. No. 2517-87 EPA Est. No. XXXXX Made in USA {label code}

[Manufactured [by] [for]:] [Distributed by:] Sergeant's Pet Care Products, Inc. Omaha, NE 68154-0399

#### **TUBE / VIAL LABEL**

DOG SQUEEZE ON PERMETHRIN + NYLAR}

Front Label

**Back Label** 

{Brand Name}
For Dogs [X-Y] lbs [≥ 12 wks]
Permethrin 45.0%, Pyriproxyfen 1.9%
[1.0 mL] [or] [1.5 mL] [or] [3 mL] [or] [4.5 mL] {as appropriate for packaging} {label code}

KEEP OUT OF REACH OF CHILDREN
CAUTION: Read directions and precautions
before using. Use scissors to open.
EPA Reg. No. 2517-87 {label code}

{EPA Reg. No. may be on the front or back label}


{OPTIONAL OUTER PACKAGING COPY}

[Look at the Label [Look at the Label icon] [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets [and use the ENTIRE tube contents]].

#### [Brand Name[\*]]

[[\*] [Insect Growth Regulator] [(Pyriproxyfen)] [Nylar] inhibits development of the immature stages of the fleas for up to four months preventing them from reaching the biting adult stage.]



28 MAY 2024 - Notification Version 24.1 EPA No. 2517-87
Information in { } is instructional Page 9 of 10 Supersedes EPA SAL 02/03/2022

#### [4 STEPS FOR COMPLETE FLEA CONTROL

Step 1- Shampoo or dip your dog.

Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled

for flea control.

Step 3- Apply [Brand Name] for up to four weeks flea and tick control.

Step 4- Maintenance treatments with on-animal sprays and powders.]

# **{OPTIONAL GRAPHICS BELOW MAY APPEAR ANYWHERE ON FINISHED LABEL OR OUTER PACKAGING.}**





















28 MAY 2024 - Notification Information in { } is instructional

Version 24.1 Page 10 of 10

EPA No. 2517-87 Supersedes EPA SAL 02/03/2022

[	Tolor	]	[Adult Flea]	[		]
[	1700	]	[Fleas]	[		]
[	-76°	]	[Flea Eggs]	[		]
[	つ	]	[Flea Larvae]	[	3	]
[	*	]	[Ticks]	[		]
[	*	]	[Brown Dog Ticks]	[		]
[	*	]	[American Dog Ticks]	[	<b>%</b>	_
[	*	]	[Deer Ticks]	[		_ ] _
[ .	7)	]	[Mosquitoes]	[		]

{END - OPTIONAL OUTER PACKAGE COPY AND OPTIONAL GRAPHICS}