

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE.	OF	PESTICIDI	₹.
NOTICE	$\mathbf{O}$		┙.

X Registration
Reregistration

(under FIFRA, as amended)

**EPA Reg. Number:** 

Date of Issuance:

2517-89

1/27/17

Term of Issuance:

Conditional, Time-Limited Expires: 01/27/2019

Name of Pesticide Product:

Sergeant's Squeeze-On Flea & Tick for Dogs & Puppies

Name and Address of Registrant (include ZIP Code):

Mr. Kelly R. Hoskins Sergeant's Pet Care Products, Inc. 10077 South 134<sup>th</sup> Street Omaha, NE 68138-3710

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

**Signature of Approving Official:** 

Date:

1/27/17

Kable Bo Davis, Product Manager 03

Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

EPA Form 8570-6

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is timelimited and expires 01/27/2019.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in an Agency letter dated 10/29/14.
- 4. You are required to comply with the data requirements described in the DCI Orders identified below:

a.	Permethrin	GDCI-109701-1252
b.	Permethrin	GDCI 109701-1113
c.	Permethrin	GDCI-109701-1252
d.	Permethrin	GDCI-109701-1281
e.	Permethrin	EDSP-109701-83
f.	Permethrin	EDSP-109701-84
g.	Permethrin	EDSP-109701-85
h.	Permethrin	EDSP-109701-86
i.	Permethrin	EDSP-109701-87
j.	Permethrin	EDSP-109701-88
k.	Permethrin	EDSP-109701-89
1.	Permethrin	EDSP-109701-90
m.	Permethrin	EDSP-109701-91
n.	Permethrin	EDSP-109701-92
ο.	Pyriproxyfen	EDSP-129032-187

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://www.epa.gov/oppsrrd1/contacts\_prd.htm

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 3 of 3 EPA Reg. No. 2517-89 Decision No. 520351

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSF:

• Basic CSF dated 03/16/2010

If you have any questions, please contact Matthew Aubuchon by phone at 703-347-0477, or via email at <u>Aubuchon.Matthew@epa.gov</u>.

Enclosure

01 AUG 2016 2YR EXT Version 16.1 EPA No. 2517-89 Information in [ ] is optional. Page 1 of 7 EPA SAL 29 OCT, 2014

### FRONT PANEL

### SQUEEZE-ON FOR DOGS PERMETHRIN + PYRIPROXYFEN

[Optional text appears in brackets –the final label may include some or all of the optional text on front, back or side label panels]

### Sergeant's Squeeze-On Flea & Tick Control for Dogs and Puppies

{Market Label - the word dog will be at least 40-75% in height of the largest letter in the primary brand name.} {Market Label - a large clear picture of a dog in the respective weight range will be on the front panel of the label}

For use ONLY on dogs [33[-][to] 66 lbs] [greater than 66 lbs] {OR}

For use ONLY on dogs [[&][and] puppies [5[-][to]15] [15[-][to]33] lbs and over [12 weeks][3 months] of age {OR}

ONLY For Dogs [33[-][to] 66 lbs] [greater than 66 lbs] {OR}

ONLY For Dogs & Puppies [12 weeks][3 months] or older [&][and] [5[-][to]15][15[-][to]33] lbs

{Market Label - One of the statements above will be placed prominently on the front panel}



 $[1.5 \times 1.5 \text{ cm or as indicated}]$ 

[Monthly Flea, Tick & Mosquito Treatment]

[Kills and Repels Fleas & Ticks for up to a Month]

[Kills Flea Eggs and Larvae [For up to 63 days] [For up to 2 months] per application]

[Kills Fleas, Ticks, and Mosquitoes [For up to 30 days] [For up to 1 month] per application]

[Kills and Repels Mosquitoes!] [Kills and Repels Mosquitoes which may transmit heartworm disease]

[Breaks Flea Life Cycle!]

[Kills and Repels Deer Ticks which may transmit Lyme Disease]

[[3 (or 4, 5, 6, 9, 12)] [three (or four, five, six, nine, twelve)] [month supply] [applications]]

[Caring for pets since 1868]

[Best if Used Year Round]

[Kills], [Protects Against], [Controls] Fleas, Flea Eggs and Larvae]

[Kills], [Protects Against], Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae]

[5 Way Protection- Kills Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae]

[Monthly Calendar Stickers Inside!]

[Kills & Repels fleas up to 1 month]

[Kills flea eggs and larvae for up to 63 days]

[Breaks Flea Life Cycle]

[Protects against blood feeding mosquitoes (which may transmit heartworm disease) up to 4 weeks]

[Kills and Repels Ticks for up to 4 weeks]

#### **ACTIVE INGREDIENTS:**

Permethrin* [CAS #52645-53-1]	45.00%
OTHER INGREDIENTS:	
TOTAL	100.00%

<sup>\*</sup> Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

[Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525]

ACCEPTED

01/27/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2517-89

01 AUG 2016 2YR EXT Information in [ ] is optional.

Version 16.1 Page 2 of 7 EPA No. 2517-89 EPA SAL 29 OCT, 2014

# KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][Insert][or][Side] [Label[s]] [Panel[s]] for Additional Precautionary Statements

Net Contents: XX fl. oz. [XX mL(s)]

[3][4][5][6][9][12]

[ - 0.034 fl. oz. (1.0 mL) applicators] [ - 0.051 fl. oz. (1.5 mL) applicators] [ - 0.101 fl. oz. (3.0 mL) applicators] [ - 0.152 fl. oz. (4.5 mL) applicators]

{END FRONT LABEL}

### BACK / SIDE PANEL

### SQUEEZE-ON FOR DOGS PERMETHRIN + PYRIPROXYFEN

# READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 3 MONTHS OF AGE AND OLDER.

[[Brand name][This product] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [2 months] [63 days]. [As with all flea and tick control products, [Brand name][This product] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations. ] [Brand name][This product] also kills and repels mosquitoes and protects against blood feeding by mosquitoes (vectors of Heartworm) for up to 4 weeks.]]

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after use with ANY pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

FIRST AID		
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	• Call a poison control center or doctor for further treatment advice.	

### **HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738.

01 AUG 2016 2YR EXT Version 16.1 EPA No. 2517-89 Information in [ ] is optional. Page 3 of 7 EPA SAL 29 OCT, 2014

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on cats or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under 3 months of age or weighing less than [7][15][33][66] lbs. Use entire contents of tube vial on each dog. [Do not split one tube between dogs.] [Do not use multiple tubes on one dog.] Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Treated dogs should not be allowed to go swimming for 12 hours following treatment. Repeat application may be made if necessary, but do not apply more often than one every 4 weeks.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

### [1.5 cm x 1.5 cm or as indicated]

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

[Only for Dogs Weighing Between 7 and 15 lbs. Do not apply to dogs weighing less than 7 lbs. [including small dogs and puppies, 3 months or older]

**{For cartons containing 0.034** fl. oz. (1.0 mL) applicator tubes} Apply one tube (0.034 fl. oz.) (1.0 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[Only For Dogs Weighing Between 15 and 33 lbs. Do not apply to dogs weighing less than 15 lbs {For cartons containing 0.051 fl. oz. (1.5 mL) applicator tubes} Apply one tube (0.051 fl. oz. )(1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[Only For Dogs Weighing Between 33 and 66 lbs. Do not apply to dogs weighing less than 33 lbs {For cartons containing 0.051 fl. oz. (1.5 mL) applicator tubes} Apply one tube (0.051 fl. oz.) (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (0.051 fl. oz.) (1.5 mL) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Only For Dogs Weighing Between 33 and 66 lbs. Do not apply to dogs weighing less than 33 lbs {For cartons containing 0.101 fl. oz. (3.0 mL) applicator tubes} Apply approximately half of the tube (0.051 fl. oz.) (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (0.051 fl. oz.) (1.5 mL) as a spot or stripe to the dog's back directly in front of the base of the tail.]

 01 AUG 2016 2YR EXT
 Version 16.1
 EPA No. 2517-89

 Information in [ ] is optional.
 Page 4 of 7
 EPA SAL 29 OCT, 2014

OR

[Only For Dogs Weighing Between 33 and 66 lbs. Do not apply to dogs weighing less than 33 lbs {For cartons containing 0.101 fl. oz. (3.0 mL) applicator tubes} Apply the entire tube (0.101 fl. oz.) (3.0 mL) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[Only For Dogs Weighing 66 lbs. and Over. Do not apply to dogs weighing less than 66 lbs {For cartons containing 0.051 fl. oz. (1.5 mL) applicator tubes} Apply one tube (0.051 fl. oz.) (1.5 mL) of this product as a stripe to the dog's back between the shoulder blades and apply a second tube (0.051 fl. oz.) (1.5 mL) continuing the stripe down the center of the dog's back and apply a third tube (0.051 fl. oz.) (1.5 mL) to the dog's back directly in front of the base of the tail.]

OR

[Only For Dogs Weighing 66 lbs. and Over. Do not apply to dogs weighing less than 66 lbs {For cartons containing 0.152 fl. oz. (4.5 mL) applicator tubes} Apply approximately half of the tube (0.076 fl. oz.) (2.25 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (0.076 fl. oz.) (2.25 mL) as a spot or stripe to the dog's back directly in front of the base of the tail]

OR

[Only For Dogs Weighing 66 lbs. and Over. Do not apply to dogs weighing less than 66 lbs {For cartons containing 0.152 fl. oz. (4.5 mL) applicator tubes} Apply the entire tube (0.152 fl. oz.) (4.5 mL) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

#### **HOW TO APPLY:**

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.]

OR

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

**[FOR FLAT CARD UNIT DOSE PACKAGING:** (For push pin type applicator) Remove one product tube from (the) card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

 01 AUG 2016 2YR EXT
 Version 16.1
 EPA No. 2517-89

 Information in [ ] is optional.
 Page 5 of 7
 EPA SAL 29 OCT, 2014

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from (the) package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[\*\* FOR MULTI-DOSE PACKAGING: Withdraw (1.0 mL) (1.5 mL) (3.0 mL)(4.5 mL) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]
[\*\* FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to (1.0 mL) (1.5mL) (3.0 mL) (4.5 mL) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

### [\*\* INTENTED FOR SALE TO VETERINARIANS ONLY]

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**CONTAINER DISPOSAL: If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **[WARRANTY**

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty.

[[The directions for use of this product are believed to adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of application, all of which are beyond the control of Sergeant's.]] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[See Spanish insert inside package for directions for use and precautions.]

In Case of Emergency, call: 1-800-781-4738 [For more information]
Non-Emergency, call 1-800-224-PETS (7387) [Made in USA]

[Satisfaction Guaranteed!] [Please return for a refund if not completely satisfied!] [Sergeant's is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0339.] [Lot, date & label code] [UPC CODE]

[Distributed by:][Manufactured [by][for]:] Sergeant's Pet Care Products, Inc. Omaha, NE 68138-3710

[BAR CODE AREA]

EPA Reg. No. 2517-89 EPA Est. No. XXXXX-XX-XXX

01 AUG 2016 2YR EXT Information in [ ] is optional.

Version 16.1 Page 6 of 7 EPA No. 2517-89 EPA SAL 29 OCT, 2014

### [Optional graphics below may or may not appear anywhere on finished label]



Total	Adult Flea	
755-	Flea eggs	<b>&amp;</b>
つ	Flea Larvae	3
	Flea Pupae	
*	Ticks	<b>(S)</b>
*	Brown Dog Tick	
*	Deer Tick	
7	Mosquitoes	8





















[[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets[and use the ENTIRE tube contents]

Version 16.1 01 AUG 2016 2YR EXT EPA No. 2517-89 Information in [ ] is optional. Page 7 of 7 EPA SAL 29 OCT, 2014

TUBE / VIAL LABEL

**DOG SQUEEZE ON PERMETHRIN + PYRIPROXYFEN** 

{Back Label} {Front Label}

{Brand Name}

For Dogs [x-y lbs]  $\geq$  [3 mos.][12 wks] Permethrin 45%, Pyriproxyfen 1.9% 0.034 fl. oz. (**or**) 0.051 fl. oz. (**or**)

0.101 fl. oz. (**or**) 0.152 fl. oz.

{label code}

KEEP OUT OF REACH OF CHILDREN

CAUTION: Read directions and precautions

before using.

EPA REG. No. 2517-89 {label code}

**{END TUBE / VIAL LABEL}**