U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 2517-89	Date of Issuance: 7/21/22
NOTICE OF PESTICIDE: <u>X</u> Registration (under FIFRA, as amended)	Term of Issuance: Conditional, Tim Expires: 01/27/20 Name of Pesticide Produ Sergeant's Squee Control for Dogs)23 het: ze-On Flea & Tick
Name and Address of Registrant (include ZIP Code): Prince M. Bamaze Regulatory Affairs Associate Sergeant's Pet Care Products, LLC 10077 South 134th Street Omaha, NE 68138		
Note: Changes in labeling differing in substance from that accepted in connection with this registration Registration Division prior to use of the label in commerce. In any correspondence on this product al		
On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
 This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comp with the following conditions: 1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit su data. 		You must comply review of your
Signature of Approving Official:	Date: 7/21/22	

Registration Notice Conditional Time-Limited Dog Spot-On Extension v.20151203

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 01/27/2023.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in a label amendment letter dated October 29, 2014.
- 4. You are required to comply with the data requirements described in the DCI identified below:
 - a. Permethrin GDCI-109701-1113

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <u>http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1</u>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 03/16/2010
- Alternate CSF 1 dated 06/22/2004
- Alternate CSF 2 dated 06/22/2004

Page 3 of 3 EPA Reg. No. 2517-89 Decision No. 545826, 562648, 568010, 570577

• Alternate CSF 3 dated 06/22/2004

If you have any questions, you may contact Robert Mitchell at 202-566-2842 or via email at mitchell.robert@epa.gov.

Enclosure

	Sergeant's Master	Label
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89
Information in [] is optional.	Page 1 of 15	SUPERSEDES EPA SAL 01/27/2017

{Optional text appears in brackets [] - Text in parenthesis () may or may not appear on the label - Text in braces {} is information/note to reviewer}

Sergeant's Squeeze-On Flea & Tick Control for Dogs and Puppies

{The word dog will be at least 40-75% in height of the largest letter in the primary brand name on the market label} {A large, clear picture of a dog in the weight range for the product as packaged will be on the front panel of the market label}

Sublabel A: Direct to Consumer Packaging Option

{FRONT PANEL}

{One of the statements below will appear prominently in a box on the front panel of market label as required}

{Weight Break Group 1}

For use ONLY on dogs [[&][and] puppies] 7 [-][to] 14 lbs [,][and] [3 months][12 weeks] [of age] or older {OR}

ONLY For Dogs [[&][and] puppies] 7 [-][to] 14 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 2}

For use ONLY on dogs [[&][and] puppies] 15 [-][to] 32 lbs [,][and] [3 months][12 weeks] [of age] or older {OR}

ONLY For Dogs [[&][and] puppies] 15 [-][to] 32 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 3}

For use ONLY on dogs [[&][and] puppies] 33 [-][to] 66 lbs [,][and] [3 months][12 weeks] [of age] or older {OR}


ONLY For Dogs [[&][and] puppies] 33 [-][to] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 4}

For use ONLY on dogs [greater than] [over] 66 lbs [,][and] [3 months][12 weeks] [of age] or older {OR} ONLY For Dogs [greater than] [over] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel.}





Sergeant's Master Label		
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89
Information in [] is optional.	Page 2 of 15	SUPERSEDES EPA SAL 01/27/2017

ACTIVE INGREDIENTS:

Permethrin* [CAS #52645-53-1]	
OTHER INGREDIENTS:	
TOTAL	$1\overline{00.00\%}$

* Cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

[Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label[s]] [Panel[s]] for First Aid and Additional Precautionary Statements

NET CONTENTS:

[1][One] [2][Two] [3][Three] [4][Four] [5][Five] [6][Six] [7][Seven] [8][Eight] [9][Nine] [10][Ten] [11][Eleven] [12][Twelve] [24][Twenty-Four]

{For Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 7-14 lbs.}

 $1-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tube] [vial]} \\ 0.068 \text{ fl oz } (2.0 \text{ mL}), 2-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.102 \text{ fl oz } (3.0 \text{ mL}), 3-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.136 \text{ fl oz } (4.0 \text{ mL}), 4-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.17 \text{ fl oz } (5.0 \text{ mL}), 5-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.204 \text{ fl oz } (6.0 \text{ mL}), 6-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.238 \text{ fl oz } (7.0 \text{ mL}), 7-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.272 \text{ fl oz } (8.0 \text{ mL}), 8-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.306 \text{ fl oz } (9.0 \text{ mL}), 9-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.374 \text{ fl oz } (11.0 \text{ mL}), 10-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.374 \text{ fl oz } (12.0 \text{ mL}), 12-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.408 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{ fl oz } (24.0 \text{ mL}), 24-0.034 \text{ fl oz } (1.0 \text{ mL}) \text{ [tubes] [vials]} \\ 0.816 \text{$

{For Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 15-32 lbs.}

1-0.051 fl oz (1.5 mL) [tube] [vial] 0.102 fl oz (3.0 mL), 2-0.051 fl oz (1.5 mL) [tubes] [vials] 0.153 fl oz (4.5 mL), 3-0.051 fl oz (1.5 mL) [tubes] [vials] 0.204 fl oz (6.0 mL), 4-0.051 fl oz (1.5 mL) [tubes] [vials] 0.255 fl oz (7.5 mL), 5-0.051 fl oz (1.5 mL) [tubes] [vials] 0.306 fl oz (9.0 mL), 6-0.051 fl oz (1.5 mL) [tubes] [vials] 0.357 fl oz (10.5 mL), 7-0.051 fl oz (1.5 mL) [tubes] [vials] 0.408 fl oz (12.0 mL), 8-0.051 fl oz (1.5 mL) [tubes] [vials] 0.459 fl oz (13.5 mL), 9-0.051 fl oz (1.5 mL) [tubes] [vials] 0.511 fl oz (15.0 mL), 10-0.051 fl oz (1.5 mL) [tubes] [vials] 0.561 fl oz (16.5 mL), 11-0.051 fl oz (1.5 mL) [tubes] [vials] 0.612 fl oz (18.0 mL), 12-0.051 fl oz (1.5 mL) [tubes] [vials]1.224 fl oz (36.0 mL), 24-0.051 fl oz (1.5 mL) [tubes] [vials]

	Sergeant's Master	Label
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89
Information in [] is optional.	Page 3 of 15	SUPERSEDES EPA SAL 01/27/2017

{For Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 33-66 lbs.}

1-0.101 fl oz (3.0 mL) [tube] [vial] 0.202 fl oz (6.0 mL), 2- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.303 fl oz (9.0 mL), 3- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.404 fl oz (12.0 mL), 4- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.505 fl oz (15.0 mL), 5- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.606 fl oz (18.0 mL), 6- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.707 fl oz (21.0 mL), 7- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.808 fl oz (24.0 mL), 8- 0.101 fl oz (3.0 mL) [tubes] [vials] 0.909 fl oz (27.0 mL), 9- 0.101 fl oz (3.0 mL) [tubes] [vials] 1.01 fl oz (30.0 mL), 10- 0.101 fl oz (3.0 mL) [tubes] [vials] 1.111 fl oz (33.0 mL), 11- 0.101 fl oz (3.0 mL) [tubes] [vials] 2.424 fl oz (72.0 mL), 24- 0.101 fl oz (3.0 mL) [tubes] [vials]

{For Packaging Containing 0.152 fl oz (4.5 mL) [tubes] [vials] – ONLY for Dogs Over 66 lbs.}

 $1-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tube] [vial]} \\ 0.304 \text{ fl oz } (9.0 \text{ mL}), 2-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.456 \text{ fl oz } (13.5 \text{ mL}), 3-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.608 \text{ fl oz } (18.0 \text{ mL}), 4-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.76 \text{ fl oz } (22.5 \text{ mL}), 5-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 0.912 \text{ fl oz } (27.0 \text{ mL}), 6-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.064 \text{ fl oz } (31.5 \text{ mL}), 7-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.216 \text{ fl oz } (36.0 \text{ mL}), 8-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.368 \text{ fl oz } (40.5 \text{ mL}), 9-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.52 \text{ fl oz } (45.0 \text{ mL}), 10-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.672 \text{ fl oz } (54.0 \text{ mL}), 11-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 1.824 \text{ fl oz } (54.0 \text{ mL}), 12-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [vials]} \\ 3.648 \text{ fl oz } (108.0 \text{ mL}), 24-0.152 \text{ fl oz } (4.5 \text{ mL}) \text{ [tubes] [$

{END FRONT LABEL}

18 MAY 2022 - Amendment Information in [] is optional.

Sergeant's Master Label

Page 4 of 15

{BACK / SIDE PANEL}

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS [AND PUPPIES] [3 MONTHS] [12 WEEKS] [OF AGE] AND OLDER WEIGHING [7-14] [15-32] [33-66] [Over 66] LBS

[[Brand name][This product] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults for [2 months] [63 days]. [As with all flea and tick control products, [Brand name][This product] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.] [Brand name][This product] also kills and repels mosquitoes and reduces blood feeding by mosquitoes [that may vector Heartworm parasites] for [4 weeks] [1 month] [30 days]]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after use with ANY pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. This product is not a substitute for prescribed heartworm preventative. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue ringing and
	 rinsing eye. Call a poison control center or doctor for further treatment advice. HOT LINE NUMBER
Have the produc	t container or label with you when calling a poison control center or doctor, or going
for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738 [or contact the National Pesticides	
Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at	
http://npic.orst.e	du]

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors.

Version 22.1 Page 5 of 15

Sergeant's Master Label

USE RESTRICTIONS

Do not allow children to apply product.

Do not use on cats or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on puppies under [12 weeks] [3 months] [of age] or weighing less than [7][15][33][66] lbs. Do not split one [tube] [vial] between dogs.

Do not Apply more than one [tube] [vial] to one dog regardless of the dog's weight.

Use entire contents of [tube] [vial] vial on each dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

How to open: Remove product [tube] [vial] [s] from the package. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin as directed below. Repeat application may be made, if necessary, but do not apply more often than once every [4 weeks] [month] [30 days].

1- {Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] - For Weight Break Group 1}

Only for Dogs [and Puppies] [Weighing] 7 [to][-] 14 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 7 lbs.

Apply one [tube] [vial] (0.034 fl. oz.) (1.0 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.

2- {Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] - For Weight Break Group 2}

Only For Dogs [and Puppies] [Weighing] 15 [to][-] 32 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 15 lbs. Apply one [tube] [vial] (0.051 fl. oz.) (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.

3- {For Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] - For Weight Break Group 3}

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 33 lbs. Apply approximately half of the [tube] [vial] (0.051 fl. oz.) (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.051 fl. oz.) (1.5 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

 $\{OR\}$

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 33 lbs. Apply the entire [tube] [vial] (0.101 fl. oz.) (3.0 mL) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

Sergeant's Master Label		
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89
Information in [] is optional.	Page 6 of 15	SUPERSEDES EPA SAL 01/27/2017

4- {For Packaging Containing 0.152 fl oz (4.5 mL) [tubes] [vials] - For Weight Break Group 4}

Only For Dogs [Weighing] over 66 lbs. [and] [3 months][12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply approximately half of the[tube] [vial] (0.076 fl. oz.) (2.25 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.076 fl. oz.) (2.25 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

 $\{OR\}$

Only For Dogs [Weighing] over 66 lbs. [and] [3 months][12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply the entire [tube] [vial] (0.152 fl. oz.) (4.5 mL) as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

<u>{Side Effects box to be located in the lower right-hand corner, immediately above the 'cat prohibition' box on the back panel}</u> **Side Effects:** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Gastrointestinal signs such as vomiting or diarrhea have also been reported. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5 cm x 1.5 cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below 77°F[/] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable

	Sergeant's Master	Label
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89
Information in [] is optional.	Page 7 of 15	SUPERSEDES EPA SAL 01/27/2017

law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[See Spanish insert inside package for directions for use and precautions.]

[If you have questions or comments about this product, please write: [Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387) [Coupon(s) inside or outside of box] {When outside of the box, the coupon will not cover or distract consumer from required text}

[Satisfaction Guaranteed! Please return for a refund if not completely satisfied!]

[Made in USA] [Distributed by:][Manufactured [by][for]:] Sergeant's Pet Care Products, LLC P.O. Box 540399 Omaha, NE 68154

[BAR CODE AREA][lot, date and label codes]

EPA Reg. No. 2517-89 EPA Est. No. XXXXX-XX-XXX

{END - BACK / SIDE PANEL}

{TUBE / VIAL LABEL}

{Front Label}		{Back Label}	
{Brand Name} For Dogs		KEEP OUT OF REACH O	F CHILDREN
[7-14] [15-32] [33-66] [Over 66] lb	os 🕥	CAUTION: Read entire lab	el before each use.
$\& \ge [12 \text{ wks}][3 \text{ mos}]$	^{os}	Use scissors to open.	
Permethrin 45%, Pyriproxyfen 1.9		EPA REG. No. 2517-89	{label code}
0.034 fl. oz. {or} 0.051 fl. oz. {or}			,
0.101 fl. oz. { or } 0.152 fl. oz.	{label code}		

{Lot No. is engraved on the crimp portion of the tube} {label code refers to an internal product tracking code} {EPA Reg. No. may be on either the front or back label.}

{END TUBE / VIAL LABEL}

Sergeant's Master Label

Version 22.1 Page 8 of 15

Sublabel B: Veterinarian Packaging Option

{Veterinarian Packaging is for use only by licensed veterinarians on dogs in their control or under their immediate supervision}

{FRONT PANEL}

FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

{One of the statements below will appear prominently in a box on the front panel of market label as required}

{Weight Break Group 1}

For use ONLY on dogs [[&][and] puppies] 7 [-][to] 14 lbs [,][and] [3 months][12 weeks] [of age] or older {OR}

ONLY For Dogs [[&][and] puppies] 7 [-][to] 14 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 2}

For use ONLY on dogs [[&][and] puppies] 15 [-][to] 32 lbs [,][and] [3 months][12 weeks] [of age] or older {OR}

ONLY For Dogs [[&][and] puppies] 15 [-][to] 32 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 3}

For use ONLY on dogs [[&][and] puppies] 33 [-][to] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

 $\{OR\}$

ONLY For Dogs [[&][and] puppies] 33 [-][to] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 4}

For use ONLY on dogs [greater than] [over] 66 lbs [,][and] [3 months][12 weeks] [of age] or older {OR} ONLY For Dogs [greater than] [over] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

[For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.]

[Not for residential use. Do not repackage]

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

Sergeant's Master Label		
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89
Information in [] is optional.	Page 9 of 15	SUPERSEDES EPA SAL 01/27/2017

ACTIVE INGREDIENTS:

Permethrin* [CAS #52645-53-1]	
Pyriproxyfen [CAS #95737-68-1]	1.90%
OTHER INGREDIENTS:	
TOTAL	100.00%

* Cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

[Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label[s]] [Panel[s]] for First Aid and Additional Precautionary Statements

NET CONTENTS:

[Thirty-five][35] [Fifty][50] [Seventy-five][75] [One hundred][100] [One hundred sixty][160]

{For Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 7-14 lbs.}

1.19 fl oz (35.0 mL), 35- 0.034 fl oz (1.0 mL) [tubes] [vials] 1.70 fl oz (50.0 mL), 50- 0.034 fl oz (1.0 mL) [tubes] [vials] 2.55 fl oz (75.0 mL), 75- 0.034 fl oz (1.0 mL) [tubes] [vials] 3.40 fl oz (100.0 mL), 100- 0.034 fl oz (1.0 mL) [tubes] [vials] 5.44 fl oz (160.0 mL), 160- 0.034 fl oz (1.0 mL) [tubes] [vials]

{For Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 15-32 lbs, 33-66 lbs, and greater than 66 lbs.}
1.79 fl oz (52.5 mL), 35- 0.051 fl oz (1.5 mL) [tubes] [vials]
2.55 fl oz (75.0 mL), 50- 0.051 fl oz (1.5 mL) [tubes] [vials]
3.83 fl oz (112.5 mL), 75- 0.051 fl oz (1.5 mL) [tubes] [vials]
5.10 fl oz (150.0 mL), 100- 0.051 fl oz (1.5 mL) [tubes] [vials]
8.16 fl oz (240.0 mL), 160- 0.051 fl oz (1.5 mL) [tubes] [vials]

{For Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] – ONLY for Dogs and puppies Weighing 33-66 lbs.}

3.54 fl oz (105.0 mL), 35- 0.101 fl oz (3.0 mL) [tubes] [vials] 5.05 fl oz (150.0 mL), 50- 0.101 fl oz (3.0 mL) [tubes] [vials] 7.58 fl oz (225.0 mL), 75- 0.101 fl oz (3.0 mL) [tubes] [vials] 10.10 fl oz (300.0 mL), 100- 0.101 fl oz (3.0 mL) [tubes] [vials] 16.16 fl oz (480.0 mL), 160- 0.101 fl oz (3.0 mL) [tubes] [vials]

{For Packaging Containing 0.152 fl oz (4.5 mL) [tubes] [vials] – ONLY for Dogs Over 66 lbs.} 5.32 fl oz (157.5 mL), 35- 0.152 fl oz (4.5 mL) [tubes] [vials] 7.60 fl oz (225.0 mL), 50- 0.152 fl oz (4.5 mL) [tubes] [vials] 11.40 fl oz (337.5 mL), 75- 0.152 fl oz (4.5 mL) [tubes] [vials] 15.20 fl oz (450.0 mL), 100- 0.152 fl oz (4.5 mL) [tubes] [vials] 24.32 fl oz (720.0 mL), 160- 0.152 fl oz (4.5 mL) [tubes] [vials]

{END FRONT LABEL}

18 MAY 2022 - Amendment Information in [] is optional.

Sergeant's Master Label

Version 22.1 Page 10 of 15

{BACK / SIDE PANEL}

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS [AND PUPPIES] [3 MONTHS][12 WEEKS] [OF AGE] AND OLDER WEIGHING [7-14] [15-32] [33-66] [Over 66] LBS

[[Brand name][This product] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults for [2 months] [63 days]. [As with all flea and tick control products, [Brand name][This product] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.] [Brand name][This product] also kills and repels mosquitoes and protects against blood feeding by mosquitoes [that may vector Heartworm parasites] for [4 weeks] [1 month] [30 days]]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. For external use on dogs [and puppies] only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat the dog with more than one pesticide product at a time. Overdosing the dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant or nursing dogs, or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product. This product is not for use as a substitute for heartworm preventative.

	FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	• Call a poison control center or doctor for further treatment advice.	
HOT LINE NUMBER		
Have the produc	t container or label with you when calling a poison control center or doctor or going	
for treatment. For more information on this pesticide product (including health concerns, medical		
emergencies or p	besticide incidents), you may call 1-800-781-4738 [or contact the National Pesticides	
Information Cen	ter (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at	
http://npic.orst.e	du]	

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors.

USE RESTRICTIONS

Do not allow children to apply product. Do not use on cats or animals other than dogs. Do not allow your dog to ingest this product. Do not use on puppies under [12 weeks] [3 months] [of age] or weighing less than [7][15][33][66] lbs. Do not split one [tube] [vial] between dogs. Do not Apply more than one [tube] [vial] to one dog regardless of the dog's weight.

Use entire contents of [tube] [vial] vial on each dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

How to open: Remove product [tube] [vial] [s] from the package. [Separate one [tube] [vial] from the others. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made, if necessary, but do not apply more often than once every [4 weeks] [month] [30 days].

1- {Packaging Containing 0.034 fl oz (1.0 mL) [tubes] [vials] - For Weight Break Group 1}

Only for Dogs [and Puppies] [Weighing] 7 [to][-] 14 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 7 lbs. Apply one [tube] [vial] (0.034 fl. oz.) (1.0 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.

2- {Packaging Containing 0.051 fl oz (1.5 mL) [tubes] [vials] - For Weight Break Group 2}

Only For Dogs [and Puppies] [Weighing] 15 [to][-] 32 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 15 lbs. Apply one [tube] [vial] (0.051 fl. oz.) (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.

3- {For Packaging Containing 0.101 fl oz (3.0 mL) [tubes] [vials] - For Weight Break Group 3}

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 33 lbs. Apply approximately half of the [tube] [vial] (0.051 fl. oz.) (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.051 fl. oz.) (1.5 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

{*OR*}

Only For Dogs [and Puppies] [Weighing] 33 [to] [-] 66 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 33 lbs. Apply the entire [tube] [vial] (0.101 fl. oz.) (3.0 mL) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

Sergeant's Master Label			
Version 22.1	EPA No. 2517-89		
Page 12 of 15	SUPERSEDES EPA SAL 01/27/2017		
	Version 22.1		

4- {For Packaging Containing 0.152 fl oz (4.5 mL) [tubes] [vials] - For Weight Break Group 4}

Only For Dogs [Weighing] over 66 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply approximately half of the[tube] [vial] (0.076 fl. oz.) (2.25 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the[tube's] [vial's] contents [(0.076 fl. oz.) (2.25 mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

 $\{OR\}$

Only For Dogs [Weighing] over 66 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply the entire [tube] [vial] (0.152 fl. oz.) (4.5 mL) as a continuous stripe on [to] the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

<u>Side Effects box to be located in the lower right-hand corner, immediately above the 'cat prohibition' box on the back panel</u> **Side Effects:** Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Gastrointestinal signs such as vomiting or diarrhea have also been reported. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below $77^{\circ}F[/]$ (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or

Sergeant's Master Label			
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89	
Information in [] is optional.	Page 13 of 15	SUPERSEDES EPA SAL 01/27/2017	

consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[See Spanish insert inside package for directions for use and precautions.]

[If you have questions or comments about this product, please write: [Sergeant's][SENTRY] Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387) [Coupon(s) inside or outside of box] {When outside of the box, the coupon will not cover or distract consumer from required text}

[Satisfaction Guaranteed. Please return for a refund if not completely satisfied!]

[Made in USA] [Distributed by:][Manufactured [by][for]:] Sergeant's Pet Care Products, LLC P.O. Box 540399 Omaha, NE 68154

[BAR CODE AREA][lot, date and label codes]

EPA Reg. No. 2517-89 EPA Est. No. XXXXX-XXXX

{END - BACK / SIDE PANEL}

{OPTIONAL GRAPHICS}



Sergeant's Master Label				
	2022 - Amendment ion in [] is optional.	Version 22.1 Page 14 of 15	EPA N SUPERSEDES EPA	o. 2517-89 SAL 01/27/2017
	TPAT	Adult Flea		
	-36-	Flea eggs	×	
	2	Flea Larvae	J.	

×	Ticks	
×	Brown Dog Tick	
×	Deer Tick	
J.K.	Mosquitoes	



{END OF OPTIONAL GRAPHIC}

shoulder blades

stop

shoulder blades

{OPTIONAL LANGUAGE AND MARKETING STATEMENTS}

{1} [Monthly] [4-week] [30-day] Flea, Tick & Mosquito Treatment

stop

base of tail

- {2} Kills and Repels Fleas & Ticks for [a Month] [4 weeks] [30 days]
- {3} Kills Flea Eggs and Larvae For [63 days] [2 months] per application
- {4} Kills Fleas, Ticks, and Mosquitoes For [30 days] [1 month] [4 weeks] per application]
- {5} Kills and Repels Mosquitoes [!]
- (6) Kills and Repels Mosquitoes which may transmit heartworm disease
- {7} Breaks Flea Life Cycle [!]
- {8} Kills and Repels Deer Ticks which may transmit the bacterium [Borrelia burgdorferi] that causes Lyme Disease
- {9} [1][one] [2][two] [3][three] [4][four] [5][five] [6][six] [9][nine] [12][twelve] [month supply] [applications]]
- {10} Caring for pets since 1868

Sergeant's Master Label				
18 MAY 2022 - Amendment	Version 22.1	EPA No. 2517-89		
Information in [] is optional.	Page 15 of 15	SUPERSEDES EPA SAL 01/27/2017		

{11} Best if Used Year-Round

- {12} [Kills], [Protects Against], [Controls] Fleas, Flea Eggs and Larvae
- {13} [Kills], [Protects Against], Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae
- {14} 5 Way Protection [!] Kills Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae
- {15} Monthly Calendar Stickers Inside [!]
- {16} Kills & Repels fleas for [1 month] [4 weeks] [30 days]
- {17} Kills flea eggs and larvae for [63 days] [2 months]

{18} Protects against blood feeding mosquitoes [which may transmit heartworm disease] for [4 weeks] [1 month] [30 days]

{19} Kills and Repels Ticks for [4 weeks] [1 month] [30 days]

{20} [1][2][3][4][5][6][7][8][9][10][11][12][24][Month [Application] Tracker

{21} For year-round protection, apply [Brand Name][this product] monthly

{22} Dog's Name {Empty blank for owner to fill in name}

{23} [First][1st] [Second][2nd] [Third][3rd] [Fourth][4th] [Fifth][5th] [Sixth][6th] [Seventh][7th]

[Eighth][8th] [Ninth][9th] [Tenth][10th] [Eleventh][11th] [Twelfth][12th] [Twenty-fourth][24th] [Dose]

[Application] {Empty blank for owner to fill in date}(Date: MM/DD/YY)

{24} {Calendar stickers with Brand Name}

{25} Place stickers on your calendar as a reminder to reapply [**Brand Name**] in [30 days][1 month][4 weeks]

{26} Satisfaction Guaranteed. If you are not satisfied, we will make it right with a replacement or refund

{END - OPTIONAL LANGUAGE AND MARKETING STATEMENTS}