Ms. Karen E. Warkentien Lewis and Harrison Agent for Sergeant's Pet Care Products, Inc. 122 C street N.W., Suite 740 Washington, DC 20001

SEP - 9 2008

Dear Ms. Warkentien:

Subject: Amendment- response to Agency letter dated December 5, 2007 and revised storage and disposal section Sergeant's Cypernothrin + Methoprene Squeeze- On for Dogs EPA Registration Number 2517-90
Your submission dated July 3, 2008

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

- a) Remove the following marketing statements:
  - (1) [(ICON Showing [4] [5] [6] [7] [8] Week Protection)]
- b) Revise the following statements as indicated:
  - (1) [• Kills Adult Fleas & Flea Eggs for up to [4] [5] [6] [7] weeks.
  - (2) [• Kills Adult Fleas & Flea Eggs for up to [8] weeks.

A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505P)

Enclosure

3 July 2008 Amend container language and incorporate 8 wk residual comments Information in [1] is optional. Page 1 of 6

EPA Reg. No. 2517-90 EPA SAL 6 December 2007

#### FRONT PANEL

DOG SQUEEZE ON

Cyphenothrin & Methoprene

[Optional text appears in brackets – the final label may include some or all of the optional text on front, back or side label panels]

### Sergeant's Cyphenothrin + Methoprene Squeeze-On for Dogs

[(ABN)]


#### • DO NOT USE ON CATS [Box/Icon with Cat Image and Cross-Out]



- [Four Way Protection: [Kills] [fleas], [ticks], [mosquitoes] & [flea eggs]
- [Four Way Protection! Kills fleas, ticks, mosquitoes & flea eggs]
- [Four Way Protection! [Kills fleas, ticks, mosquitoes & flea eggs]]
- [4 Way Protection! Kills fleas, ticks, mosquitoes & flea eggs]
- [Specially Formulated for Dogs and Puppies]
- [Flea & Tick Control for Dogs & Puppies 12 weeks old and older]
- [For Dogs & Puppies (Over 12 Weeks of Age) and greater than 9 lbs]
- [For Dogs & Puppies (Over 12 Weeks of Age) 9 to 20 lbs]
- [For Dogs & Puppies (Over 12 Weeks of Age) 21 to 39 lbs]
- [For Dogs & Puppies (Over 12 Weeks of Age) 40 to 60 lbs]
- [For Dogs & Puppies (Over 12 Weeks of Age) 61 lbs and Over]
- [For Dogs [more than 9 lbs] or [9 lbs to 20 lbs] or [21 lbs to 39 lbs] or [40 lbs to 60 lbs] or [61 lbs and Over]]
- [[12][15][16][18][20][21][24][26][32][36][52] Week Supply For Dogs weighing [more than 9 lbs],[9 to 20 lbs], [21 to 39 lbs] [40 to 60 lbs] [61 lbs and over]
- [Apply once every [4] [5] [6] [7] [8] weeks]
- [Up to [4 week] [5 week] [6week] [7 week] [8 week] Dose!]]
- [(ICON Showing up to [4] [5] [6] [7] [8] Week Protection)]
- [Three Applications {for cartons with 3 applicators}] and/or [3 Month Supply] or [12 Week Supply]
- [Four Applications {for cartons with 4 applicators}] and/or [4 Month Supply] or [16 Week Supply]
- [Best if used year round!]
- [Easy to Use Application]
- [Reminder Calendar Stickers Inside!]
- [[Free] Brochure Inside!]
- [Patented Technology] [Patent pending technology]

#### (Multiple species)

- [Kills [and Repels] for 1 [one] Month [30 days] [Fleas [in as little as 1 hour]] [Ticks [in ac little as 3 hours]] [flea eggs] [mosquitoes]
- [Kills [for up to [4] [5] [6] [7] [8] Weeks] Fleas and Ticks [for up to [4] [5] [6] [7] [8] Weeks]
- [Kills [and Repels] [for [4] [5] [6] [7] [8] Weeks] Fleas [in as little as 1 hour] and Ticks [in as little as 3 hours] [for up to [4] [5] [6] [7] [8] Weeks]
- [[4] [1 month] [5] [6] [7] Week Flea and Tick Treatment!]



3 July 2008 Amend container language and incorporate 8 wk residual comments Information in [ ] is optional. Page 2 of 6

EPA Reg. No. 2517-90 EPA SAL 6 December 2007

#### FRONT PANEL

DOG SQUEEZE ON Cyphenothrin & Methoprene

#### (Multiple species)

- [8 Week [2 month] Adult Flea and Tick Treatment!]
- [Works for up to [4][5][6][7] Weeks on fleas and ticks!]
- [Works for up to 8 Weeks on adult fleas and ticks!]
- [Protects for up to [4][5][6][7] Weeks against fleas and ticks!]
- [Protects for up to 8 Weeks against adult fleas and ticks!]
- [Up to [4] [5] [6] [7] Week Flea and Tick Control]
- [Up to 8 Week Adult Flea and Tick Control]
- [Up to [4] [5] [6] [7] Week Protection Against Fleas and Ticks!]
- [Up to 8 Week Protection Against Adult Fleas and Ticks!]
- [Kills & Repels Fleas and Ticks for up to [4] [5] [6] [7] weeks!]
- [Kills & Repels Adult Fleas and Ticks for up to [8] weeks!]

#### (Flea and Flea eggs)

- [With methoprene to Break Flea Life Cycle]
- [With Insect Growth Regulator to Break Flea Life Cycle]
- [With methoprene an Insect Growth Regulator which Breaks the Flea Life Cycle]
- [Dual Action [!]: Effectively Breaks the Flea Life Cycle [!]]
- [Dual Action [!]: Cyphenothrin with methoprene IGR Effectively Breaks the Flea Life Cycle]
- [Prevents Flea Eggs From Developing Into Biting Adults]
- [Breaks Flea Life Cycle!] [for up to 1 month]
- [Controls flea reinfestation for up to 4 weeks!]
- [Kills Flea Eggs for 30 days!]
- [Kills Flea Eggs up to one month!]
- [Kills [Flea Eggs] for up to [30 days] [4 weeks] [1month]]
- [Kills [& Repels] fleas in as little as 1 hour!]
- [Kills & Repels Fleas for up to [4] [5] [6] [7] weeks!]
- [Kills & Repels Adult Fleas for up to [8] weeks!]
- [Kills Fleas & Flea Eggs for up to [4] [5] [6] [7] weeks!]
- [Kills Fleas & Flea Eggs for up to [8] weeks!]

#### (Ticks)

- [Kills and Detaches Ticks]
- [Prevents ticks from attaching and feeding in as little as [3 hours] after application]
- [Kills [& Repels] ticks in as little as 3 hours!]
- [Kills & Repels Ticks for up to [4] [5] [6] [7] [8] weeks]!]
- [Kills & Repels Ticks (Including Deer Ticks) for up to 4 [5] [6] [7] [8] weeks]
- [Kills & Repels Deer Ticks (vector of Lyme Disease) for up to [4] [5] [6] [7] [8] weeks]
- [Kills & Repels Brown Dog Ticks [(Rhipicephalus sanguineus)] for up to [4] [5] [6] [7] [8] weeks!]
- [Kills & Repels American Dog Ticks [(Dermacentor variabilis)] for up to [4] [5] [6] [7] [8] weeks!]

#### (Mosquitoes)

• [Kills [and Repels] mosquitoes [for up to [28 days] [4 weeks] [1 month]!]]

# \*Note: Underscored Claims To Be Based on New as well as Existing Product Performance (Efficacy) Data

3/-

3 July 2008 Amend container language and incorporate 8 wk residual comments Information in [ ] is optional. Page 3 of 6

EPA Reg. No. 2517-90 EPA SAL 6 December 2007

#### FRONT PANEL

DOG SQUEEZE ON Cyphenothrin & Methoprene

{Ingredient Statement may be on front or back label}

**ACTIVE INGREDIENTS:** 

Cyphenothrin (CAS# 39515-40-7)	40.00%
(S)-Methoprene (CAS# 65733-16-6)	2.30%
OTHER INGREDIENTS:	<u>57.70%</u>
[TOTAL	100.00%]

# KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Panel[s] for Additional Precautionary Statements

**NET [WEIGHT] [CONTENTS]** 

XXX fl oz (XXX mL)

[THREE][FOUR][SIX][TWELVE] (0.05 fl oz) 1.5 mL Tubes [THREE][FOUR][SIX][TWELVE] (0.10 fl oz) 3.0 mL Tubes [THREE][FOUR][SIX][TWELVE] (0.15 fl oz) 4.5 mL Tubes [THREE][FOUR][SIX][TWELVE] (0.20 fl oz) 6.0 mL Tubes

4/

3 July 2008 Amend container language and incorporate 8 wk residual comments Information in [ ] is optional. Page 4 of 6

EPA Reg. No. 2517-90 EPA SAL 6 December 2007

BACK PANEL

DOG SQUEEZE ON

Cyphenothrin & Methoprene

[Apply Once Every Month] [Can be applied monthly [if needed]]

# READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE. DO NOT USE ON CATS

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling.

·····	FIRST AID
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul> <li>Immediately call a poison control center or doctor.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give any liquid to the person.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	HOT LINE NUMBER
for treatment. Fo	t container or label with you when calling a poison control center or doctor, or going r more information on this pesticide product (including health concerns, medical sesticide incidents), you may call 1-800-781-4738.
	NOTE TO PHYSICIAN OR VETERINARIAN  Treat patient symptomatically

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON CATS. May be toxic and potentially fatal if applied to or ingested by cats.

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 12 weeks of age. Best if used year round. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to apply: Remove product tube from package. Holding tube with top end pointing up and away from face and body, [snap or] cut off top end. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Repeat application may be made if necessary, but do not apply more often than once every 4 weeks.

3 July 2008 Amend container language and incorporate 8 wk residual comments Information in [ ] is optional. Page 5 of 6

EPA Reg. No. 2517-90 EPA SAL 6 December 2007

BACK PANEL

DOG SQUEEZE ON

Cyphenothrin & Methoprene

#### [Frequency of Application:

When used monthly, product breaks the flea life cycle and controls flea, tick and mosquito infestations. Research demonstrates that [product brand name] kills adult fleas and ticks for up to 8 weeks, also prevents development of flea egg stages for up to four weeks. A once monthly application is recommended where mosquito control is needed.]

#### (INSERT DIAGRAM THAT DEPICTS APPLICATION OF PRODUCT ON THE DOG)

#### For Dogs Weighing Between 9 and 20 lbs

#### {For cartons containing one 1.5 mL (0.05 fl oz) applicator tubes}

Apply one tube (1.5 mL)(0.05 fl oz) [as a spot to the dog's back between the shoulder blades] or [from the back of the neck to a point midway between the neck and tail].

#### For Dogs Weighing Between 21 and 39 lbs

#### {For cartons containing two 1.5 mL (0.05 fl oz) applicator tubes}

[Apply two tubes (1.5 mL)(0.05 fl oz) as a spot on the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

#### OR

#### {For cartons containing one 3.0 mL (0.10 fl oz) applicator tube}

[Apply one tube (3.0 mL)(0.10 fl oz) as a spot or stripe to the dog's back between the shoulder blades.] or [from the back of the neck to a point midway between the neck and tail.]

#### For Dogs Weighing Between 40 and 60 lbs

#### {For cartons containing three 1.5 mL (0.05 fl oz) applicator tubes}

[Apply two tubes (1.5 mL)(0.05 fl oz) as a spot or stripe to the dog's back between the shoulder blades and apply the third tube from the back of the neck to a point midway between the neck and tail]. OR

#### {For cartons containing one 4.5 mL (0.15 fl oz) applicator tube}

[Apply one tube (4.5 mL)(0.15 fl oz) from the back of the neck to a point midway between the neck and tail].

#### For Dogs Weighing 61 lbs and Over:

#### {For cartons containing four 1.5 mL (0.05 fl oz) applicator tubs}

[Apply two tubes (1.5 mL) (0.05 fl oz) as a spot or stripe to the dog's back between the shoulder blades and apply the contents of the other two tubes (1.5 mL) (0.05 fl oz) from the back of the neck to a point midway between the neck and tail.]

#### OR

#### {For cartons containing two 3.0mL (0.10 fl oz) applicator tubes}

[Apply one tube (3.0 mL)(0.10 fl oz) as a spot to the dog's back between the shoulder blades and apply the contents of the other tube (3.0 mL each)(0.10 fl oz) from the back of the neck to a point midway between the neck and tail.]

#### OR

#### {For cartons containing one 6.0 mL (0.20 fl oz) applicator tubes}

[Apply one tube (6.0 mL)(0.20 fl oz) from the back of the neck to a point midway between the neck and tail.]

3 July 2008 Amend container language and incorporate 8 wk residual comments Information in 1 1 is optional. Page 6 of 6

EPA Reg. No. 2517-90 EPA SAL 6 December 2007

BACK PANEL

DOG SQUEEZE ON

Cyphenothrin & Methoprene

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

DISPOSAL: Nonrefillable container. Do not reuse of refill this container. Offer for recycling or reconditioning, if available and appropriate.

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain

[Sergeant's Squeeze-On Flea & Tick Control with methoprene is an effective and easy to use product.] [Sergeant's Squeeze-On Flea & Tick Control with methoprene prevents eggs from fleas on treated dogs from developing into biting adults for up to 30 days.] [As with all flea and tick control products, [Sergeant's Squeeze-On Flea and Tick Control] [with] methoprene should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard).] [Consult your retailer for program recommendations.]

#### **[WARRANTY**

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty.

[[The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.] ]

Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 [For more information] [Visit us at:] [www.sergeants.com] Non-Emergency call 1-800-224-PETS (7387) [Made in USA]

[Satisfaction Guaranteed!] [Please return for a refund if not completely satisfied!]

[Made in the USA For:] or [Manufactured by:]

[Distributed by:]

Sergeant's Pet Care Products, Inc.

Omaha, NE 68130

EPA Reg. No. 2517-90

EPA Est. No. XXXXXX-XX-XX

[lot, date & label code] [UPC CODE]

{END-BACK/SIDE PANEL}
TUBE / VIAL LABEL

Front Label	Back Label

{Product Name} KEEP OUT OF REACH OF CHILDREN

7/-