

2517-93

9/1/2011

10e10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 1, 2011

John Wright
Product and Regulatory Associates, LLC
PO Box 1683
Voorhees, NJ 08043

Subject: Amended Reregistration Label
Product Name: Sergeant's Bansect Squeeze-On for Dogs and Puppies
EPA Registration Number: 2517-93
EPA Decision Numbers: 413834

Dear Mr. Wright:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the permethrin RED, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 3/16/10

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever

20f10

occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Jennifer Urbanski at 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

*Enclosures: Label stamped "Accepted," dated 9/1/11
Acute Toxicity Review, dated 3/2/11
Product Chemistry Reviews, dated 2/28/11*

Sergeant's Pet Care Products 31 August 2011 re-registration Information in [] is optional.	Master Label EPA Reg. No. 2517-93 EPA SAL
--	--

[FRONT PANEL]

Sergeant's Bansect Squeeze-On for Dogs and Puppies

For Dogs [33 lbs and Under] [Between 33 lbs & 66 lbs] [66 lbs & Over]

DO NOT USE ON CATS



Additional Brand Names:

- Sergeant's Bansect Squeeze-On for Dogs
- SENTRY BASIC Squeeze-On for Dogs and Puppies
- SENTRY BASICS Squeeze-On for Dogs and Puppies
- SENTRY BASIC Squeeze-On for Dogs
- SENTRY BASICS Squeeze-On for Dogs
- Sergeant's Silver Squeeze-On for Dogs and Puppies
- Sergeant's Silver Squeeze-On for Dogs
- Sergeant's FIVE WAY Squeeze-On Protection for Dogs
- Sergeant's Squeeze-On for Dogs and Puppies
- Sergeant's Squeeze-On for Dogs

ACCEPTED
SEP 0 1 2011
Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

EPA. Reg. No: 2517-93

Optional Marketing Statements:

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE OR OLDER
- KILLS AND REPELS [ADULT] FLEAS [FOR] UP TO 5 WEEKS [PER APPLICATION]
- KILLS, REPELS, AND PREVENTS RE-INFESTATION OF FLEAS FOR UP TO 5 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO 6 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (*Rhipicephalus sanguineus*) FOR UP TO 6 WEEKS [PER APPLICATION]!
- MONTHLY FLEA, TICK, LICE & MITE APPLICATION [TREATMENT]!
- FLEA, TICK, LICE AND MITE CONTROL [PROTECTION] [TREATMENT]!
- KILLS AND REPELS MOSQUITOES
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO 5 WEEKS [PER APPLICATION]!
- 3 [4,5,6,9,12] MONTH SUPPLY
- TRIPLE PEST PROTECTION
 - FLEAS
 - TICKS
 - MOSQUITOES
- FLEA, TICK & MOSQUITO TREATMENT
- FIVE WAY PROTECTION
 - FLEAS

40910

Sergeant's Pet Care Products 31 August 2011 re-registration Information in [] is optional.	Master Label EPA Reg. No. 2517-93 EPA SAL
--	--

TICKS
 MOSQUITOES
 LICE
 MITES

- THREE WAY PEST PROTECTION
 KILLS FLEAS, TICKS AND MOSQUITOES
- KILLS FLEAS FOR UP TO 5 WEEKS AND TICKS FOR UP TO 6 WEEKS
- KILLS FLEAS, TICKS, MOSQUITOES, LICE & MITES ON DOGS
- REPELS AND KILLS TICKS ON DOGS
- PROMOTES PROPER REMOVAL OF TICKS FROM DOGS
- A QUICK, EASY, AND EFFECTIVE WAY TO KILL AND REMOVE TICKS FORM DOGS
- KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!
- KILLS AND REPELS TICKS INCLUDING THE BROWN DOG TICK AND DEER TICK KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!
- KILLS AND REPELS TICKS (KNOWN TO BE A CARRIER OF LYME DISEASE)

ACTIVE INGREDIENT:

PERMETHRIN*.....	45.00%
OTHER INGREDIENTS:	55.00%
TOTAL	100.00% [w/w]

*[CAS # 52645-53-1]
 * Cis/trans ratio: max 55% ± cis and min 45% [±] trans

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See back/side/other panel(s) for First Aid and additional Precautionary Statements

Manufactured by: [Distributed by:]
 Sergeant's Pet Care Products, Inc.
 2625 South 158th Plaza
 Omaha, NE 68130-1770

EPA Reg. No. 2517-93 EPA Est. No. XXXX

NET CONTENTS: [THREE 0.05 fl. oz. (1.5ml) or SIX 0.11 fl. oz. (3.0ml) or TWELVE 0.22 fl. oz. (6.0 ml)] Tubes
 {label code}

[BACK/SIDE/OTHER PANEL(S)]

Sergeant's Pet Care Products

Master Label

31 August 2011 re-registration

Information in [] is optional.

Page 3 of 8

EPA Reg. No. 2517-93

EPA SAL

READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS 3 MONTHS OF AGE & OLDER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

Hazards to Domestic Animals: For external use only. Do not apply on dogs less than 3 months of age. Repeat applications may be made as necessary, but do not apply at intervals less than 4 weeks.

DO NOT USE ON CATS. May be toxic or potentially fatal if applied to or ingested by cats. Accidental applications to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

Do not use this product in households with both dogs and cats. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant, or nursing animals. Consult a veterinarian before using this product on dogs with known organ dysfunction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at application site. Dogs may also show "lethargy".

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters, or rinsate. See Directions for Use for additional precautions

60910

and requirements. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not get this product in your dog's eyes or mouth. Repeat application may be made if necessary, but do not apply more often than once every 4 weeks.

[For Dogs Weighing 33lbs and Under:

(0.05 fl. oz. (1.5ml) applicator tube) Apply one 0.05 fl. oz. (1.5ml) tube of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing between 33lbs & 66lbs:

(0.05 fl. oz. (1.5ml) applicator tube) Apply one tube 0.05 fl. oz. (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube 0.05 fl. oz. (1.5ml) as a spot or stripe to the dog's back directly in front of the base of the tail.

OR

(0.11 fl. oz. (3.0ml) applicator tube) Apply approximately half of the tube 0.05 fl. oz. (1.5ml) of this product as spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents 0.05 fl. oz. (1.5ml) as a spot or stripe to the dog's back directly in front of the base of the tail.

OR

(0.11 fl. oz. (3.0ml) applicator tube) Apply the entire tube 0.11 fl. oz. (3.0ml) as a continuous strip on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66lbs and Over:

(0.05 fl. oz. (1.5ml) applicator tube) Apply one tube 0.05 fl. oz. (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second and a third tube (0.05 fl. oz. (1.5ml) tubes) continuing the strip down the center of the dog's back and apply a fourth tube 0.05 fl. oz. (1.5ml) to the dog's back directly in front of the base of the tail.

OR

(0.22 fl. oz. (6.0 ml) applicator tube) Apply approximately half of the tube 0.11 fl. oz. (3.0ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents 0.11 fl. oz. (3.0ml) as a spot or a stripe to the dog's back directly in front of the base of the tail.

Sergeant's Pet Care Products

Master Label

31 August 2011 re-registration
Information in [] is optional.

Page 5 of 8

EPA Reg. No. 2517-93
EPA SAL

OR

(0.22 fl. oz. (6.0 ml) applicator tube) Apply the entire tube (0.22 fl. oz. (6.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

HOW TO APPLY

[FOR SARAN TUBES IN BLISTER CARDS: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.]

OR

[FOR FLAT CARD (doubled) UNIT DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from the face and body, cut along dotted line. Invert the card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in the trash.]

OR

[FLAT CARD UNIT-DOSE PACKAGING: (For push pin type applicator) Remove one product tube from the card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Hold tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use the narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

OR

[FOR BLISTER CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). [Return unused tubes to package] Holding tube with notched end pointing up and away from face and body, snap off (cut off) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[FOR MULTY-DOSE PACKAGING:** Withdraw 0.05 fl. oz. (1.5ml) or 0.11 fl. oz. (3.0ml) or 0.22 fl. oz. (6.0 ml) of solution at a time. Apply entire given dose directly to the skin at the indicated location.]

[FOR DROPPER BOTTLE MULTI-DOSE PACKAGING:** Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to 0.05 fl. oz. (1.5ml) or 0.11 fl. oz. (3.0ml) or 0.22 fl. oz. (6.0 ml) line. Position dropper tube end in the dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

Sergeant's Pet Care Products

Master Label

31 August 2011 re-registration
Information in [] is optional.

Page 6 of 8

EPA Reg. No. 2517-93
EPA SAL

[**FOR SALE TO VETERINARIANS ONLY]

To Kill and Help Remove Visible Ticks on Dogs:

Open vial/tube and apply a drop directly onto the tick or ticks then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the TICK has not backed off or fallen off, carefully remove tick with tweezers or comb making sure to remove entire tick. Clean wound, apply antiseptic and cover with a band aid if needed. Tube is not resealable. Do not reseal tube. Discard after use as directed in Disposal instructions on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not remove tube from pack until ready to use. Store in a cool (below 25°C) dry place out of reach of children. Do not refrigerate, Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Sergeant's Bansect Squeeze-On for Dogs and Puppies is an effective and easy to use product. Sergeant's Bansect Squeeze-On for Dogs and Puppies kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and mites on dogs. As with all flea and tick control products, Sergeant's Bansect Squeeze-On for Dogs and Puppies should be used as a part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, and yard). Consult your veterinarian, entomologists, or retailer for program guidelines.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. [[The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of application, all of which are beyond the control of Sergeant's.]] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738

Non-Emergency, call: 1-800-224-PETS (7387) [Made in USA]

90e10

Sergeant's Pet Care Products

Master Label

31 August 2011 re-registration
Information in [] is optional.

Page 7 of 8

EPA Reg. No. 2517-93
EPA SAL

TUBE LABEL (folding card and flat card packaging designs).

Sergeant's Bansect Squeeze-On for Dogs and Puppies

[DO NOT USE ON CATS]

Or



Permethrin 45% w/w

KEEP OUT OF REACH OF CHILDREN
CAUTION
READ DIRECTIONS AND
PRECAUTIONS BEFORE USING

EPA Reg. No. 2517-93

Batch Code

y fl. oz. (x mL)

100 of 10

Sergeant's Pet Care Products 31 August 2011 re-registration Information in [] is optional.	Master Label EPA Reg. No. 2517-93 EPA SAL
--	--

TAB LABEL (folding card and tabbed card packaging designs).

Sergeant's Bansect Squeeze-On for Dogs and Puppies

[DO NOT USE ON CATS]

or



ACTIVE INGREDIENT

Permethrin (CAS # 52645-53-1)..... 45% w/w

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE MAIN LABEL FOR ADDITIONAL
 PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 2517-93 Batch Code

OUTER BOX LABEL (May contain the following labeling plus full product label)

Sergeant's Bansect Squeeze-On for Dogs and Puppies

4 STEP PROGRAM FOR FLEA CONTROL

- Step 1 Shampoo or dip your dog.
- Step 2 Treat indoor and outdoor premises with indoor and outdoor sprays, foggers and powders labeled for flea control.
- Step 3 Apply Sergeant's Bansect Squeeze-On for Dogs and Puppies for adult flea, tick, mosquito, lice and mite control.
- Step 4 Maintenance treatments with on-animal sprays and powders.