

2517-94

03/09/2007

118



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
1200 Pennsylvania Avenue, N.W.  
Washington, D.C. 20460

EPA Reg. Number:  
2517-94

Date of Issuance:  
MAR 9 2007

Term of Issuance:  
Conditional

Name of Pesticide Product:  
Sergeant's Gold Squeeze-On for  
Dogs

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Sergeant's Pet Care Products, Inc.  
2625 South 158<sup>th</sup> Plaza  
Omaha, NE 68130-1770

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.


Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is **conditionally** registered in accordance with FIFRA sec. 3(c)(7)(A), provided that:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. You will make the following label changes before you release the product for shipment:
  - a) Revise the EPA Registration Number to read "EPA Reg. No. 2517-94."
  - b) The net contents of the package are listed only in milliliters; the volume must be presented in conventional U.S. units of measurement (e.g., fl. oz.) [as per 40CFR§156.10(d)(2)].
  - c) On page 4 remove the claim, "This product has demonstrated greater than 92% control of fleas within one day of application."
  - d) The data supports a "kill" claim only for mosquitoes. Delete mosquitoes from the bullets that state control or give a duration of control claim.

- e) Delete the bullets stating or referencing “kills, protects against mosquitoes that may be a carrier or vector heartworm.”
  - f) The statement beginning “Cats that actively groom or engage in close physical...” under precautionary statements should be in bold caps.
3. The confidential statement of formula (CSF) dated 08-17-2006 is acceptable.
  4. The product chemistry data requirements for guidelines 830 Series subgroup A and Subgroup B are satisfied with the exception of storage stability (830.6317) and corrosion characteristics data (830.6320). One year storage stability and corrosion characteristics data must be submitted to the Agency.
  5. Submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.
  6. Please note that a notice of availability of EPA’s reregistration eligibility document (RED) for products containing permethrin was published in the FR on June 28, 2006 (Vol. 71 No. 124 pg. 36788). Additional data and/or labeling changes may be required for products containing permethrin.

If you have any questions regarding this action, please contact Olga Odiott of my team at (703) 308-9369.

<p>Signature of Approving Official:            George T. LaRocca, Product Manager (13)          Insecticide Branch/Registration Division (7505P)</p>	<p>Date:          MAR 9 2007</p>
---	--------------------------------------

Enclosure

[FRONT PANEL]

# Sergeant's Gold Squeeze-On for Dogs

FOR DOGS [33 lbs and Under] [Between 33 & 66 lbs][66 lbs & Over]



DO NOT USE ON CATS

Additional Brand Names:

- SENTRY PRO Squeeze-On for Dogs and Puppies
- SENTRY PRO Squeeze-On for Dogs
- Sergeant's Gold Squeeze-On for Dogs and Puppies
- Sergeant's PreTect Squeeze-On for Dogs
- Sergeant's Squeeze-On Flea, Tick and Mosquito Control for Dogs
- Sergeant's Squeeze-On for Dogs and Puppies
- Sergeant's SEVEN WAY Squeeze-On Protection for Dogs

Optional Marketing Statements

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER
- KILLS AND REPELS [ADULT] FLEAS [FOR] UP TO 5 WEEKS [PER APPLICATION]!
- KILLS, REPELS AND PREVENTS RE-INFESTATION OF FLEAS FOR UP TO 5 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO 6 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (*Rhipicephalus sanguineus*) FOR UP TO 6 WEEKS [PER APPLICATION]!
- MONTHLY FLEA, TICK, LICE & MITE APPLICATION [TREATMENT]!
- FLEA, TICK, MOSQUITO, LICE AND MITE CONTROL [PROTECTION][TREATMENT]!
- KILLS AND REPELS MOSQUITOES [ON DOGS]
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO 5 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- TRIPLE PEST PROTECTION AGAINST
  - FLEAS
  - TICKS
  - MOSQUITOES
- FLEA, TICK & MOSQUITO TREATMENT
- KILLS MOSQUITOES THAT MAY VECTOR HEARTWORM
- SEVEN WAY PEST PROTECTION
  - FLEAS
  - TICKS
  - MOSQUITOES
  - LICE
  - MITES
  - FLEA EGGS AND LARVAE
- FIVE WAY PEST PROTECTION
  - KILLS FLEAS, TICKS, MOSQUITOES, FLEA EGGS AND LARVAE
- KILLS FLEAS FOR UP TO 5 WEEKS AND TICKS FOR UP TO SIX WEEKS
- KILLS FLEAS, TICKS, MOSQUITOES, LICE & MITES ON DOGS
- REPELS & KILLS TICKS ON DOGS
- KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!
- KILLS AND REPELS TICKS INCLUDING THE BROWN DOG TICK AND DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS.
- BREAKS THE FLEA LIFE CYCLE!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 5 WEEKS [PER APPLICATION]!
- STOPS FLEA EGGS FROM HATCHING!
- CONTROLS REINFESTATION!
- KILLS, REPELS AND PREVENTS REINFESTATION OF TICKS, INCLUDING BROWN DOG TICKS AND *IXODES SPP.* WHICH MAY BE VECTORS OF LYME DISEASE, FOR UP TO 6 WEEKS.
- PROTECTS AGAINST BLOOD FEEDING MOSQUITOES THAT MAY VECTOR HEARTWORM
- KILLS FLEA EGGS & LARVAE FOR UP TO [123 DAYS][4 MONTHS]
- KILLS FLEA EGGS FOR UP TO [123 DAYS][4 MONTHS]
- KILLS LARVAE FOR UP TO [123 DAYS][4 MONTHS]
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS
- PROMOTES PROPER REMOVAL OF TICKS FROM DOGS
- A QUICK, EASY AND EFFECTIVE WAY TO KILL AND REMOVE TICKS FROM DOGS
- KILLS AND REPELS TICKS [KNOWN TO BE A CARRIER OF LYME DISEASE]
- KILLS MOSQUITOES [KNOWN TO BE A CARRIER OF HEARTWORM DISEASE]

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated**  
 MAR 9 2007  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under EPA Reg. No.  
 2517-94

4/8

**Keep Out of Reach of Children**

**CAUTION**

See back/side/other panel(s) for additional Precautionary Statements and First Aid.

**NET CONTENTS:** THREE [SIX][TWELVE] 1.5 [3.0][6.0] ml Tubes

[BACK/SIDE/OTHER PANEL(S)]

**ACTIVE INGREDIENTS**

Permethrin* (CAS #52645-53-1).....	45.0%
Pyriproxyfen (CAS #95737-68-1) .....	1.9%

**OTHER INGREDIENTS**.....53.1%

**TOTAL**.....100.0%

\*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525

**READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 3 MONTHS [12 WEEKS] OF AGE & OLDER.**

**DO NOT USE ON CATS.**

**PRECAUTIONARY STATEMENTS**

**Hazards to Domestic Animals**

**CAUTION**

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 3 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effect. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

**Environmental Hazards:** This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

**PHYSICAL OR CHEMICAL HAZARDS:** Combustible! Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DO NOT USE ON CATS** or animals other than dogs. **May be toxic and potentially fatal if applied to or ingested by cats.**

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

[For Dogs Weighing 33 lbs and Under: (1.5 ml applicator tubes) Apply one tube (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[(3.0 ml applicator tubes) Apply approximately half of the tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[**For Dogs Weighing 66 lbs and Over:** (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a stripe to the dog's back between the shoulder blades and apply a second and a third tube (two 1.5 ml tubes) continuing the stripe down the center of the dog's back and apply a fourth tube (1.5 ml) to the dog's back directly in front of the base of the tail.]

OR

[(6.0 ml applicator tubes) Apply approximately half of the tube (3.0 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (3.0 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (6.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

**HOW TO APPLY:**

[**FOR SARAN TUBES IN BLISTER CARD:** Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.]

OR

[**FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING:** Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

[**FOR FLAT CARD UNIT DOSE PACKAGING:** (For push pin type applicator) Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[**FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING:** Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

OR

[**FOR BLISTER CARD WITH TRI-LAYER TUBES:** Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[\*\* **FOR MULTI-DOSE PACKAGING:** Withdraw (1.5 ml)(3.0 ml)(6.0 ml) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]

[\*\* **FOR DROPPER BOTTLE MULTI-DOSE PACKAGING:** Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to (1.5ml)(3.0 ml)(6.0 ml) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

[\*\* **FOR SALE TO VETERINARIANS ONLY]**

**To Kill and Help Remove Visible Ticks on Dogs:**

Open vial/tube and apply a drop directly onto the tick or ticks then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the TICK has not backed off or fallen off, carefully remove tick with tweezers or comb *making sure to remove entire tick. Clean wound, apply antiseptic and cover with a bandaid if needed. Tube is not resealable.* Do not reseal tube. Discard after use as directed in Disposal instructions on this label.

**Storage:** Do not remove tube from the pack until ready to use. Store in a cool (below 25°C) dry place out of reach of children. Do not refrigerate. Protect from direct sunlight.

**Disposal:** *If empty:* Do not reuse this container. Place in trash or offer for recycling if available.

*If partly filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Sergeant's Gold Squeeze-On for Dogs is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults, and prevents reinfestations for up to 5 weeks. Sergeant's Gold Squeeze-On for Dogs kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and mites on dogs. As with all flea and tick control products, Sergeant's Gold Squeeze-On for Dogs should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

**NOTICE OF WARRANTY**

SERGEANT'S PET CARE PRODUCTS, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

**SERGEANT'S PET CARE PRODUCTS, INC.**

Omaha, NE 68130-1170

7/8

TUBE LABEL (folding card and flat card packaging designs)

**Sergeant's Gold Squeeze-On for Dogs**

PERMETHRIN 45.0% W/W  
PYRIPROXYFEN 1.9% W/W



**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

READ DIRECTIONS AND  
PRECAUTIONS BEFORE USING

EPA Reg. No. 2517-zz

TAB LABEL (folding card and tabbed card packaging designs)

**Sergeant's Gold Squeeze-On for Dogs**

**ACTIVE INGREDIENTS**



Permethrin (CAS #52645-53-1).....45.0%  
Pyriproxyfen (CAS #95737-68-1 )..... 1.9%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
SEE MAIN LABEL FOR ADDITIONAL  
PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 2517-zz

**OUTER BOX LABEL** (Contains the following labeling plus full product label)

**Sergeant's Gold Squeeze-On for Dogs**

Insect Growth Regulator (pyriproxyfen) inhibits development of the immature stages of the fleas preventing them from reaching the biting adult stage.

(picture of flea life cycle here)

**4 STEPS FOR COMPLETE FLEA CONTROL**

- Step 1- Shampoo or dip your dog.
- Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
- Step 3- Apply Sergeant's Gold Squeeze-On for Dogs for flea, tick, mosquito, lice and mite control.
- Step 4- Maintenance treatments with on-animal sprays and powders.