

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

OCT 23 2008

Sharon M. Johnston Agent for Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza Omaha, NE 68130

SUBJECT:

Application for Pesticide Notification – Change in Packaging-Related Label

Statements and Addition of Use Directions for 3.0ml Applicators to >66lb. Dogs

Sergeant's Gold Squeeze-On for Dogs

EPA Reg. No. 2517-94

Application Dated October 31, 2007

Dear Ms. Johnston:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please reviewnstructions on reverse before completing form.	Form	Approved, OMB No. 2070	-0060. Approval expires 2-28-95
SEPA Environmental Protect Washington, DC 20	ion Agency	Registration Amendmen ✓ Other	<u>}</u>
Applicat	ion for Pesticide - S	ection I	
1. Company/Product Number 2517-94	2. EPA Product		3. Proposed Classification Restricted
4. Company/Product (Name) Sergeant's Gold Squeeze-On for Dogs	PM#	13	
5. Name and Address of Applicant (Include ZIP Code) Sergeant's Pet Care Products, Inc. 2625 South 158th Plaza Omaha, NE 68130		uct is similar or identical	with FIFRA Section 3(c)(3) Property and labeling 2 3 2008
Check if this is a new address	Product Nam	ne	
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Agency "Me To	inted labels in repsonse to retter dated o Application.	
EPA. I further understand that if this notification is not consistent FIFRA and I may be subject to enforcement action and penalties NOTIFICATION OF CHANGE IN PACKAGING RELATED LABE dogs weighing over 66 pounds	under sections 12 and 14 of FI	FRA.	
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging Yes No No	Water Soluble Packaging Yes No	M Pt	etal astic ass
* Certification must be submitted If "Yes" No. per Unit Packaging wgt. contained	if "Yes" No. Package wgt cont	PO' 1 1	iper ther (Specify)
3. Location of Net Contents Information 4. Size(s) I Lebel Container	Retail Container	5. Location of Label D	irections
6. Manner in Which Lebel is Affixed to Product Lith Pap Ste	nograph ser glued nciled	Other	
	Section - IV		
1. Contact Point (Complete items directly below for identifica	ation of individual to be contac	cted, if necessary, to proces	ss this application.)
Name Sharon M. Johnston	Title Agent for Sergeant's Per	1	ephone No. (include Area Code) (636) 942-2583
Certifi I certify that the statements I have made on this form a I acknowledge that any knowlingly false or misleading both under applicable law.			8. Date Application Received (Stamped)
2. Signature	3. Title Agent for Sergeant's	Pet Care Products, Inc.	
4. Typed Napre	5. Date		
Sharon M. Johnston	Octob	er 31, 2007	

[FRONT PANEL]

Sergeant's Gold Squeeze-On for Dogs

FOR DOGS [33 lbs and Under] [Between 33 & 66 lbs][66 lbs & Over]

Additional Brand Names:

SENTRY PRO Squeeze-On for Dogs and Puppies

SENTRY PRO Squeeze-On for Dogs

Sergeant's Gold Squeeze-On for Dogs and Puppies

Sergeant's PreTect Squeeze-On for Dogs

Sergeant's Squeeze-On Flea, Tick and Mosquito Control for Dogs

Sergeant's Squeeze-On for Dogs and Puppies

Sergeant's SEVEN WAY Squeeze-On Protection for Dogs

Optional Marketing Statements

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER
- KILLS AND REPELS [ADULT] FLEAS [FOR] UP TO 5 WEEKS [PER APPLICATION]!
- KILLS, REPELS AND PREVENTS RE-INFESTATION OF FLEAS FOR UP TO 5 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO 6 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 6 WEEKS [PER APPLICATION]!
- MONTHLY FLEA, TICK, LICE & MITE APPLICATION [TREATMENT]!
- FLEA, TICK, LICE AND MITE CONTROL [PROTECTION][TREATMENT]!
- KILLS AND REPELS MOSQUITOES [ON DOGS]
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO 5 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- TRIPLE PEST PROTECTION AGAINST

FLEAS

TICKS

MOSOUITOES

- FLEA, TICK & MOSQUITO TREATMENT
- SEVEN WAY PEST PROTECTION

FLEAS

TICKS

MOSQUITOES

LICE

MITES

FLEA EGGS AND LARVAE

- FIVE WAY PEST PROTECTION
 - KILLS FLEAS, TICKS, MOSQUITOES, FLEA EGGS AND LARVAE
- KILLS FLEAS FOR UP TO 5 WEEKS AND TICKS FOR UP TO SIX WEEKS
- KILLS FLEAS, TICKS, MOSQUITOES, LICE & MITES ON DOGS
- REPELS & KILLS TICKS ON DOGS
- KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!
- KILLS AND REPELS TICKS INCLUDING THE BROWN DOG TICK AND DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS.
- BREAKS THE FLEA LIFE CYCLE!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 5 WEEKS [PER APPLICATION]!
- STOPS FLEA EGGS FROM HATCHING!
- CONTROLS REINFESTATION!
- KILLS, REPELS AND PREVENTS REINFESTATION OF TICKS, INCLUDING BROWN DOG TICKS AND IXODES SPP. WHICH MAY BE VECTORS OF LYME DISEASE, FOR UP TO 6 WEEKS.
- KILLS FLEA EGGS & LARVAE FOR UP TO [123 DAYS][4 MONTHS]
- KILLS FLEA EGGS FOR UP TO [123 DAYS][4 MONTHS]
- KILLS LARVAE FOR UP TO [123 DAYS][4 MONTHS]
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS
- PROMOTES PROPER REMOVAL OF TICKS FROM DOGS
- A QUICK, EASY AND EFFECTIVE WAY TO KILL AND REMOVE TICKS FROM DOGS
- KILLS AND REPELS TICKS [KNOWN TO BE A CARRIER OF LYME DISEASE]



DO NOT USE ON CATS

NOTIFICATION

OCT 2 3 2008

EPA Reg. No. 2517-94 10/31/07 notification

EPA Est. No.

Page 1 of 6 Pages

Keep Out of Reach of Children CAUTION

See back/side/other panel(s) for additional Precautionary Statements and First Aid.

NET CONTENTS:

THREE [SIX][TWELVE] 1.5 [3.0][6.0] ml/0.5 [1.0] [2.0] fl oz Tubes

[BACK/SIDE/OTHER PANEL(S)]

ACTIVE INGREDIENTS

Permethrin* (CAS #52645-53-1)	45.0%
)
	53.1%
	100.0%

*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 3 MONTHS [12 WEEKS] OF AGE & OLDER.

DO NOT USE ON CATS.

PRECAUTIONARY STATEMENTS Hazards to Domestic Animals CAUTION

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 3 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. CATS THAT ACTIVELY GROOM OR ENGAGE IN CLOSE PHYSICAL CONTACT WITH TREATED DOGS MAY BE AT RISK OF SERIOUS HARMFUL EFFECT. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

Environmental Hazards: This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS: Combustible! Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

[For Dogs Weighing 33 lbs and Under: (1.5 ml applicator tubes) Apply one tube (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

EPA Reg. No. 2517-94 10/31/07 notification

EPA Est. No. _____ Page 2 of 6 Pages

OR

[(3.0 ml applicator tubes) Apply approximately half of the tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66 lbs and Over: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a stripe to the dog's back between the shoulder blades and apply a second and a third tube (two 1.5 ml tubes) continuing the stripe down the center of the dog's back and apply a fourth tube (1.5 ml) to the dog's back directly in front of the base of the tail.]

OR

[(3.0 ml applicator tubes) Apply one tube (3.0 ml) of this product as a stripe to the dog's back between the shoulder blades and apply a second tube continuing the stripe down the center of the dog's back to directly in front of the base of the tail.]

OR

[(6.0 ml applicator tubes) Apply approximately half of the tube (3.0 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (3.0 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (6.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

HOW TO APPLY:

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

OR

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab-by-tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.

OR

EPA Est. No. Page 3 of 6 Pages

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[** FOR MULTI-DOSE PACKAGING: Withdraw (1.5 ml)(3.0 ml)(6.0 ml) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]

[** FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to (1.5ml)(3.0 ml)(6.0 ml) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

[** FOR SALE TO VETERINARIANS ONLY]

To Kill and Help Remove Visible Ticks on Dogs:

Open vial/tube and apply a drop directly onto the tick or ticks then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the TICK has not backed off or fallen off, carefully remove tick with tweezers or comb making sure to remove entire tick. Clean wound, apply antiseptic and cover with a bandaid if needed. Tube is not resealable. Do not reseal tube. Discard after use as directed in Disposal instructions on this label.

Storage: Do not remove tube from the pack until ready to use. Store in a cool (below 25°C) dry place out of reach of children. Do not refrigerate. Protect from direct sunlight.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Sergeant's Gold Squeeze-On for Dogs is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults, and prevents reinfestations for up to 5 weeks. Sergeant's Gold Squeeze-On for Dogs kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and mites on dogs. As with all flea and tick control products, Sergeant's Gold Squeeze-On for Dogs should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.


NOTICE OF WARRANTY

SERGEANT'S PET CARE PRODUCTS, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.


SERGEANT'S PET CARE PRODUCTS, INC.

Omaha, NE 68130-1170

EPA Est. No. _____ Page 4 of 6 Pages



Sergeant's Gold Squeeze-On for Dogs



KEEP OUT OF REACH OF CHILDREN CAUTION

READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 2517-94

EPA Est. No. Page 5 of 6 Pages

TAB LABEL (folding card and tabbed card packaging designs)

Sergeant's Gold Squeeze-On for Dogs

ACTIVE INGREDIENTS



KEEP OUT OF REACH OF CHILDREN CAUTION

SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 2517-94

OUTER BOX LABEL (Contains the following labeling plus full product label)

Sergeant's Gold Squeeze-On for Dogs

Insect Growth Regulator (pyriproxyfen) inhibits development of the immature stages of the fleas preventing them from reaching the biting adult stage.

(picture of flea life cycle here)

4 STEPS FOR COMPLETE FLEA CONTROL

Step 1-	Shampoo or dip your dog.
Step 2-	Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
Step 3-	Apply Sergeant's Gold Squeeze-On for Dogs for flea, tick, lice and mite control.
Step 4-	Maintenance treatments with on-animal sprays and powders.

EPA Est. No. Page 6 of 6 Pages

EPA Reg. No. 2517-94 10/31/07 notification