# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

5-13-17

Sergeant's Pet Care Products, Inc. c/o Mr. John F. Wright Product and Regulatory Associates, LLC P.O. Box 1683 Voorhees, NJ 08043-9998

Subject:

Amended Reregistration Label

Product Name: Sergeant's Gold Squeeze-On for Dogs

EPA Registration Number: 2517-94 EPA Decision Number: 413835

Dear Mr. Wright,

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time. This product is also subject to additional mitigation requirements for pet spot-on products.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please also note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF, dated March 16, 2010

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Sincerely,

Richard J. Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7504P)

Enclosures:

Label stamped "Accepted"

Acute Toxicity Review, dated February 25, 2011

Product Chemistry Reviews, dated March 2, 2011 and August 3, 2012

January 28, 2013 Re-registration Information in [ ] is optional.

Page 1 of 10

EPA Reg. No. 2517-94 EPA SAL

#### FRONT PANEL

[Optional text appears in brackets – the final label may include some or all of the optional text on front, back or side label panels]

### Sergeant's Gold Squeeze-On for Dogs

FOR DOGS [33 lbs and Under] [Between 33 & 66 lbs][66 lbs & Over]

[(ABN) SENTRY PRO Squeeze-On for Dogs]

[(ABN) SENTRY PRO Squeeze-On for Dogs and Puppies]

**[(ABN)** Sergeant's Gold Squeeze-On for Dogs and Puppies]

[(ABN) Sergeant's PreTect Squeeze-On for Dogs]

[(ABN) Sergeant's Squeeze-On for Dogs and Puppies]

[(ABN) Sergeant's Squeeze-On Flea, Tick and Mosquito Control for Dogs]

[(ABN) Sergeant's SEVEN WAY Squeeze-On Protection for Dogs]

# ACCEPTED

5-13-13

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 25-17-94

### • DO NOT USE ON CATS [Box/Icon with Cat Image and Cross-Out]



- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER
- KILLS AND REPELS [ADULT] FLEAS [FOR] UP TO 5 WEEKS [PER APPLICATION]!
- KILLS, REPELS AND PREVENTS RE-INFESTATION OF FLEAS FOR UP TO 5 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO 6 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 6 WEEKS [PER APPLICATION]!
- MONTHLY FLEA, TICK, LICE & MITE APPLICATION [TREATMENT]!
- FLEA, TICK, LICE AND MITE CONTROL [PROTECTION][TREATMENT]!
- KILLS AND REPELS MOSQUITOES [ON DOGS]
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO 5 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- TRIPLE PEST PROTECTION AGAINST

**FLEAS** 

**TICKS** 

MOSQUITOES

- FLEA, TICK & MOSQUITO TREATMENT
- SEVEN WAY PEST PROTECTION

**FLEAS** 

**TICKS** 

**MOSQUITOES** 

LICE

MITES

FLEA EGGS AND LARVAE

FIVE WAY PEST PROTECTION

ACCEPTED

5-13-13

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 2517-94

January 28, 2013 Re-registration Information in [ ] is optional.

Page 2 of 10

EPA Reg. No. 2517-94 EPA SAL

KILLS FLEAS, TICKS, MOSQUITOES, FLEA EGGS AND LARVAE

- KILLS FLEAS FOR UP TO 5 WEEKS AND TICKS FOR UP TO SIX WEEKS
- KILLS FLEAS, TICKS, MOSQUITOES, LICE & MITES ON DOGS
- REPELS & KILLS TICKS ON DOGS
- KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!
- KILLS AND REPELS TICKS INCLUDING THE BROWN DOG TICK AND DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS.
- BREAKS THE FLEA LIFE CYCLE!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 5 WEEKS [PER APPLICATION]!
- STOPS FLEA EGGS FROM HATCHING!
- CONTROLS REINFESTATION!
- KILLS, REPELS AND PREVENTS REINFESTATION OF TICKS, INCLUDING BROWN DOG TICKS AND IXODES *SPP*. WHICH MAY BE VECTORS OF LYME DISEASE, FOR UP TO 6 WEEKS.
- KILLS FLEA EGGS & LARVAE FOR UP TO [123 DAYS][4 MONTHS]
- KILLS FLEA EGGS FOR UP TO [123 DAYS][4 MONTHS]
- KILLS LARVAE FOR UP TO [123 DAYS][4 MONTHS]
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS
- PROMOTES PROPER REMOVAL OF TICKS FROM DOGS
- A QUICK, EASY AND EFFECTIVE WAY TO KILL AND REMOVE TICKS FROM DOGS
- KILLS AND REPELS TICKS [KNOWN TO BE A CARRIER OF LYME DISEASE].

{Ingredient Statement may be on front or back label}

### **ACTIVE INGREDIENTS:**

Permethrin*	45.00%
Pyriproxyfen**	1.90%
OTHER INGREDIENTS:	<u>53.10%</u>
TOTAL	100.00%

<sup>\*</sup> CAS# 52645-53-1

Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525

# KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Panel[s] for Additional Precautionary Statements

NET [WEIGHT] [CONTENTS] XXX fl oz (XXX mL)

[THREE][FOUR][SIX][TWELVE] (0.05 fl oz) 1.5 mL Tubes [THREE][FOUR][SIX][TWELVE] (0.10 fl oz) 3.0 mL Tubes

<sup>\*</sup> Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

<sup>\*\*</sup> CAS #95737-68-1

January 28, 2013 Re-registration Information in [ ] is optional.

Page 3 of 10

EPA Reg. No. 2517-94 **EPA SAL** 

[THREE][FOUR][SIX][TWELVE] (0.15 fl oz) 4.5 mL Tubes [THREE][FOUR][SIX][TWELVE] (0.20 fl oz) 6.0 mL Tubes

**BACK PANEL** 

[Apply Once Every Month] [Can be applied monthly [if needed]]

### READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 3 MONTHS [12 WEEKS] OF AGE & OLDER. DO NOT USE ON CATS

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 3 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. CATS THAT ACTIVELY GROOM OR ENGAGE IN CLOSE PHYSICAL CONTACT WITH TREATED DOGS MAY BE AT RISK OF SERIOUS HARMFUL EFFECT. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

#### PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

January 28, 2013 Re-registration Information in [ ] is optional.

Page 4 of 10

EPA Reg. No. 2517-94 EPA SAL

### [(INSERT DIAGRAM THAT DEPICTS APPLICATION OF PRODUCT ON THE DOG)]

[Optional drawings that may or may not appear anywhere on finished label]









[For Dogs Weighing 33 lbs and Under: (1.5 mL applicator tubes) Apply one tube (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs: (1.5 mL applicator tubes) Apply one tube (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 mL) as a spot or stripe to the dog's back directly in front of the base of the tail.]

#### OR

[(3.0 mL applicator tubes) Apply approximately half of the tube (1.5 mL) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (1.5 mL) as a spot or stripe to the dog's back directly in front of the base of the tail.]

#### OR

[Apply the entire tube (3.0 mL) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66 lbs and Over: (1.5 mL applicator tubes) Apply one tube (1.5 mL) of this product as a stripe to the dog's back between the shoulder blades <u>and</u> apply a second and a third tube (two 1.5 mL tubes) continuing the stripe down the center of the dog's back <u>and</u> apply a fourth tube (1.5 mL) to the dog's back directly in front of the base of the tail.]

### OR

[(3.0 mL applicator tubes) Apply one tube (3.0 mL) of this product as a stripe to the dog's back between the shoulder blades and apply a second tube continuing the stripe down the center of the dog's back to directly in front of the base of the tail.]

### OR

[(6.0 mL applicator tubes) Apply approximately half of the tube (3.0 mL) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (3.0 mL) as a spot or stripe to the dog's back directly in front of the base of the tail.]

### OR

[Apply the entire tube (6.0 mL) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

January 28, 2013 Re-registration Information in [ ] is optional.

Page 5 of 10

EPA Reg. No. 2517-94 EPA SAL

### **HOW TO APPLY:**

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

#### OR

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

#### OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

### OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

#### OR

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[\*\* FOR MULTI-DOSE PACKAGING: Withdraw (1.5 mL)(3.0 mL)(6.0 mL) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]
[\*\* FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to (1.5mL)(3.0 mL)(6.0 mL) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]
[\*\*INTENTED FOR SALE TO VETERINARIANS ONLY]

January 28, 2013 Re-registration Information in [ ] is optional.

Page 6 of 10

EPA Reg. No. 2517-94 EPA SAL

### To Kill and Help Remove Visible Ticks on Dogs:

Open vial/tube and apply a drop directly onto the tick or ticks then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the TICK has not backed off or fallen off, carefully remove tick with tweezers or comb making sure to remove entire tick. Clean wound, apply antiseptic and cover with a bandaid if needed. Tube is not resealable. Do not reseal tube. Discard after use as directed in Disposal instructions on this label.

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool (below 25°C) dry place out of reach of children. Do not refrigerate. Protect from direct sunlight. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Sergeant's Gold Squeeze-On for Dogs is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults, and prevents reinfestations for up to 5 weeks. Sergeant's Gold Squeeze-On for Dogs kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and mites on dogs. As with all flea and tick control products, Sergeant's Gold Squeeze-On for Dogs should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

### NOTICE OF WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this jproduct, user or buyer accepts the following warranty. [[The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of application, all of which are beyond the control of Sergeant's.]] Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[See Spanish insert inside package for directions for use and precautions.]

January 28, 2013 Re-registration Information in [ ] is optional.

Page 7 of 10

EPA Reg. No. 2517-94

**EPA SAL** 

In Case of Emergency, call: 1-800-781-4738 [For more information] [Visit us at:]

[www.sergeants.com]

Non-Emergency call 1-800-224-PETS (7387) [Made in USA]

[Satisfaction Guaranteed!] [Please return for a refund if not completely satisfied!]

[Made in the USA For:]

EPA Reg. No. 2517-94 EPA Est. No. XXXXX-XX-XX [lot, date & label code] [UPC CODE]

Manufactured by: [Distributed by:] Sergeant's Pet Care Products, Inc. P.O. Box 540399 Omaha, NE 68130

January 28, 2013 Re-registration Information in [ ] is optional.

Page 8 of 10

EPA Reg. No. 2517-94 EPA SAL

### TUBE VIAL LABEL

Front Label
(Product Name)

**Back Label** 

{Product Name}
[Box/Icon with Cat Image & Cross-Out],
Permethrin 45.0% W/W, Pyriproxyfen 1.9%
W/W
1.5 mL (or) 3.0 mL (or) 4.5 mL (or) 6.0 mL
{label code}

KEEP OUT OF REACH OF CHILDREN CAUTION: Read directions and precautions before using.

EPA REG. No. 2517-94

{label

code}

FAB LABEL (folding card and tabbed card packaging designs)



Sergeant's Gold Squeeze-On for Dogs

### **ACTIVE INGREDIENTS**

Permethrin (CAS #52645-53-1)	5.00%
Pyriproxyfen (CAS #95737-68-1)	1.90%

# KEEP OUT OF REACH OF CHILDREN CAUTION

SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 2517-94

**OUTER BOX LABEL** (Contains the following labeling plus full product label)

### Sergeant's Gold Squeeze-On for Dogs

Insect Growth Regulator (pyriproxyfen) inhibits development of the immature stages of the fleas preventing them from reaching the biting adult stage.

[(picture of flea life cycle here)]



January 28, 2013 Re-registration Information in [ ] is optional.

Page 9 of 10

EPA Reg. No. 2517-94 EPA SAL

### 4 STEPS FOR COMPLETE FLEA CONTROL

Step 1-Shampoo or dip your dog.

Step 2-Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.

Step 3-Apply Sergeant's Gold Squeeze-On for Dogs for flea, tick, lice and mite control.

Step 4-Maintenance treatments with on-animal sprays and powders.

[Optional drawings that may or may not appear anywhere on finished label]









[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow directions
- [2] Weigh your pet
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets [and use the ENTIRE tube contents.]]

January 28, 2013 Re-registration Information in [ ] is optional.

Page 10 of 10

EPA Reg. No. 2517-94 EPA SAL

[Optional graphics below may or may not appear anywhere on finished label]





{END - OPTIONAL INSERT OR PACKAGE COPY}