



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

2517-94

Date of Issuance:

7/21/22

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
Expires: 01/27/2023

Name of Pesticide Product:

Sergeant's Gold Squeeze-On For
Dogs

Name and Address of Registrant (include ZIP Code):

Prince M. Bamaze
Regulatory Affairs Associate
Sergeant's Pet Care Products, LLC
10077 South 134th Street
Omaha, NE 68138

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elizabeth Fertich, Product Manager 4
Invertebrate-Vertebrate Branch 1
Registration Division
Office of Pesticide Programs

Date:

7/21/22

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 01/27/2023.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in a label amendment letter dated October 29, 2014.
4. You are required to comply with the data requirements described in the DCI identified below:
 - a. Permethrin GDCI-109701-1113

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 03/16/2010

Page 3 of 3
EPA Reg. No. 2517-94
Decision No. 545828, 562651, 568036, 570579

If you have any questions, you may contact Robert Mitchell at 202-566-2842 or via email at mitchell.robert@epa.gov.

Enclosure

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 1 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

{Optional text appears in brackets [] - Text in parenthesis () may or may not appear on the label - Text in braces { } is information/note to reviewer}

Sergeant's Gold Squeeze-On for Dogs

{The word dog will be at least 40-75% in height of the largest letter in the primary brand name on the market label}
{A large, clear picture of a dog in the weight range for the product as packaged will be on the front panel of the market label}

Sublabel A: Direct to Consumer Packaging Option

{FRONT PANEL}

{One of the statements below will appear prominently in a box on the front panel of market label as required}

{Weight Break Group 1}

For use ONLY on dogs [[&][and] puppies] 7 [-][to] 32 lbs [,][and] [3 months][12 weeks] [of age] or older

{OR}

ONLY For Dogs [[&][and] puppies] 7 [-][to] 32 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 2}

For use ONLY on dogs [[&][and] puppies] 33 [-][to] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{OR}

ONLY For Dogs [[&][and] puppies] 33 [-][to] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{Weight Break Group 3}

For use ONLY on dogs [greater than] [over] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{OR}

ONLY For Dogs [greater than] [over] 66 lbs [,][and] [3 months][12 weeks] [of age] or older

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel.}



ACTIVE INGREDIENTS:

Permethrin* [CAS# 52645-53-1]45.00%
Pyriproxyfen [CAS #95737-68-1].....1.90%

OTHER INGREDIENTS:53.10%

TOTAL 100.00%

*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

ACCEPTED

07/21/2022

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No.

2517-94

[Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525]

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 2 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [Label[s]] [Panel[s]] for First Aid and Additional Precautionary Statements

NET CONTENTS:

[1][One] [2][Two] [3][Three] [4][Four] [5][Five] [6][Six] [7][Seven] [8][Eight] [9][Nine] [10][Ten]
[11][Eleven] [12][Twelve] [24][Twenty-Four]

{For Packaging Containing 0.05 fl oz (1.5 mL) [tubes] [vials] – ONLY for Dogs and Puppies Weighing 7-32 lbs}

1- 0.05 fl oz (1.5 mL) [tube] [vial]
0.10 fl oz (3.0 mL), 2- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.15 fl oz (4.5 mL), 3- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.20 fl oz (6.0 mL), 4- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.25 fl oz (7.5 mL), 5- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.30 fl oz (9.0 mL), 6- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.35 fl oz (10.5 mL), 7- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.40 fl oz (12.0 mL), 8- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.45 fl oz (13.5 mL), 9- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.50 fl oz (15.0 mL), 10- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.55 fl oz (16.5 mL), 11- 0.05 fl oz (1.5 mL) [tubes] [vials]
0.60 fl oz (18.0 mL), 12- 0.05 fl oz (1.5 mL) [tubes] [vials]
1.20 fl oz (36.0 mL), 24- 0.05 fl oz (1.5 mL) [tubes] [vials]

{For Packaging Containing 0.10 fl oz (3.0 mL) [tubes] [vials] – ONLY for Dogs and Puppies Weighing 33-66 lbs}

1- 0.10 fl oz (3.0 mL) [tube] [vial]
0.20 fl oz (6.0 mL), 2- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.30 fl oz (9.0 mL), 3- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.40 fl oz (12.0 mL), 4- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.50 fl oz (15.0 mL), 5- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.60 fl oz (18.0 mL), 6- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.70 fl oz (21.0 mL), 7- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.80 fl oz (24.0 mL), 8- 0.10 fl oz (3.0 mL) [tubes] [vials]
0.90 fl oz (27.0 mL), 9- 0.10 fl oz (3.0 mL) [tubes] [vials]
1.00 fl oz (30.0 mL), 10- 0.10 fl oz (3.0 mL) [tubes] [vials]
1.10 fl oz (33.0 mL), 11- 0.10 fl oz (3.0 mL) [tubes] [vials]
1.20 fl oz (36.0 mL), 12- 0.10 fl oz (3.0 mL) [tubes] [vials]
2.40 fl oz (72.0 mL), 24- 0.10 fl oz (3.0 mL) [tubes] [vials]

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 3 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

{For Packaging Containing 0.20 fl oz (6.0 mL) [tubes] [vials] – ONLY for Dogs Weighing Over 66 lbs}

1- 0.20 fl oz (6.0 mL) [tube] [vial]
0.40 fl oz (12.0 mL), 2- 0.20 fl oz (6.0 mL) [tubes] [vials]
0.60 fl oz (18.0 mL), 3- 0.20 fl oz (6.0 mL) [tubes] [vials]
0.80 fl oz (24.0 mL), 4- 0.20 fl oz (6.0 mL) [tubes] [vials]
1.00 fl oz (30.0 mL), 5- 0.20 fl oz (6.0 mL) [tubes] [vials]
1.20 fl oz (36.0 mL), 6- 0.20 fl oz (6.0 mL) [tubes] [vials]
1.40 fl oz (42.0 mL), 7- 0.20 fl oz (6.0 mL) [tubes] [vials]
1.60 fl oz (48.0 mL), 8- 0.20 fl oz (6.0 mL) [tubes] [vials]
1.80 fl oz (54.0 mL), 9- 0.20 fl oz (6.0 mL) [tubes] [vials]
2.00 fl oz (60.0 mL), 10- 0.20 fl oz (6.0 mL) [tubes] [vials]
2.20 fl oz (66.0 mL), 11- 0.20 fl oz (6.0 mL) [tubes] [vials]
2.40 fl oz (72.0 mL), 12- 0.20 fl oz (6.0 mL) [tubes] [vials]
4.80 fl oz (144.0 mL), 24- 0.20 fl oz (6.0 mL) [tubes] [vials]

{END - FRONT PANEL}

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 4 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

{BACK / SIDE PANEL}

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS [AND PUPPIES] [12 WEEKS] [3 MONTHS] [OF AGE] AND OLDER
WEIGHING [7-32] [33-66] [Over 66] LBS

[Brand name][This product] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults and prevents re-infestations for 4 weeks. [Brand Name][This product] kills and repels ticks for 6 weeks, and kills mosquitoes, lice and mites on dogs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS: For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. This product is not a substitute for prescribed heartworm preventative. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

PHYSICAL OR CHEMICAL HAZARDS. Combustible. Do not use or store near heat or open flame.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738 [or contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu]	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors.

USE RESTRICTIONS

Do not allow children to apply product.
Do not use on cat or animals other than dogs.
Do not allow your dog to ingest this product.

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 5 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

Do not use on puppies under [12 weeks] [3 months] [of age] or weighing less than [7][33][66] lbs.
Do not split one [tube] [vial] between dogs.
Do not Apply more than one [tube] [vial] to one dog regardless of the dog's weight.
Use entire contents of [tube] [vial] vial on each dog.
Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.
Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.
Treated dogs should not be allowed to go swimming for 12 hours following treatment.

How to open: Remove product [tube] [vial] [s] from the package. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin as directed below. Repeat application may be made, if necessary, but do not apply more often than once every [4 weeks] [month] [30 days].

1- {Packaging Containing 0.05 fl oz (1.5 mL) [tubes] [vials] - For Weight Break Group 1}

Only for Dogs and Puppies [Weighing] 7 [to][-] 32 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 7 lbs. Apply one [tube] [vial] (0.05 fl. oz.) (1.5mL) of this product as a spot or stripe to the dog's back between the shoulder blades.

2- {Packaging Containing 0.10 fl oz (3.0 mL) [tubes] [vials] - For Weight Break Group 2}

Only For Dogs [and Puppies] [Weighing] 33lbs [to][-] 66 lbs. [and] [3 months][12 weeks] [of age] or older. Apply approximately half of the [tube] [vial] (0.05 fl. oz.) (1.5mL) of this product as spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.05 fl. oz.) (1.5mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.
{OR}

Only For Dogs [and Puppies] [Weighing] 33lbs [to][-] 66 lbs. [and] [3 months][12 weeks] [of age] or older. Apply the entire [tube] [vial] (0.10 fl. oz.) (3.0mL) as a continuous strip on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

3- {Packaging Containing 0.20 fl oz (6.0 mL) [tubes] [vials] - For Weight Break Group 3}

Only for Dogs [Weighing] over 66 lbs. [and] [3 months][12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply approximately half of the [tube] [vial] (0.10 fl. oz.) (3.0mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.10 fl. oz.) (3.0mL)] as a spot or a stripe to the dog's back directly in front of the base of the tail.
{OR}

Only for Dogs [Weighing] over 66 lbs. [and] [3 months][12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply the entire [tube] [vial] (0.20 fl. oz. (6.0 mL) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 6 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

{Side Effects box to be located in the lower right-hand corner, immediately above the 'cat prohibition' box on the back panel}

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Gastrointestinal signs such as vomiting or diarrhea have also been reported. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact your veterinarian immediately.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below 77°F/[] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER HANDLING. Non refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of application, all of which are beyond the control of Sergeant's. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's is committed to providing high quality products.]

[If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[See Spanish insert inside package for directions for use and precautions.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or outside of box]
{When outside of the box, the coupon will not cover or distract consumer from required text}

[Satisfaction Guaranteed! Please return for a refund if not completely satisfied!]

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 7 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

[Made in the USA]
[Manufactured by:] [Distributed by:]
Sergeant's Pet Care Products, LLC
P.O. Box 540399
Omaha, NE 68154

EPA Reg. No. 2517-94
EPA Est. No. XXXXX-XX-XX

[BAR CODE AREA][lot, date and label codes]

{END – BACK/SIDE PANEL}

{TUBE / VIAL LABEL}

{Front Label}

{Back Label}

<p>{Brand Name} For Dogs [7-32] [33-66] [Over 66] lbs & ≥ [12 wks][3 mos] Permethrin 45% , Pyriproxyfen 1.9% 0.05 fl. oz. {or} 0.10 fl. oz. {or} 0.20 fl. oz. {label code}</p>	<p> KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before each use. Use scissors to open. EPA REG. No. 2517-94 {label code}</p>
---	---

{Lot No. is engraved on the crimp portion of the tube} {label code refers to an internal product tracking code}
{EPA Reg. No. may be on either the front or back label.}

{END TUBE / VIAL LABEL}

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 8 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

Sublabel B: Veterinarian Packaging Option

{Veterinarian Packaging is for use only by licensed veterinarians on dogs in their control or under their immediate supervision}

{FRONT PANEL}

FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

{One of the statements below will appear prominently in a box on the front panel of market label as required}

{Weight Break Group 1}

For use ONLY on dogs [] and puppies] 7 [-] to] 32 lbs [,] and] [3 months][12 weeks] [of age] or older

{OR}

ONLY For Dogs [] and puppies] 7 [-] to] 32 lbs [,] and] [3 months][12 weeks] [of age] or older

{Weight Break Group 2}

For use ONLY on dogs [] and puppies] 33 [-] to] 66 lbs [,] and] [3 months][12 weeks] [of age] or older

{OR}

ONLY For Dogs [] and puppies] 33 [-] to] 66 lbs [,] and] [3 months][12 weeks] [of age] or older

{Weight Break Group 3}

For use ONLY on dogs [greater than] [over] 66 lbs [,] and] [3 months][12 weeks] [of age] or older

{OR}

ONLY For Dogs [greater than] [over] 66 lbs [,] and] [3 months][12 weeks] [of age] or older

[For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.]

[Not for residential use. Do not repackage]

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility use]

[For use only by licensed veterinarians]

ACTIVE INGREDIENTS:

Permethrin* [CAS #52645-53-1] 45.00%

Pyriproxyfen [CAS #95737-68-1] 1.90%

OTHER INGREDIENTS: 53.10%

TOTAL 100.00%

* Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

[Nylar® is a registered trademark of McLaughlin Gormley King Company. US Patent No. 5,942,525]

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 9 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See [Back][or][Side] [Label[s]] [Panel[s]] for First Aid and Additional Precautionary Statements

NET CONTENTS:

[Thirty-five][35] [Fifty][50] [Seventy-five][75] [One hundred][100] [One hundred sixty][160]

{For Packaging Containing 0.05 fl oz (1.5 mL) [tubes] [vials] – ONLY for Dogs and Puppies Weighing 7-32 lbs}

1.75 fl oz (52.5 mL), 35- 0.05 fl oz (1.5 mL) [tubes] [vials]
2.50 fl oz (75.0 mL), 50- 0.05 fl oz (1.5 mL) [tubes] [vials]
3.75 fl oz (112.5 mL), 75- 0.05 fl oz (1.5 mL) [tubes] [vials]
5.00 fl oz (150.0 mL), 100- 0.05 fl oz (1.5 mL) [tubes] [vials]
8.00 fl oz (240.0 mL), 160- 0.05 fl oz (1.5 mL) [tubes] [vials]

{For Packaging Containing 0.10 fl oz (3.0 mL) [tubes] [vials] – ONLY for Dogs and Puppies Weighing 33-66 lbs}

3.50 fl oz (105.0 mL), 35- 0.10 fl oz (3.0 mL) [tubes] [vials]
5.00 fl oz (150.0 mL), 50- 0.10 fl oz (3.0 mL) [tubes] [vials]
7.50 fl oz (225.0 mL), 75- 0.10 fl oz (3.0 mL) [tubes] [vials]
10.00 fl oz (300.0 mL), 100- 0.10 fl oz (3.0 mL) [tubes] [vials]
16.00 fl oz (480.0 mL), 160- 0.10 fl oz (3.0 mL) [tubes] [vials]

{For Packaging Containing 0.20 fl oz (6.0 mL) [tubes] [vials] – ONLY for Dogs Weighing Over 66 lbs}

7.00 fl oz (210.0 mL), 35- 0.20 fl oz (6.0 mL) [tubes] [vials]
10.00 fl oz (300.0 mL), 50- 0.20 fl oz (6.0 mL) [tubes] [vials]
15.00 fl oz (450.0 mL), 75- 0.20 fl oz (6.0 mL) [tubes] [vials]
20.00 fl oz (600.0 mL), 100- 0.20 fl oz (6.0 mL) [tubes] [vials]
32.00 fl oz (960.0 mL), 160- 0.20 fl oz (6.0 mL) [tubes] [vials]

{END - FRONT PANEL}

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 10 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

{BACK / SIDE PANEL}

READ ENTIRE LABEL BEFORE EACH USE

**USE ONLY ON DOGS [AND PUPPIES] [12 WEEKS] [3 MONTHS] [OF AGE] AND OLDER
WEIGHING [7-32] [33-66] [Over 66] LBS**

[Brand name][This product] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults and prevents re-infestations for 4 weeks. [Brand Name][This product] kills and repels ticks for 6 weeks, and kills mosquitoes, lice and mites on dogs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. For external use on dogs [and puppies] only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat the dog with more than one pesticide product at a time. Overdosing the dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant or nursing dogs, or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product. This product is not for use as a substitute for heartworm preventative.

PHYSICAL OR CHEMICAL HAZARDS. Combustible. Do not use or store near heat or open flame.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-781-4738 [or contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at <http://npic.orst.edu>]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label before each use. Follow all directions and precautionary statements carefully. Application of product on pets must only be done indoors.

USE RESTRICTIONS

Do not allow children to apply product.
Do not use on cat or animals other than dogs.

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 11 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

Do not allow your dog to ingest this product.
Do not use on puppies under [12 weeks] [3 months] [of age] or weighing less than [7][33][66] lbs.
Do not split one [tube] [vial] between dogs.
Do not Apply more than one [tube] [vial] to one dog regardless of the dog's weight.
Use entire contents of [tube] [vial] vial on each dog.
Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.
Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.
Treated dogs should not be allowed to go swimming for 12 hours following treatment.

How to open: Remove product [tube] [vial] [s] from the package. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

How to apply: Invert [tube] [vial] over dog and use open end to part dog's hair. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin as directed below. Repeat application may be made if necessary, but do not apply more often than once every [4 weeks] [month] [30 days].

1- {Packaging Containing 0.05 fl oz (1.5 mL) [tubes] [vials]}

{For Weight Break Group 1}

Only for Dogs and Puppies [Weighing] 7 [to]- 32 lbs. [and] [3 months] [12 weeks] [of age] or older. Do not apply to dogs weighing less than 7 lbs. Apply one [tube] [vial] (0.05 fl. oz.) (1.5mL) of this product as a spot or stripe to the dog's back between the shoulder blades.

2- {Packaging Containing 0.10 fl oz (3.0 mL) [tubes] [vials]}

{For Weight Break Group 2}

Only For Dogs [and Puppies] [Weighing] 33lbs [to]- 66 lbs. [and] [3 months][12 weeks] [of age] or older. Apply approximately half of the [tube] [vial] (0.05 fl. oz.) (1.5mL) of this product as spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.05 fl. oz.) (1.5mL)] as a spot or stripe to the dog's back directly in front of the base of the tail.

{OR}

Only For Dogs [and Puppies] [Weighing] 33lbs [to]- 66 lbs. [and] [3 months][12 weeks] [of age] or older. Apply the entire [tube] [vial] (0.10 fl. oz.) (3.0mL) as a continuous strip on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

3- {Packaging Containing 0.20 fl oz (6.0 mL) [tubes] [vials]}

{For Weight Break Group 3}

Only for Dogs [Weighing] over 66 lbs. [and] [3 months][12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply approximately half of the [tube] [vial] (0.10 fl. oz.) (3.0mL) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the [tube's] [vial's] contents [(0.10 fl. oz.) (3.0mL)] as a spot or a stripe to the dog's back directly in front of the base of the tail.

{OR}

Only for Dogs [Weighing] over 66 lbs. [and] [3 months][12 weeks] [of age] or older. Do not apply to dogs weighing less than 66 lbs. Apply the entire [tube] [vial] (0.20 fl. oz. (6.0 mL) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 12 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

{Side Effects box to be located in the lower right-hand corner, immediately above the 'cat prohibition' box on the back panel}

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Gastrointestinal signs such as vomiting or diarrhea have also been reported. Dogs may also show "lethargy." If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{A minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right-hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. MAY BE FATAL. Keep cats away from treated dogs for 24 hours.
If applied to a cat or ingested by a cat, contact your veterinarian immediately.



STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove [tube] [vial] from the pack until ready to use. Store in a cool [below 77°F/[] (25°C)] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER HANDLING. Non refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

[WARRANTY

Read the entire Directions for Use and Warranty before using this product. To the extent consistent with applicable law, by using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of application, all of which are beyond the control of Sergeant's. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's is committed to providing high quality products.]

[If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[See Spanish insert inside package for directions for use and precautions.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency, call: 1-800-224-PETS (7387)

[Coupon(s) inside or outside of box]
{When outside of the box, the coupon will not cover or distract consumer from required text}

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 13 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

[Satisfaction Guaranteed! Please return for a refund if not completely satisfied!]

[Made in the USA]
[Manufactured by:] [Distributed by:]
Sergeant's Pet Care Products, LLC
P.O. Box 540399
Omaha, NE 68154



















EPA Reg. No. 2517-94
EPA Est. No. XXXXX-XX-XX

[BAR CODE AREA][lot, date and label codes]

{END – BACK/SIDE PANEL}

{OPTIONAL GRAPHICS}




	Adult Flea	
	Flea eggs	
	Flea Larvae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	Chewing Lice	
	Mosquitoes	
	Mite	

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 14 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017



{END OF OPTIONAL GRAPHIC}

{OPTIONAL LANGUAGE AND MARKETING STATEMENTS}

{ABNs}

SENTRY PRO Squeeze-On for Dogs
SENTRY PRO Squeeze-On for Dogs and Puppies
Sergeant's Gold Squeeze-On for Dogs and Puppies
Sergeant's PreTect Squeeze-On for Dogs
Sergeant's Squeeze-On for Dogs and Puppies
Sergeant's Squeeze-On Flea, Tick and Mosquito Control for Dogs
Sergeant's SEVEN WAY Squeeze-On Protection for Dogs

- {1} Citrus scent
- {2} Flea and Tick Control for Dogs [and Puppies] [3 Months] [12 Weeks] [of Age] or Older [and] [,][weighing] [7-32 lbs][33-66 lbs][over 66 lbs]
- {3} Kills and Repels [Adult] Fleas for 4 Weeks [Per Application]
- {4} Kills, Repels and Prevents re-infestation of Fleas for 4 Weeks [!]
- {5} Kills and Repels Ticks for 6 Weeks [Per Application] [!]
- {6} Kills and Repels Brown Dog Ticks (*Rhipicephalus sanguineus*) for 6 Weeks [Per Application] [!]
- {7} Monthly Flea, Tick, Lice & Mite [Application] [Treatment] [!]
- {8} Flea, Tick, Lice and Mite [Control] [Protection] [Treatment] [!]
- {9} Kills and Repels Mosquitoes [on Dogs] [and Puppies] [3 Months] [12 Weeks] [of Age] or Older [and] [,][weighing] [7-32 lbs][33-66 lbs][over 66 lbs]

- {10} Kills and Repels Fleas and Ticks for 4 Weeks [Per Application] [!]
- {11} [1][one] [2][two] [3][three] [4][four] [5][five] [6][six] [9][nine] [12][twelve] [Month Supply] [Applications]
- {12} Triple Pest Protection [!] [Fleas, Ticks, Mosquitoes]
- {13} Flea, Tick & Mosquito Treatment [!]
- {14} Seven Way Protection [!] Kills Fleas, Ticks, Mosquitoes, Lice, Mites, Flea Eggs and Larvae

Sergeant's Master Label

18 MAY 2022 - Amendment
Information in [] is optional.

Version 22.1
Page 15 of 15

EPA Reg. No. 2517-94
SUPERSEDES EPASAL 01/27/2017

- {15} Five Way Protection [!] Kills Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae
- {16} Kills Fleas for 4 Weeks and Ticks for 6 Weeks
- {17} Kills Fleas, Ticks, Mosquitoes, Lice & Mites on Dogs [and Puppies] [3 Months] [12 Weeks] [of Age] or Older [and] [,][weighing] [7-32 lbs][33-66 lbs][over 66 lbs]
- {18} Repels and Kills Ticks on Dogs [and Puppies] [3 Months] [12 Weeks] [of Age] or Older [and] [,][weighing] [7-32 lbs][33-66 lbs][over 66 lbs]
- {19} Promotes Proper Removal of Ticks from Dogs [and Puppies] [3 Months] [12 Weeks] [of Age] or Older [and] [,][weighing] [7-32 lbs][33-66 lbs][over 66 lbs]
- {20} A Quick and Easy Way to Kill and Remove Ticks from Dogs [and Puppies] [3 Months] [12 Weeks] [of Age] or Older [and] [,][weighing] [7-32 lbs][33-66 lbs][over 66 lbs]
- {21} Kills and Repels the Deer Tick [which may transmit Lyme disease] for 6 Weeks [!]
- {22} Kills and Repels Ticks Including the Brown Dog Tick and Deer Tick [which may transmit Lyme disease] for 6 weeks [!]
- {23} Kills and Repels Ticks known to be a Vector that may transmit Lyme Disease
- {24} Breaks the Flea Life Cycle [!]
- {25} Kills and Repels Adult fleas for 4 Weeks [Per Application] [!]
- {26} Stops Flea Eggs from Hatching [!]
- {27} Controls re-infestation [!]
- {28} Kills, Repels and Prevents re-infestation of Ticks, including Brown Dog Ticks and *Ixodes spp.* Which may be Vectors that may transmit Lyme Disease, for 6 Weeks
- {29} Kills Flea Eggs & Larvae for [123 Days] [4 Months]
- {30} Kills Flea Eggs for [123 Days] [4 Months]
- {31} Kills Larvae for [123 Days] [4 Months]
- {32} Prevents Flea Eggs from developing into biting adults
- {33} For year-round protection, apply [**Brand Name**] [this product] monthly [!]
- {34} Dog's Name {Empty blank for owner to fill in name}
- {35} [Dose] [Application] {Empty blank for owner to fill in date} (Date: MM/DD/YY)
- {36} {Calendar stickers with **Brand Name**}
- {37} Place stickers on your calendar as a reminder to reapply [**Brand Name**] in [30 days] [1 month] [4 weeks]
- {38} Satisfaction Guaranteed. If you are not satisfied, we will make it right with a replacement or refund

{END - OPTIONAL LANGUAGE AND MARKETING STATEMENTS}