2517-126

10/14/2014

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

October 14, 2014

Ms. Deborah A. Chadbourne Agent for Sergeant's Pet Care Products, Inc. 529 Bierys Bridge Road Bethlehem, PA 18017

Subject: Label Amendment – Acceptance of Master Labeling Submitted for Addition of New Efficacy Claims; Revisions to CSFs; and Implementation of Pet Spot-On Mitigation Product Name: MarketQuest One Drop Flea & Tick Control with IGR for Dogs EPA Registration Number: 2517-126 Application Date: September 20, 2013 Decision Numbers: 483525 & 495652

Dear Ms. Chadbourne:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following label revision provision(s):

Amendments to Dog Spot-On Product Registrations:

- 1. This registration is now time-limited, and will expire 2 years from the date of this letter. More specifically, this registration will expire on October 14, 2016.
- 2. If the Agency determines that future mitigation measures are necessary for all pet spot-on products, EPA will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.
- 3. Please consider limiting the formulations of this product to one basic confidential statement of formula. The Agency may require this in the future. In addition, it is possible that no additional alternate formulations or minor formulation amendments will be approved for this product in the future.

You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning October 1, 2014. Please flag any Confidential Business Information as such. Enhanced incident reporting and quarterly sales information should be submitted to the Product Manager. The following is a list of information that must be included in the quarterly reports for each incident:

- EPA Registration Number
- Product name (brand name)

Page 2 of 3 EPA Reg. No. 2517-126 Decision No. D483526 and D495652

- Lot #
- Where purchased: Internet, store, veterinarian.
- Active ingredient(s)
- Weight range for product
- Date on which incident occurred. (mm/dd/yyyy)
- State in which the incident occurred. (Standard 2 letter abbreviation)
- Registrant case #
- Species: Dog, cat, other (specify).
- Breed: (As reported by pet owner)
- Age: Months or years.
- Sex: M, F, or neutered.
- Weight: Pounds.

Conditions of Acceptance/Amendments to Dog Spot-On Product Registrations, continued:

- Primary Route of Exposure: Dermal, oral, other animal, inhalation, other.
- Body System: Neurological, dermatological, GI, respiratory, ocular, other.
- Major signs noted with separate column for each sign, using standard terminology.
- Time to Onset: (Hours, days)
- Treated by veterinarian: Yes or No
- First time product used: Yes or No
- Misuse: Use on incorrect species, overdose, too frequent dosing, other (describe).
- Any known pre-condition.
- EPA Severity Code: Death, major, moderate, minor.
- Outcome: Died, recovered, still treated, unknown.
- 4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported, including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - Summary table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
 - A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight

- range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
- Table showing number of incidents for each dog breed.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/29/2014
- Alternate CSF 1 dated 07/29/2014

Any CSFs other than those listed above are superseded/no longer valid. Copies of your updated master label stamped "Accepted" and the review for minimum weight treated are enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR §152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under section 2(gg) of FIFRA and its implementing regulation at 40 CFR §152.3. Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA.

If you have any questions about this label review, please contact Ms. Linda A. DeLuise at (703) 305-5428 or via e-mail at <u>DeLuise@Linda@epa.gov</u> during the hours of 9:00 A.M. to 5:30 P.M. EST.

Sincerely,

Richard J. Ceebk

Richard Gebken Product Manager 10 Insecticide Branch Office of Pesticide Programs Date: October 14, 2014

Enclosures.

Updated Master Label Stamped "Accepted," dated October 14, 2014 Review for Minimum Weight Treated, dated September 20, 2013

2517-216 D483526 and D495652

9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6 EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. Page 1 of 9 EPA SAL 21FEB2012

DOG SOUEEZE ON **FRONT PANEL PERMETHRIN + METHOPRENE**

MarketQuest One Drop Flea & Tick Control with IGR* for Dogs *Insect Growth Regulator

[Optional text appears in brackets – the final label may include some or all of the optional text on front, back or side label panels]

{ABN}[Sergeant's Flea & Tick Squeeze-On for Dogs]

{1.5cm x 1.5cm on final or as shown below}



ACCEPTED

10/14/2014

Under the Federal Insecticide, Fungicide

and Rodenlicide Act as amended, for the

2517-126

pesticide registered under

EPA Reg. No.

{Use of the following marketing claims as applicable to the specific size packaging}

{Weight Break Group 1}

[For Dogs ONLY weighing between 7 and 15 lbs, over 12 weeks of age] [For Dogs ONLY weighing more than 7 LBS and [under] [less than] 15 LBS over 12 weeks of age]

{Weight Break Group 2}

[For Dogs ONLY Between 15 and 33 LBS over 12 weeks of age] [For Dogs ONLY Between 7 and 33 LBS over 12 weeks of age]

[For Dogs ONLY weighing between 7 and 33 lbs, over 12 weeks of age]

[For Dogs ONLY weighing between 15 and 33 lbs, over 12 weeks of age]

[For Dogs ONLY weighing more than 7 LBS and [under] [less than] 33 LBS over 12 weeks of age]

[For Dogs ONLY weighing more than 15 LBS and [under] [less than] 15 LBS over 12 weeks of age]

{Weight Break Group 3}

[For Dogs ONLY weighing between 33 lbs & 66 lbs over 12 weeks of age]

{Weight Break Group 4}

[For Dogs ONLY Weighing 66 LBS. and over [or more] [For Dogs ONLY Weighing More Than 66 LBS.]

[Optional Marketing Statements]

[Mosquitoes]

[1] [KILLS AND REPELS MOSQUITOES [ON DOGS]]

[2] [KILLS MOSQUITOES THAT MAY VECTOR HEARTWORM]

[3] [PROTECTS AGAINST BLOOD FEEDING MOSQUITOES THAT MAY VECTOR HEARTWORM]

[Lice/Mites]

[4] [ALSO KILLS DOG LICE AND SARCOPTIC MANGE MITES]


[Fleas]

[5] [KILLS AND REPELS ADULT FLEAS FOR UP TO 5 WEEKS [PER APPLICATION]!]

[6] [KILLS AND REPELS [ADULT] FLEAS [FOR] UP TO 5 WEEKS [PER APPLICATION]!]

[7] [KILLS, REPELS AND PREVENTS RE-INFESTATION OF FLEAS ON YOUR [DOG] [PUPPY] FOR UP TO 5 WEEKS!]

[8] [CONTROLS REINFESTATION ON YOUR [DOG] [PUPPY]!]



9 OCT 2014 AMENDMENT

Version 13.6

Information in [] is optional.

EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. Page 2 of 9 EPA SAL 21FEB2012

[9] [KILLS FLEA EGGS & LARVAE]

[10] [PLUS KILLS FLEA EGGS AND LARVAE]

[11] [STOPS FLEA EGGS FROM HATCHING!]

[12] [PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS]

[Ticks]

[13] [REPELS & KILLS TICKS ON DOGS]

[14] [KILLS AND REPELS TICKS FOR UP TO 6 WEEKS [PER APPLICATION]!]

- [15] [KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!]
- [16] [KILLS AND REPELS BROWN DOG TICKS [(Rhipicephalus sanguineus)] FOR UP TO 6 WEEKS [PER APPLICATION]!]

[17] [KILLS AND REPELS TICKS INCLUDING THE BROWN DOG TICK AND DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS.]

[18] [KILLS, REPELS AND PREVENTS REINFESTATION OF TICKS ON YOUR [DOG] [PUPPY], INCLUDING BROWN DOG TICKS AND IXODES SPP. WHICH MAY BE VECTORS OF LYME DISEASE, FOR UP TO 6 WEEKS.]

[Multiple Infestations]

[19] [KILLS AND REPELS FLEAS AND TICKS FOR UP TO 5 WEEKS [PER APPLICATION]!]

[20] [FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER] [21] [FLEA, TICK & MOSQUITO TREATMENT]

- [22] [REPELS & KILLS FLEAS, TICKS & MOSQUITOES]
- [23] [MONTHLY FLEA, TICK, [&] LICE [& SARCOPTIC MANGE MITE] APPLICATION [TREATMENT]!]

[24] [KILLS FLEAS, TICKS, MOSQUITOES, [&] LICE [& SARCOPTIC MANGE MITES] ON DOGS]

[25] [TRIPLE PEST PROTECTION AGAINST

FLEAS

TICKS

MOSQUITOES]

[26] [TRIPLE PEST PROTECTION AGAINST

FLEAS

TICKS

LICE]

[27] [FIVE [5] – IN – ONE [1] PEST PROTECTION

FLEAS

TICKS

MOSQUITOES

LICE

SARCOPTIC MANGE MITES]

[All Others]

[28] [CITRUS SCENT]

[29] [CONTAINS BITREX [[A Bittering Agent] [to reduce chance of ingestion]]]

[30] [BREAKS FLEA LIFE CYCLE!]

[31] [15 WEEK SUPPLY - 3 EASY TREATMENTS]

[32] [[3] [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]]

[33] [[QUICK DRYING,] [NON-GREASY,] [WATERPROOF]]

ACTIVE INGREDIENTS	
Permethrin * [CAS #52645-53-1]	45.00%
S-Methoprene [CAS #65733-16-6]	1.20%
OTHER INGREDIENTS	
TOTAL	100.00%

*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6 EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. Page 3 of 9

EPA SAL 21FEB2012

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/other panel(s) for additional Precautionary Statements.

NET [WEIGHT] [CONTENTS]

XXX fl oz (XXX mL)

[THREE][FOUR][SIX][TWELVE] (0.051 fl oz) 1.5 mL [Tubes] [Vials] [Applicators] [THREE] [FOUR] [SIX] [TWELVE] (0.101 fl oz) 3.0 mL [Tubes] [Vials] [Applicators] [THREE][FOUR][SIX][TWELVE] (0.203 fl oz) 6.0 mL [Tubes] [Vials] [Applicators]

BACK/SIDE/OTHER PANEL(S) **DOG SQUEEZE ON** PERMETHRIN + METHOPRENE

[[This product] [Brand Name] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults, and prevents reinfestations on your [dogs] [puppies] for up to 5 weeks. [This product] [Brand Name] kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and sarcoptic mange mites on dogs. As with all flea. and tick control products, [this product] [Brand Name] should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). [Consult your veterinarian, entomologist, or retailer for program recommendations.]]

READ ENTIRE LABEL BEFORE EACH USE. - USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash thoroughly with soap and water after handling and before eating, drinking chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4783. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.

{1.5cm x 1.5cm on final or as shown below}



{box frame below is optional}

DO NOT USE ON CATS. May be toxic or potentially fatal if applied to or ingested by cats. Keep cats away from treated dogs for 24 hours. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6 EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. Page 4 of 9 EPA SAL 21FEB2012

PHYSICAL OR CHEMICAL HAZARDS: Combustible! Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use on cats, rabbits or animals other than dogs. Do not get this product in your dog's eyes or mouth. Do not allow your dog to ingest this product. Do not use on puppies under 3 months of age or dogs less than [7] [15] [33] [66] lbs. {*NOTE: the following sentence is not appropriate for Weight Break Group 1 and Group 2, 3mL tube*} [Use entire contents of tube [vial] on each dog.] [Do not split one tube between dogs.] Do not use multiple tubes [vials] on one dog unless SPECIFICALLY instructed otherwise. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

HOW TO OPEN: Remove product tube[s] from the package. [Separate one tube from the others.] Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

HOW TO APPLY:

FOR SARAN TUBES/VIALS IN BLISTER CARD, FLAT CARD (DOUBLED) UNIT-DOSE PACKAGING, FLAT CARD UNIT DOSE PACKAGING (PUSH-PIN APPLICATOR), FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING, AND BLISTER CARD WITH TRI-LAYER TUBES/VIALS} Invert tube over dog and use open end to part dog's hair. [{FOR PUSH PIN APPLICATOR} With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap and invert [tube] [vial] over dog.] Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Wrap [tube] [vial] and put in trash.

[OR]

(FOR MULTI-DOSE PACKAGING FOR SALE TO VETERINARIANS ONLY) Withdraw [(1.5 ml)] [(3.0 ml)] [(6.0 ml)] of solution at a time. Apply entire given dose directly to the skin at the indicated locations.

[OR]

(FOR DROPPER BOTTLE MULTI-DOSE PACKAGING FOR SALE TO VETERINARIANS ONLY): Insert dropper tube into [insecticide solution] [this product] [Brand Name], squeeze bulb and then release to fill tube barrel to [(1.5 ml)] [(3.0 ml)] [(6.0 ml)] line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of [the solution] [this product] [Brand Name] to the dog's skin as indicated for dog's size.

{The following for cartons bearing directions for use for dogs in Weight Break Group 1.}

$\{1.5 mL (0.051 fl. oz.) applicator tubes\}$

[Only For Dogs weighing between 7 and 15 lbs.] [[including small dogs and puppies,] 12 weeks of age or older] [OR] [Only for Dogs weighing more than 7 LBS and [under] [less than] 15 LBS [including small dogs and puppies,] 12 weeks of age or older] {rate = (1.0 mL) (0.034 fl. oz.)} Apply 2/3 of 1.5 mL [0.051 fl. oz.] tube of this product as a spot or stripe to the dog's back between the shoulder blades.]

9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6EPA Reg. No. 2517-126Information in { } is explanatory, not to be included in label text.
Page 5 of 9EPA SAL 21FEB2012

{The following for cartons bearing directions for use for dogs in Weight Break Group 2.}

{1.5 mL (0.051 fl. oz.) applicator tubes}

[Only For Dogs Weighing Between 15 and 33 lbs. 12 weeks of age or older] [OR] [Only For Dogs weighing between 7 and 33 lbs 12 weeks of age or older] [OR] [Only for Dogs Between 7 and 33 LBS 12 weeks of age or older] [OR] [Only for Dogs Between 15 and 33 LBS 12 weeks of age or older] [OR] [Only for Dogs weighing more than 7 LBS and [under] [less than] 33 LBS 12 weeks of age or older] [OR] [Only for Dogs weighing more than 15 LBS and [under] [less than] 33 LBS 12 weeks of age or older] [OR] [Only for Dogs weighing more than 15 LBS and [under] [less than] 33 LBS 12 weeks of age or older] [OR] [Only for Dogs weighing more than 15 LBS and [under] [less than] 33 LBS 12 weeks of age or older] [rate = 1.5 mL 0(.051 fl. oz)] Apply one tube [vial] (1.5 mL) [0.051 fl. oz] of this product as a spot or stripe to the dog's back between the shoulder blades.]

{3.0 mL (0.101 fl. oz.) applicator tubes}

[Only For Dogs Weighing Between 15 and 33 lbs. [OR] [Only For Dogs Weighing 33 lbs and under] [OR] [Only For Dogs weighing between 7 and 33 lbs] [OR] [Only for Dogs Weighing Under 33 lbs.], [12 weeks of age or older] {rate = 1.5mL 0(.051 fl. oz)} Apply [one-half] [$\frac{1}{2}$] tube [vial] (1.5 mL) [0.101 fl. oz.] of this product as a spot or stripe to the dog's back between the shoulder blades.]

{The following for cartons bearing directions for use for dogs in Weight Break Group 3.}

$\{1.5 mL (0.051 fl. oz.) applicator tubes\}$

[Only For Dogs Weighing Between 33 and 66 lbs., [12 weeks of age or older]{rate = 2X(1.5 mL) (0.051 fl. oz)} Apply one tube [vial] (1.5 mL) [0.051 fl. oz.] of this product as a spot or stripe to the dog's back between the should blades and apply a second tube (1.5 mL) [0.051 fl. oz.] as a spot or stripe to the dog's back directly in front of the base of the tail.]

{3.0 mL (0.101 fl. oz.) applicator tubes}

[Only For Dogs Weighing Between 33 and 66 lbs., **[12 weeks of age or older]** {rate = 1(3.0 mL) (0.101 fl. oz)} Apply one tube [vial] (3.0 mL) [0.101 fl. oz.] of this product as a spot or stripe to the dog's back between the should blades.] [OR] Apply approximately [one-half] [½] of the tube [vial] (1.5 ml) [0.051 fl. oz.] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 ml) [0.051 fl. oz.] as a spot or stripe to the dog's back directly in front of the base of the tail.] [OR] [Apply the entire tube [vial] (3.0 ml) [0.101 fl. oz.] as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

{The following for cartons bearing directions for use for dogs in Weight Break Group 4.}

*{*1.5 mL (0.051 fl. oz.) applicator tubes*}*

[Only For Dogs Weighing 66 lbs and Over] [OR} [Only For Dogs Weighing More Than 66 lbs] {rate = 4X(1.5 ml)-[0.051 fl. oz.]} Apply one tube [vial] (1.5 ml) [0.051 fl. oz.] of this product as a stripe to the dog's back between the shoulder blades, and apply a second and a third tube [vial] (two 1.5 ml-tubes [vials]) continuing the stripe down the center of the dog's back, and apply a fourth tube [vial] (1.5 ml) to the dog's back directly in front of the base of the tail. Do not use additional tubes on dogs over 66 lbs.]

9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6 EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. Page 6 of 9

EPA SAL 21FEB2012

{3.0 mL (0.101 fl. oz.) applicator tubes}

[Only For Dogs Weighing More Than 66 lbs] [OR] [Only For Dogs Weighing 66 lbs and Over] {rate = 2X 3.0 ml (0.101 fl. oz) Apply one tube [vial] (3.0 ml) [0.101 fl. oz.] of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube [vial] (3.0 ml) [0.101 fl. oz.] continuing the stripe down the center of the dog's back. Do not use additional tubes on dogs over 66 lbs.]

{6.0 mL (0.203 fl. oz.) applicator tubes}

[Only For Dogs Weighing 66 lbs and Over] [OR] [Only For Dogs Weighing More Than 66 lbs.] {rate = 6.0 ml} Apply approximately [one-half] $[\frac{1}{2}]$ of the tube [vial] (3.0 ml) [0. 101 fl. oz.] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's [vial's] contents (3.0 ml) [0.101 fl. oz.] as a spot or stripe to the dog's back directly in front of the base of the tail.] [OR] [Apply the entire tube [vial] (6.0 ml) [0.203 fl. oz.] as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.] Do not use additional tubes on dogs over 66 lbs.]

[FREQUENCY OF APPLICATION]

[Use [this product] [Brand Name] monthly for complete control of flea, tick [and] chewing lice [and to kill [mosquitoe[s]]] [infestations] [sarcoptic mange mites]]. [If your dog is at high risk for flea reinfestation, apply monthly.] [Apply monthly to control ticks, [mosquitoes] [sarcoptic mange mites] and chewing lice.] [Allow treated area to dry thoroughly.] [Do not reapply for [30 days] [4 weeks].]

[To Kill and Help Remove Visible Ticks on Dogs: Open [tube] [vial] and apply a drop [of this product] [Brand Name] directly onto the tick or ticks and then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the TICK has not backed off or fallen off, carefully remove tick with tweezers or comb making sure to remove entire tick. Clean wound, apply antiseptic and cover with a bandage if needed. [Tube] [vial] is not resealable. Do not reseal [tube] [vial]. Discard after use as directed in Disposal Instructions on this label.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tubes from outer packaging until ready to use. Store in a cool, dry place out of reach of children. Protect from freezing and direct sunlight. PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental, or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

[Sergeant's Pet Care Products, Inc. is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738 Non-Emergency, call: 1-800-224-PETS (7387)

Made in USA

9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6 EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. Page 7 of 9 EPA SAL 21FEB2012

[Distributed by] [Manufactured for]: Sergeant's Pet Care Products, Inc. Omaha, NE 68154-0399

EPA Reg. No. 2517-126 EPA Est. No. {date & label code} [Lot no. to be added at production]

{END BACK/SIDE/OTHER PANEL(S)

PERMETHRIN + METHOPRENE)

DOG SQUEEZE ON



Front Label

{Brand Name}For Dogs [X-Y] lbs $[\geq 12$ wks]Permethrin 45.0%, S-Methoprene 1.2%[1.0 mL] [or] [1.5 mL] [or] [3 mL] [or] [6 mL] {asappropriate for packaging}{label code}

Back Label

KEEP OUT OF REACH OF CHILDREN CAUTION: Read directions and precautions before using. Use scissors to open. EPA Reg. No. 2517-126 {label code}


{OPTIONAL OUTER PACKAGING COPY}

[Look at the Label [Look at the Label icon] [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets [and use the ENTIRE tube contents unless specifically instructed otherwise].]

[Brand Name[*]]

[[*] [Insect Growth Regulator (S-methoprene) inhibits development of the immature stages of the fleas preventing them from reaching the biting adult stage.]





9 OCT 2014 AMENDMENT Information in [] is optional. Version 13.6 Page 8 of 9


EPA Reg. No. 2517-126 Information in { } is explanatory, not to be included in label text. EPA SAL 21FEB2012

[4 STEPS FOR COMPLETE FLEA CONTROL

- Step 1-Shampoo or dip your dog.
- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders Step 2labeled for flea control.
- Step 3-Apply [Brand Name] for flea, tick, mosquito, [and] lice, [and sarcoptic mange mite] control.

Maintenance treatments with on-animal sprays and powders.] Step 4-

{OPTIONAL GRAPHICS BELOW MAY APPEAR ANYWHERE ON FINISHED LABEL OR OUTER PACKAGING.}















{END - OPTIONAL OUTER PACKAGE COPY AND OPTIONAL GRAPHICS}