



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

2517-126

Date of Issuance:

1/27/17

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 01/27/2019

Name of Pesticide Product:

MarketQuest One Drop Flea &
 Tick Control with IGR for Dogs

Name and Address of Registrant (include ZIP Code):

Mr. Kelly R. Hoskins
 Sergeant's Pet Care Products, Inc.
 10077 South 134th Street
 Omaha, NE 68138-3710

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis, Product Manager 03
 Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

Date:

1/27/17

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 01/27/2019.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in an Agency letter dated 10/14/14.
4. You are required to comply with the data requirements described in the DCI Orders identified below:
 - a. Permethrin GDCI-109701-1252
 - b. Permethrin GDCI 109701-1113
 - c. Permethrin GDCI-109701-1252
 - d. Permethrin GDCI-109701-1281
 - e. Permethrin EDSP-109701-83
 - f. Permethrin EDSP-109701-84
 - g. Permethrin EDSP-109701-85
 - h. Permethrin EDSP-109701-86
 - i. Permethrin EDSP-109701-87
 - j. Permethrin EDSP-109701-88
 - k. Permethrin EDSP-109701-89
 - l. Permethrin EDSP-109701-90
 - m. Permethrin EDSP-109701-91
 - n. Permethrin EDSP-109701-92

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://www.epa.gov/oppsrrd1/contacts_prd.htm

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 04/04/2016
- Alternate CSF 1 dated 07/29/2014
- Alternate CSF 2 dated 06/18/2015
- Alternate CSF 3 dated 9/21/2015

If you have any questions, please contact Matthew Aubuchon by phone at 703-347-0477, or via email at Aubuchon.Matthew@epa.gov.

Enclosure

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

1 of 11

EPA SAL 14 OCT, 2014

{FRONT PANEL

**SQUEEZE-ON FOR DOGS
PERMETHRIN + METHOPRENE}**

[Optional text appears in brackets –the final label may include some or all of the optional text on front, back or side label panels]

MarketQuest One Drop Flea & Tick Control with IGR* for Dogs

*Insect Growth Regulator

{Market Label - the word dog will be at least 40-75% in height of the largest letter in the primary brand name.}
{Market Label - a large clear picture of a dog in the respective weight range will be on the front panel of the label}

{ABN} [Sergeant's Flea & Tick Squeeze-On for Dogs]

[1.5cm x 1.5cm on final or red & black as indicated below.

Placement will be in the lower right hand quadrant.]



{One of the following statements will be placed prominently on the front panel as applicable to the specific size packaging}

{Weight Break Group 1}

[For Dogs [&] [Puppies] ONLY weighing between 7 and 15 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [&] [Puppies] [weighing] [between] 7 and 15 lbs, over 12 weeks of age]

[For Dogs [&] [Puppies] ONLY weighing more than 7 lbs and [under] [less than] 15 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [&][Puppies][weighing] more than 7 lbs and [under][less than] 15 lbs, over 12 weeks of age]

{Weight Break Group 2}

[For Dog [&] [Puppies] ONLY [weighing] [between] 15 and 33 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [&] [Puppies] [weighing] 15 lbs and [under] [less than] 33 lbs, over 12 weeks of age]

[For Dog [&] [Puppies] ONLY [weighing] [between] 7 and 33 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [&] [Puppies] [weighing] 7 lbs and [under] [less than] 33 lbs, over 12 weeks of age]

[For Dog [&] [Puppies] ONLY [weighing] more than 7 lbs and [under] [less than] 33 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [&] [Puppies] [weighing] more than 7 lbs and [under] [less than] 33 lbs, over 12 weeks of age]

[For Dog [&] [Puppies] ONLY weighing more than 15 lbs and [under] [less than] 33 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [&][Puppies][weighing] more than 15 lbs and [under][less than] 33 lbs, over 12 weeks of age]

{Weight Break Group 3}

[For Dogs ONLY [weighing] [between] 33 lbs [&] [and] [under] [less than] 66 lbs, over 12 weeks of age]

[For Use ONLY on Dogs [weighing] 33 lbs and [under] [less than] 66 lbs]


{Weight Break Group 4}

[For Dogs ONLY [weighing] 66 lbs and over [(or) more]

[For Use ONLY on Dogs [weighing] 66 lbs and [over] [more]

[For Dogs ONLY [weighing] [over] [more than] 66 lbs]

[For Use ONLY on Dogs [weighing] [over] [more than] 66 lbs]



Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

2 of 11

EPA SAL 14 OCT, 2014

{ box only designates Vet Only language }

{SUBLABEL: FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION}

FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels. Not for residential use. Do not repackage.

[Ideal for shelter use when under direct supervision of veterinarian]

[Professional Roll Pack]

[Convenient roll pack for in clinic use]

[Convenient roll pack for animal facility

use] [For use only by licensed

veterinarians]

{Optional Marketing Statements}

[Mosquitoes]

[Kills and repels Mosquitoes [on Dogs]]

[Kills Mosquitoes that may vector Heartworm]

[Protects against blood feeding Mosquitoes that may vector Heartworm]

[Lice/Mites]

[Also kills Dog Lice and Sarcoptic Mange Mites]

[Fleas]

[Kills and repels [adult] fleas [for] up to 5 weeks [per application]!]

[Kills, repels and prevents re-infestation of fleas on your [dog] [puppy] for up to 5 weeks!]

[Controls re-infestation on your [dog] [puppy]]

[Kills flea eggs & larvae]

[Plus kills flea eggs and larvae]

[Stops flea eggs from hatching]

[Prevents flea eggs from developing into biting adults]

[Ticks]

[Repels & kills ticks on dogs]

[Kills and repels ticks for up to 6 weeks [per application]!]

[Kills and repels deer tick (a vector of Lyme disease) for up to 6 weeks!]

[Kills and repels brown dog ticks (*Rhipicephalus Sanguineus*) for up to 6 weeks [per application]!]

[Kills and repels ticks including the brown dog tick and deer tick (a vector of Lyme disease) for up to 6 weeks!]

[Kills, repels and prevents re-infestation of ticks on your [dog] [puppy], including brown dog ticks and Ixodes *SPP* which may be vectors of Lyme disease, for up to 6 weeks.]

[Multiple Infestations]

[Kills and repels fleas and ticks for up to 5 weeks] [per application]!]

[Flea and tick control for dogs and puppies 3 months [12 weeks] of age & older]

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

3 of 11

EPA SAL 14 OCT, 2014

[Flea, Tick & Mosquito treatment]
[Repels & kills Flea, Tick and Mosquitoes]
[Monthly Flea, Tick, [&] Lice [& Sarcoptic Mange Mite] application [treatment]]
[Kills Fleas, Ticks, Mosquitoes, [&] Lice [& Sarcoptic Mange Mites] on dogs]
[Triple [pest] protection [against] Fleas, Ticks, [and] Mosquitoes]
[Triple [pest] protection [against] Fleas, Ticks, [and] Lice]
[[Five] [5] – in – [one] [1] [pest] protection [against] Fleas, Ticks, Mosquitoes, Lice, [and] Sarcoptic Mange Mites]]

[All Others]

[Citrus scent]
[Contains Bitrex [[a bittering agent][to reduce chance on ingestion]]]
[Breaks flea life cycle]
[15 Week Supply – 3 easy treatments]
[[X] [3] [4] [5] [6] [9] [12] Month Supply [Applications]
[[Quick Drying,] [Non-Greasy,] [Waterproof]]
[33% more free] [Buy more and save!]
[Bonus 33% more free] [Buy X Get Y Free]
[Save Now!] [Buy 3 get 1 free]
[Value Size] [(x)% (More) (Free)!]
[Club Size] [(x) Dose(s) Free!]
[Bonus Size] [(x) Month(s) Free!]
[Club Pack] [(x) Day(s) (Free)!]
[Great Value] [(x) Day(s) of treatment- Free!]
[Better Value] [(x) Tube(s) Free!]
[Bonus Pack] [(x) Applicator(s) Free!]
[(x) + (x) bonus pack!] [(x) Application(s) Free!]

ACTIVE INGREDIENTS:

Permethrin* [CAS# 52645-53-1] 45.00%
S-Methoprene [CAS# 65733-16-6]1.20%

OTHER INGREDIENTS:53.80%

TOTAL 100.0%

*Cis/trans ratio: Max 55% (+) cis and min 45% (+) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [Back][Insert][or][Side] [Label] [Other] [Panel][s] for Additional Precautionary Statements.

NET CONTENTS: XXX fl oz (XXX mL)[X-Y fl oz [tubes][applicators][vials]

[One][1][Two][2][THREE][3][FOUR][4][Five][5][SIX][6][Seven][7][Eight][8][Nine][9][Ten][10]
[Eleven][11][TWELVE][12][Twenty-Four][24]

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

4 of 11

EPA SAL 14 OCT, 2014

OR {box only designates Vet Only language}

Net Contents:X fl oz X count [Y – X fl oz [tube][vial][applicator][pipette][s]] [Thirty- five] 35[Fifty][50][Seventy-five][75][One hundred][100] [One hundred sixty 160]

(0.051 fl oz) 1.5 mL [Tubes] [[Vials] [Applicators]

(0.101 fl oz) 3.0 mL [Tubes] [Vials] [Applicators]

(0.203 fl oz) 6.0 mL [Tubes] [Vials] [Applicators]

{END FRONT LABEL}

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

5 of 11

EPA SAL 14 OCT, 2014

{BACK / SIDE/OTHER PANEL(S)}

**SQUEEZE-ON FOR DOGS
PERMETHRIN + METHOPRENE}**

[[This product] [Brand Name] is an effective and easy to use product. It prevents eggs from fleas on treated dogs from developing into biting adults, and prevents re-infestations on your [dogs] [puppies] for up to 5 weeks.

[[This product] [Brand Name] kills and repels ticks for up to 6 weeks, and kills mosquitoes, lice and Sarcoptic Mange Mites on dogs. As with all flea and tick control products, [this product] [Brand Name] should be used as part of a program aimed at reducing flea populations in dog's environment (bedding, carpet, kennel, yard).

[Consult your veterinarian, entomologist, or retailer for program recommendations]]

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS. FOR EXTERNAL USE ON DOGS ONLY. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product.

OR {box only designates Vet Only language}

Hazards to Domestic Animals. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. Use caution before using on medicated, debilitated, aged, pregnant, nursing dogs, or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4783. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your dog and continue to monitor your dog for the next 24 hours.



{1.5cm x 1.5cm on final or as shown below

{box frame below is optional}

DO NOT USE ON CATS. May be toxic or potentially fatal if applied to or ingested by cats. Keep cats away from treated dogs for 24 hours. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

6 of 11

EPA SAL 14 OCT, 2014

PHYSICAL OR CHEMICAL HAZARDS: Combustible. **Do not use or store near heat or open flame.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use on cats, rabbits or animals other than dogs. Do not get this product in your dog's eyes or mouth. Do not allow your dog to ingest this product. Do not use on puppies under 3 months of age or dogs less than [7] [15] [33] [66] lbs. {NOTE: the following sentence is not appropriate for Weight Break Group 1 and Group 2, 3mL tube} [Use entire contents of tube [vial] on each dog.] [Do not split one tube between dogs.] Do not use multiple tubes [vials] on one dog unless SPECIFICALLY instructed otherwise. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

HOW TO OPEN: Remove product tube[s] from the package. [Separate one tube from the others.] Hold the tube with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

HOW TO APPLY:

{FOR SARAN TUBES/VIALS IN BLISTER CARD, FLAT CARD (DOUBLED) UNIT-DOSE PACKAGING, FLAT CARD UNIT DOSE PACKAGING (PUSH-PIN APPLICATOR), FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING, AND BLISTER CARD WITH TRI-LAYER TUBES/VIALS}

Invert tube over dog and use open end to part dog's hair. [{FOR PUSH PIN APPLICATOR} With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap and invert [tube] [vial] over dog.] Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Wrap [tube] [vial] and put in trash.

[OR]

{FOR MULTI-DOSE PACKAGING FOR SALE TO VETERINARIANS ONLY} Withdraw [(1.5 mL)] [(3.0 mL)] [(6.0 mL)] of solution at a time. Apply entire given dose directly to the skin at the indicated locations.

[OR]

{FOR DROPPER BOTTLE MULTI-DOSE PACKAGING FOR SALE TO VETERINARIANS ONLY}:

Insert dropper tube into [insecticide solution] [this product] [Brand Name], squeeze bulb and then release to fill tube barrel to [(1.5 mL)] [(3.0 mL)] [(6.0 mL)] line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of [the solution] [this product] [Brand Name] to the dog's skin as indicated for dog's size.

{The following for cartons bearing directions for use for dogs in Weight Break Group 1.}

{1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only for Dogs weighing between 7 and 15 lbs] [including small dogs and puppies,] 12 weeks of age or older] [OR] [Only for Dogs weighing more than 7 lbs and [under] [less than] 15 lbs [including small dogs and puppies,] 12 weeks of age or older] {rate = (1.0 mL) (0.034 fl. oz.)}. Apply 2/3 of 1.5 mL [0.051 fl oz] tube of this product as a spot or stripe to the dog's back between the shoulder blades.]

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

7 of 11

EPA SAL 14 OCT, 2014

{The following for cartons bearing directions for use for dogs in Weight Break Group 2.}

{1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only for Dogs [weighing] between 15 and 33 lbs, 12 weeks of age or older] [OR]

[Only for Dogs [weighing] between 7 and 33 lbs, 12 weeks of age or older] [OR]

[Only for dogs weighing more than 15 lbs and [under][less than] 33 lbs, 12 weeks of age or older] [OR]

[Only for dogs weighing more than 7 lbs and [under][less than] 33 lbs, 12 weeks of age or older]

{rate = 1.5mL (0.051 fl. oz.)} Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.]

{3.0 mL (0.101 fl. oz.) applicator tubes}

[Only for Dogs weighing between 15 and 33 lbs] [OR]

[Only for Dogs weighing 33 lbs and under] [OR]

[Only for Dogs weighing between 7 and 33 lbs] [OR]

[Only for Dogs weighing under 33 lbs], [12 weeks of age or older]

{rate = 1.5mL (0.051 fl. oz.)} Apply [one-half] [1/2] tube [vial] (1.5 mL) [(0.101 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.]

{The following for cartons bearing directions for use for dogs in Weight Break Group 3.}

{1.5 mL (0.051 fl. oz.) applicator tubes}

[[Only for Dogs weighing between 33 and 66 lbs, [12 weeks of age or older] {rate = 2x(1.5 mL) (0.051 fl. oz.)}. Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 mL) [(0.051 fl. oz.)] as a spot or stripe to the dog's back directly in front of the base of the tail.]

{3.0 mL (0.101 fl. oz.) applicator tubes}

[[Only for Dogs weighing between 33 and 66 lbs, [12 weeks of age or older] {rate = 1 (3.0 mL) (0.101 fl. oz.)}. Apply one tube [vial] (3.0 mL) [(0.101 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades.] [OR] [Apply approximately [one-half] [1/2] of the tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 mL) [(0.051 fl. oz.)] as a spot or stripe to the dog's back directly in front of the base of the tail.] [OR] [Apply the entire tube [vial] (3.0 mL) [(0.101 fl. oz.)] as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]]

{The following for cartons bearing directions for use for dogs in Weight Break Group 4.}

{1.5 mL (0.051 fl. oz.) applicator tubes}

[Only for Dogs weighing 66 lbs and over] [OR]

[Only for Dogs weighing More Than [over]66 lbs]

{rate = 4x(1.5 ml) [(0.051 fl. oz.)]}. Apply one tube [vial] (1.5 mL) [(0.051 fl. oz.)] of this product as a stripe to the dog's back between the shoulder blades, and apply a second and a third tube [vial] (two 1.5 mL-tubes [vials]) continuing the stripe down the center of the dog's back and, apply a fourth tube [vial] (1.5 mL) to the dog's back directly in front of the base of the tail. **Do not use additional tubes on dogs over 66 lbs]**

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

8 of 11

EPA SAL 14 OCT, 2014

{3.0 mL (0.101 fl. oz.) applicator tubes}

[Only **For Dogs weighing More Than 66 lbs**] [OR]

[Only **For Dogs weighing 66 lbs and Over**] {rate = 2x 3.0 mL (0.101 fl. oz.)}. Apply one tube [vial] (3.0 mL) [(0.101 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube [vial] (3.0 mL) [(0.101 fl. oz.)] continuing the stripe down to the center of the dog's back. **Do not use additional tubes on dogs over 66 lbs**]

{6.0 mL (0.203 fl. oz.) applicator tubes}

[Only **For Dogs weighing 66 lbs and Over**] [OR]

[Only **For Dogs weighing More Than 66 lbs**] {rate = 6.0 ml}. Apply approximately [one-half] [½] of the tube [vial] (3.0 mL) [(0.101 fl. oz.)] of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's [vial's] contents (3.0 mL) [(0.101 fl. oz.)] as a spot or stripe to the dog's back directly in front of the base of the tail.] [OR] [Apply the entire tube [vial] (6.0 mL) [(0.203 fl. oz.)] as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.] **Do not use additional tubes on dogs over 66 lbs.**]

FREQUENCY OF APPLICATION

[Use [this product] [Brand Name] monthly for complete control of fleas, tick [and] chewing lice [and to kill] [mosquitoe[s]] [infestations][sarcoptic mange mites]]. [If your dog is at high risk for flea reinfestation , apply monthly.] [Apply monthly to control ticks, [mosquitoes] [sarcoptic mange mites] and chewing lice.] [Allow treated area to dry thoroughly.] [Do not reapply for [30 days] [4 weeks].]

[To Kill and Help Remove Visible Ticks on Dogs: Open [tube] [vial] and apply a drop [of this product] [Brand Name] directly onto the tick or ticks and then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the tick has not backed off or fallen off, carefully remove tick with tweezers or comb making sure to remove entire tick. Clean wound, apply antiseptic and cover with a bandage if needed. [Tube] [Vial] is not resealable. Do not reseal [tube] [vial]. Discharge after use as directed in Disposal Instructions on this label.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tubes from outer packaging until ready to use. Store in a cool, dry place out of reach of children. Protect from freezing and direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[WARRANTY

Read the entire Directions for Use and Warranty before using this Product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. Sergeant's is committed to providing high quality products. To the extent consistent with applicable law, Sergeant's makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, Sergeant's, the manufacturer, or the Seller shall not be liable for indirect, special, incidental, or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

9 of 11

EPA SAL 14 OCT, 2014

[Sergeant's Pet Care Products, Inc. is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

[Visit us at www.sergeants.com]

In Case of an Emergency, call: 1-800-781-4738

Non-Emergency call 1-800-224-PETS (7387)

EPA Reg. No. 2517-126

Made in USA

EPA Est. No. XXXXX

{(date & label code) [lot No. to be added at production]}

[Manufactured [by] [for]:] [Distributed by:]

Sergeant's Pet Care Products, Inc.

Omaha, NE 68154-0399


{END BACK/SIDE/OTHER PANEL(S)}

{TUBE/ VIAL LABEL}

**{DOG SQUEEZE-ON
PERMETHRIN + METHOPRENE}**

Front Label

Back Label

<p>{Brand Name}</p> <p>For Dogs [X-Y] lbs \geq 12 wks</p> <p>Permethrin 45.0% , S-Methoprene 1.2%</p> <p>[1.0 mL] [or] [1.5 mL] [or] [3.0 mL] [or] [4.5 mL] {as <i>appropriate for packaging</i> {label code}</p>	 <p>KEEP OUT OF REACH OF CHILDREN</p> <p>CAUTION: Read directions and precautions before using. Use scissors to open.</p> <p>EPA REG. No. 2517-126 {label code}</p> <p>{EPA Reg. No. may be on the front or back label}</p>
--	--

{OPTIONAL OUTER PACKAGING COPY}

[Look at the Label [Look at the Label icon] [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist

- [1] Read the label completely and follow directions
- [2] Weigh your dog
- [3] Do NOT use Dog products on Cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate animals after treatment to avoid chance of ingestion
- [6] Do NOT split tubes between pets [and use the ENTIRE tube contents unless specifically instructed otherwise]].

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126

Information in [] is optional.

Page


Information in { } is explanatory, not to be included in label text.

10 of 11

EPA SAL 14 OCT, 2014

[Brand Name[*]]


[[*] [Insect Growth Regulator] [(S-methoprene) inhibits development of the immature stages of the fleas preventing them from reaching the biting adult stage.]













[4 STEPS FOR COMPLETE FLEA CONTROL

- Step 1- Shampoo or dip your dog.
- Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
- Step 3- Apply [Brand Name] for flea, tick, mosquito, [and] lice, [and sarcoptic mange mite] control.
- Step 4- Maintenance treatments with on-animal sprays and powders.]

{OPTIONAL GRAPHICS BELOW MAY APPEAR ANYWHERE ON FINISHED LABEL OR OUTER PACKAGING}



	Adult Flea	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	

Sergeant's Master Label

01 AUG 2016 2YR EXT

Version 16.1

EPA No. 2517-126







Information in [] is optional.

Page

Information in { } is explanatory, not to be included in label text.

11 of 11

EPA SAL 14 OCT, 2014

	Brown Dog Tick	
	Deer Tick	
	Mosquitoes	



{END – OPTIONAL OUTER PACKAGE COPY AND OPTIONAL GRAPHICS}